

AEC Series
Backshells
Boots
Contacts
Crimp Tools
Die Components
DRB Series
DRC Series
DT Series
DTHD Series
DTM Series
DTMF Series
DTMN Series
DTP Series
EEC Enclosures
Gaskets
HD10 Series
HD30 Series
HDB Series
HDFB Series
HDP20 Series
Jiffy Splices
J1939 Connectors
Kits
Keying Pins
Mounting Hardware
PCB Connectors
Removal Tools
Sealing Plugs
Strain Relief
Strike Series
Wedgelocks
WT Series

CONNECTORSELECTOR

A Reference Guide to Deutsch Industrial Electrical Connectors and Accessories





LADD Industries

LADD specializes in the sales, marketing, distribution, and technical support for Deutsch Industrial electrical connectors and accessories.

LADD is more than just a distributor. We haven't forgotten the importance of personal service. The Customer Service department can assist you with technical answers, pricing, orders, and more.



Deutsch Industrial

Deutsch Industrial products have been used in the off-highway, trucking, construction, agricultural, and engine industries for over 35 years. Deutsch electrical connectors are ideal where dirt, moisture, dust, salt spray, and rough terrain can contaminate or damage electrical connections.

CONNECTORSELECTOR

A supplement to the Deutsch Industrial catalog



Table of Contents

Contact Information



To place an order, obtain a quote, or for further information please contact LADD Customer Service at **800-223-1236**.



To place an order by fax, **937-438-9755**.



Contact us by email at **connection@laddinc.com**.



For product drawings or further information, please visit us on the web at: **www.laddinc.com**.

Application Assistance



Our factory trained application engineers provide design-in assistance, technical support, product training, and demonstrations. Call **800-223-1236** to schedule a visit.

2	Deutsch Performance Specifications <i>General Technical Specifications of Deutsch Industrial Connectors</i>
3	Connector Series Overview <i>Features of Deutsch Connector Series</i>
5	Electrical Connectors <i>Environmentally Sealed Connectors, 1-102 Cavities</i>
37	Secondary Wedgelocks <i>Wedgelocks Required for Connector Series</i>
39	Connector Accessories <i>Enclosures, Backshells, Boots, Dust Covers, Strain Relief, Sealing Plugs, Removal Tools, Mounting Accessories, Replacement Components</i>
47	Contacts <i>Solid and Stamped & Formed Pins and Sockets</i>
50	Crimp Tooling-Solid Contacts <i>Production/Hand Crimp Tools for Solid Contacts</i>
51	Crimp Tooling-Stamped & Formed Contacts <i>Production/Hand Crimp Tools for Stamped & Formed Contacts, Die Replacement Components</i>
54	Deutsch Modification List <i>Common Deutsch Industrial Connector Modifications</i>
58	Glossary <i>Common Terms and Definitions</i>

Deutsch Performance Specifications

ARC Resistance	All dielectric materials withstand a minimum of 130 seconds per ASTM D-495.
Corrosion Resistance	Connectors show no evidence of corrosion after exposure to 48 hours of salt spray per MIL-STD 1344 method 1001.
Dielectric Withstanding Voltage	Current leakage less than 2 milliamps at 1500 VAC.
Durability	No electrical or mechanical defects after 100 cycles of engagement or disengagement.
Fluid Resistance	Connectors show no damage when exposed to most fluids used in industrial applications.
Insulation Resistance	1000 megohms min. at 25° C.
Physical Shock	No unlocking, unmating or other unsatisfactory result during or after 50 g's in each of three mutually perpendicular planes. No electrical discontinuities longer than 1 microsecond. MIL-STD 202, method 213, Condition "C."
Silicone Insert	Front and rear silicone inserts are devoid of all organic matter.
Submersion	Properly wired and mated connection will withstand immersion under three feet of water without loss of electrical qualities or leakage.
Temperature	Operative at temperatures from -55° C to +125° C at rated current.
Thermal Cycle	No cracking, chipping, or leaking after twenty cycles from -55° C to +125° C.
Vibration	Maintains continuity and exhibits no mechanical or physical damage after vibration levels of 20 g's at 10-2000 Hz.
Common Contact System	All wires are terminated by a single contact system. The only variation in contacts is dictated by wire gauge. One contact, whether it is a solid or stamped & formed can be assembled with the complete Deutsch connector family. The Common Contact System applies to a common system of contacts, tooling processes, and terminations.

Contact Retention Contacts withstand a minimum load of:

<u>Contact Size</u>	<u>Load</u>
4	35 lbs.
8	35 lbs.
12	30 lbs.
16	25 lbs.
20	20 lbs.

Contact Current Rating @ 125° C (continuous)	<u>Contact Size</u>	<u>Max. Current</u>
	#4	100 amps
	#8	60 amps
	#12	25 amps
	#16	13 amps
	#20	7.5 amps

Contact Millivolt Drop (Solid Contacts)	<u>Wire AWG</u>	<u>Test Current</u>	<u>Millivolt Drop*</u>
	4	100 amps	60
	8	60 amps	60
	12	25 amps	60
	16	13 amps	60
	20	7.5 amps	60

*Less drop through wire

Contact Millivolt Drop (Stamped & Formed Contacts)	<u>Wire AWG</u>	<u>Test Current</u>	<u>Millivolt Drop*</u>
	12	25 amps	100
	16	13 amps	100
	20	7.5 amps	100

*Less drop through wire

Connector Series Overview



DRB Series

- Accepts contact sizes 4 (100 amps), 8 (60 amps), 12 (25 amps), 16 (13 amps), and 20 (7.5 amps)
- 6-22 AWG
- 48, 60, and 102 cavity arrangements
- Flange mount
- Rectangular, thermoplastic housing
- Jackscrew for mating
- Wedgelocks assure contact alignment and retention



DRC Series

- Accepts contact sizes 16 (13 amps) and 20 (7.5 amps)
- 14-22 AWG
- 24, 38, 40, 50, 60, 64, 70, and 80 cavity arrangements
- Inline, flange, and PCB mount
- Rectangular, thermoplastic housing
- Jackscrew for mating



DTHD Series

- Accepts contact sizes 4 (100 amps), 8 (60 amps), and 12 (25 amps)
- 6-14 AWG
- 1 cavity arrangement
- Inline and flange mount
- Circular, thermoplastic housing
- Integrated latch for mating



DT Series

- Accepts contact size 16 (13 amps)
- 14-20 AWG
- 2, 3, 4, 6, 8, and 12 cavity arrangements
- Inline, flange, and PCB mount
- Rectangular, thermoplastic housing
- Integrated latch for mating
- Wedgelocks assure contact alignment and retention



DTM Series

- Accepts contact size 20 (7.5 amps)
- 16-22 AWG
- 2, 3, 4, 6, 8, and 12 cavity arrangements
- Inline, flange, and PCB mount
- Rectangular, thermoplastic housing
- Integrated latch for mating
- Wedgelocks assure contact alignment and retention



DTP Series

- Accepts contact size 12 (25 amps)
- 10-14 AWG
- 2 and 4 cavity arrangements
- Inline, flange, and PCB mount
- Rectangular, thermoplastic housing
- Integrated latch for mating
- Wedgelocks assure contact alignment and retention

Connector Series Overview



DTV Series

- Accepts contact size 16 (13 amps)
- 14-20 AWG
- 18 cavity arrangement
- Flange mount
- Rectangular, thermoplastic housing
- Integrated latch for mating
- Wedgelocks assure contact alignment and retention



HD10 Series

- Accepts contact sizes 4 (100 amps), 12 (25 amps), and 16 (13 amps)
- 6-20 AWG
- 3, 4, 5, 6, and 9 cavity arrangements
- Inline, flange, and PCB mount
- Circular, thermoplastic housing
- Coupling ring for mating



HD30 Series

- Accepts contact sizes 4 (100 amps), 8 (60 amps), 12 (25 amps), 16 (13 amps), and 20 (7.5 amps)
- 6-22 AWG
- 2, 6, 8, 9, 14, 16, 18, 19, 20, 21, 23, 29, 31, 33, 35 and 47 cavity arrangements
- Inline or flange mount
- Circular, aluminum housing
- Coupling ring for mating



HDP20 Series

- Accepts contact sizes 4 (100 amps), 8 (60 amps), 12 (25 amps), 16 (13 amps), and 20 (7.5 amps)
- 6-22 AWG
- 2, 6, 8, 9, 14, 16, 18, 19, 20, 21, 23, 29, 31, 33, 35 and 47 cavity arrangements
- Inline or flange mount
- Circular, thermoplastic housing
- Coupling ring for mating



WT Series

- Accepts contact sizes 4 (100 amps) and 16 (13 amps)
- 6, 16-20 AWG
- 3, 16, and 31 cavity arrangements
- Inline or flange mount
- Circular, anodized aluminum or composite housing



Strike Series

- Accepts contact sizes 16 (13 amps) and 20 (7.5 amps)
- 14-20 AWG
- 32 and 64 cavity arrangements
- Inline or flange mount
- Square, thermoplastic housing

Electrical Connectors

Cavity Shape	Contact Size(s)	Part Description	Part Number	Wedge lock
--------------	-----------------	------------------	-------------	------------

1 CAVITY CONNECTORS

DTCE Series

1	Circ.	4	Recept., DTCE, 1 way, sz. 4	DTCE04-1-4P	N/A
1	Circ.	4	Recept., DTCE, 1 way, sz. 4, end cap	DTCE04-1-4P-E003	N/A
1	Circ.	4	Recept., DTCE, 1 way, sz. 4, end cap, sealed flange	DTCE04-1-4P-LE03	N/A
1	Circ.	8	Recept., DTCE, 1 way, sz. 8, end cap	DTCE04-1-8P-E003	N/A
1	Circ.	12	Recept., DTCE, 1 way, sz. 12, end cap	DTCE04-1-12P-E003	N/A
1	Circ.	4	Plug, DTCE, 1 way, sz. 4, end cap	DTCE06-1-4S-E003	N/A
1	Circ.	8	Plug, DTCE, 1 way, sz. 8, end cap	DTCE06-1-8S-E003	N/A
1	Circ.	12	Plug, DTCE, 1 way, sz. 12, end cap	DTCE06-1-12S-E003	N/A

DTHD Series

1	Circ.	4	Recept., DTHD, 1 way, sz. 4	DTHD04-1-4P	N/A
1	Circ.	4	Recept., DTHD, 1 way, sz. 4, end cap	DTHD04-1-4P-E003	N/A
1	Circ.	4	Recept., DTHD, 1 way, sz. 4, flange w/ seal	DTHD04-1-4P-L009	N/A
1	Circ.	4	Recept., DTHD, 1 way, sz. 4, rev. flange w/ seal	DTHD04-1-4P-L013	N/A
1	Circ.	8	Recept., DTHD, 1 way, sz. 8	DTHD04-1-8P	N/A
1	Circ.	8	Recept., DTHD, 1 way, sz. 8, end cap	DTHD04-1-8P-E003	N/A
1	Circ.	12	Recept., DTHD, 1 way, sz. 12	DTHD04-1-12P	N/A
1	Circ.	12	Recept., DTHD, 1 way, sz. 12, end cap	DTHD04-1-12P-E003	N/A
1	Circ.	4	Plug, DTHD, 1 way, sz. 4	DTHD06-1-4S	N/A
1	Circ.	4	Plug, DTHD, 1 way, sz. 4, end cap	DTHD06-1-4S-E003	N/A
1	Circ.	8	Plug, DTHD, 1 way, sz. 8	DTHD06-1-8S	N/A
1	Circ.	8	Plug, DTHD, 1 way, sz. 8, end cap	DTHD06-1-8S-E003	N/A
1	Circ.	12	Plug, DTHD, 1 way, sz. 12	DTHD06-1-12S	N/A
1	Circ.	12	Plug, DTHD, 1 way, sz. 12, end cap	DTHD06-1-12S-E003	N/A

Jiffy Splices

1	Circ.	4	Splice, Jiffy, sz. 4	JS04-00	N/A
1	Circ.	12	Splice, Jiffy, sz. 12	JS12-00	N/A
1	Circ.	16	Splice, Jiffy, sz. 16	JS16-00	N/A

HD10 Series

(4)1	Circ.	1 sz. 4	Recept., HD10, 1 way, flange, threaded rear, cavities B, C, D, blocked	HD10-4-4P-C024	N/A
(4)1	Circ.	1 sz. 4	Plug, HD10, 1 way, threaded rear, cavities B, C, D, blocked	HD16-4-4S-C024	N/A

2 CAVITY CONNECTORS

DTF Series

2	Rect.	16	Recept., DTF, 2 way, sz. 16, 90° molded pins, flangeless PCB mount	DTF13-2P	N/A
---	-------	----	--	----------	-----

DTMN Series

2	Rect.	20	Recept., DTMN, 2 way, non-environmental	DTMN04-2P	N/A
2	Rect.	20	Plug, DTMN, 2 way, non-environmental	DTMN06-2S	N/A

DTM Series

2	Rect.	20	Recept., DTM, 2 way	DTM04-2P	WM-2P
2	Rect.	20	Recept., DTM, 2 way, end cap	DTM04-2P-E003	WM-2P
2	Rect.	20	Recept., DTM, 2 way, black	DTM04-2P-E004	WM-2P
2	Rect.	20	Recept., DTM, 2 way, end cap, black	DTM04-2P-E005	WM-2P
2	Rect.	20	Recept., DTM, 2 way, shrink boot adaptor	DTM04-2P-E007	WM-2P
2	Rect.	20	Recept., DTM, 2 way, terminating resistor, gold pins, black, J1939	DTM04-2P-EP10	Included
2	Rect.	20	Recept., DTM, 2 way, terminating resistor, gold pins, black, J1939	DTM04-2P-P006	Included
2	Rect.	20	Recept., DTM, "Y" connector, molded gold pins, J1939	DTM04-2P-P007	N/A
2	Rect.	20	Plug, DTM, 2 way	DTM06-2S	WM-2S
2	Rect.	20	Plug, DTM, 2 way, B key, terminating resistor, gold sockets, black, J1939	DTM06-2S-EP10	Included
2	Rect.	20	Plug, DTM, 2 way, end cap	DTM06-2S-E003	WM-2S
2	Rect.	20	Plug, DTM, 2 way, black	DTM06-2S-E004	WM-2S
2	Rect.	20	Plug, DTM, 2 way, end cap, black	DTM06-2S-E005	WM-2S
2	Rect.	20	Plug, DTM, 2 way, shrink boot adaptor	DTM06-2S-E007	WM-2S

Electrical Connectors

Cavity	Shape	Contact Size(s)	Part Description	Part Number	Wedge lock
2	Rect.	20	Plug, DTM, 2 way, shrink boot adaptor, black	DTM06-2S-EE03	WM-2S
2	Rect.	20	Plug, DTM, 2 way, terminating resistor, gold sockets, J1939	DTM06-2S-P006	Included
DTP Series					
2	Rect.	12	Recept., DTP, 2 way	DTP04-2P	WP-2P
2	Rect.	12	Recept., DTP, 2 way, end cap	DTP04-2P-E003	WP-2P
2	Rect.	12	Recept., DTP, 2 way, black	DTP04-2P-E004	WP-2P
2	Rect.	12	Plug, DTP, 2 way	DTP06-2S	WP-2S
2	Rect.	12	Plug, DTP, 2 way, end cap	DTP06-2S-E003	WP-2S
2	Rect.	12	Plug, DTP, 2 way, black	DTP06-2S-E004	WP-2S
DT Series					
2	Rect.	16	Recept., DT, 2 way	DT04-2P	W2P
2	Rect.	16	Recept., DT, 2 way, reduced dia. seals, end cap	DT04-2P-CE01	W2P
2	Rect.	16	Recept., DT, 2 way, reduced dia. seals, black	DT04-2P-CE02	W2P
2	Rect.	16	Recept., DT, 2 way, reduced dia. seals, end cap, black	DT04-2P-CE03	W2P
2	Rect.	16	Recept., DT, 2 way, reduced dia. seals, shrink boot adaptor	DT04-2P-CE04	W2P
2	Rect.	16	Recept., DT, 2 way, reduced dia. seals, shrink boot adaptor, black	DT04-2P-CE09	W2P
2	Rect.	16	Recept., DT, 2 way, reduced dia. seals	DT04-2P-C015	W2P
2	Rect.	16	Recept., DT, 2 way, solid rear grommet	DT04-2P-C017	N/A
2	Rect.	16	Recept., DT, 2 way, end cap	DT04-2P-E003	W2P
2	Rect.	16	Recept., DT, 2 way, black	DT04-2P-E004	W2P
2	Rect.	16	Recept., DT, 2 way, end cap, black	DT04-2P-E005	W2P
2	Rect.	16	Recept., DT, 2 way, shrink boot adaptor	DT04-2P-E008	W2P
2	Rect.	16	Recept., DT, 2 way, round housing, end cap, Viton seal	DT04-2P-LE02	W2P
2	Rect.	16	Recept., DT, 2 way, 90° molded-in pins, black	DT04-2P-N006	N/A
2	Rect.	16	Recept., DT, 2 way, snap-in design, molded-in pins, wire leads with crimped terminals	DT04-2P-RL01	N/A
2	Rect.	16	Recept., DT, 2 way, molded-in diode (MUR460)	DT04-2P-RT01	N/A
2	Rect.	16	Recept., DT, 2 way, molded-in diode (Toshiba)	DT04-2P-RT02	N/A
2	Rect.	16	Recept., DT, 2 way, molded-in diode, green	DT04-2P-RT06	N/A
2	Rect.	16	Recept., DT, 2 way, molded-in resistor, black	DT04-2P-RT25	N/A
2	Rect.	16	Plug, DT, 2 way	DT06-2S	W2S
2	Rect.	16	Plug, DT, 2 way, reduced dia. seals, end cap	DT06-2S-CE01	W2S
2	Rect.	16	Plug, DT, 2 way, reduced dia. seals, shrink boot adaptor	DT06-2S-CE04	W2S
2	Rect.	16	Plug, DT, 2 way, enhanced seal ret., reduced dia. seals, end cap, black	DT06-2S-CE05	W2S-P012
2	Rect.	16	Plug, DT, 2 way, enhanced seal ret., reduced dia. seals, black	DT06-2S-CE06	W2S-P012
2	Rect.	16	Plug, DT, 2 way, enhanced seal ret., reduced dia. seals, shrink boot adaptor, black	DT06-2S-CE13	W2S-P012
2	Rect.	16	Plug, DT, 2 way, reduced dia. seals	DT06-2S-C015	W2S
2	Rect.	16	Plug, DT, 2 way, fluorosilicone seal, end cap	DT06-2S-EF01	W2S
2	Rect.	16	Plug, DT, 2 way, enhanced seal ret., end cap	DT06-2S-EP06	W2S-P012
2	Rect.	16	Plug, DT, 2 way, enhanced seal ret., shrink boot adaptor, black	DT06-2S-EP11	W2S-P012
2	Rect.	16	Plug, DT, 2 way, end cap	DT06-2S-E003	W2S
2	Rect.	16	Plug, DT, 2 way, black	DT06-2S-E004	W2S
2	Rect.	16	Plug, DT, 2 way, end cap, black	DT06-2S-E005	W2S
2	Rect.	16	Plug, DT, 2 way, shrink boot adaptor	DT06-2S-E008	W2S
2	Rect.	16	Plug, DT, 2 way, enhanced seal ret., black	DT06-2S-P012	W2S-P012
DT13/15 Series					
2	Rect.	16	Recept., DT13, 2 way, 90° molded pins, PCB mount	DT13-2P	N/A
2	Rect.	16	Recept., DT15, 2 way, straight molded pins, PCB mount	DT15-2P	N/A
2	Rect.	16	Recept., DT15, 2 way, straight molded pins, PCB mount, 5 P.S.I.	DT15-2P-P010	N/A
HDP20 Series					
(6)2	Circ.	2 sz. 4	Recept., HDP20, 18 shell, 2 way, N seal, cavities 1, 2, 5, 6 blocked	HDP24-18-6PN-C030	N/A
(6)2	Circ.	2 sz. 4	Plug, HDP20, 18 shell, 2 way, N seal, cavities 1, 2, 5, 6 blocked	HDP26-18-6SN-C030	N/A
HD30 Series					
(6)2	Circ.	2 sz. 4	Recept., HD30, 18 shell, 2 way, N seal, cavities 1, 2, 5, 6 blocked	HD34-18-6PN-C030	N/A
(6)2	Circ.	2 sz. 4	Plug, HD30, 18 shell, 2 way, N seal, cavities 1, 2, 5, 6 blocked	HD36-18-6SN-C030	N/A

Electrical Connectors

<i>Cavity Shape</i>	<i>Contact Size(s)</i>	<i>Part Description</i>	<i>Part Number</i>	<i>Wedge lock</i>	
3 CAVITY CONNECTORS					
DTF Series					
3	Tri.	16	Recept., DTF, 3 way, sz. 16, 90° molded pins, flangeless PCB mount	DTF13-3P	N/A
3	Tri.	16	Recept., DTF, 3 way, sz. 16, 90° molded pins, flangeless PCB mount, J1939	DTF13-3P-1939	N/A
DTMN Series					
3	Rect.	20	Recept., DTMN, 3 way, non-environmental	DTMN04-3P	N/A
3	Rect.	20	Plug, DTMN, 3 way, non-environmental	DTMN06-3S	N/A
DTM Series					
3	Rect.	20	Recept., DTM, 3 way	DTM04-3P	WM-3P
3	Rect.	20	Recept., DTM, 3 way, end cap	DTM04-3P-E003	WM-3P
3	Rect.	20	Recept., DTM, 3 way, black	DTM04-3P-E004	WM-3P
3	Rect.	20	Recept., DTM, 3 way, end cap, black	DTM04-3P-E005	WM-3P
3	Rect.	20	Plug, DTM, 3 way	DTM06-3S	WM-3S
3	Rect.	20	Plug, DTM, 3 way, black	DTM06-3S-E004	WM-3S
3	Rect.	20	Plug, DTM, 3 way, shrink boot adaptor	DTM06-3S-E007	WM-3S
DT Series					
3	Tri.	16	Recept., DT, 3 way	DT04-3P	W3P
3	Tri.	16	Recept., DT, 3 way, reduced dia. seals, end cap	DT04-3P-CE01	W3P
3	Tri.	16	Recept., DT, 3 way, reduced dia. seals, black	DT04-3P-CE02	W3P
3	Tri.	16	Recept., DT, 3 way, reduced dia. seals, end cap, black	DT04-3P-CE03	W3P
3	Tri.	16	Recept., DT, 3 way, reduced dia. seals, shrink boot adaptor	DT04-3P-CE04	W3P
3	Tri.	16	Recept., DT, 3 way, reduced dia. seals, shrink boot adaptor, black	DT04-3P-CE09	W3P
(3)2	Tri.	16	Recept., DT, 3 way, C cavity blocked	DT04-3P-C008	W3P
3	Tri.	16	Recept., DT, 3 way, reduced dia. seals	DT04-3P-C015	W3P
3	Tri.	16	Recept., DT, 3 way, solid rear grommet	DT04-3P-C017	N/A
3	Tri.	16	Recept., DT, 3 way, shrink boot adaptor, black	DT04-3P-EE01	W3P
3	Tri.	16	Recept., DT, 3 way, terminating resistor, gold pins, black, J1939	DT04-3P-EP10	Included
3	Tri.	16	Recept., DT, 3 way, end cap	DT04-3P-E003	W3P
3	Tri.	16	Recept., DT, 3 way, black	DT04-3P-E004	W3P
3	Tri.	16	Recept., DT, 3 way, end cap, black	DT04-3P-E005	W3P
3	Tri.	16	Recept., DT, 3 way, shrink boot adaptor	DT04-3P-E008	W3P
3	Tri.	16	Recept., DT, 3 way, flange, shrink boot adaptor	DT04-3P-LE08	W3P
3	Tri.	16	Recept., DT, 3 way, flange, shrink boot adaptor, black	DT04-3P-LE12	W3P
3	Tri.	16	Recept., DT, 3 way, flange	DT04-3P-L012	W3P
3	Tri.	16	Recept., DT, 3 way, terminating resistor, gold pins, J1939	DT04-3P-P006	Included
3	Tri.	16	Recept., DT, "Y" connector, molded gold pins, J1939	DT04-3P-P007	N/A
3	Tri.	16	Plug, DT, 3 way	DT06-3S	W3S
3	Tri.	16	Plug, DT, 3 way, reduced dia. seals, end cap	DT06-3S-CE01	W3S
3	Tri.	16	Plug, DT, 3 way, reduced dia. seals, black	DT06-3S-CE02	W3S
3	Tri.	16	Plug, DT, 3 way, reduced dia. seals, shrink boot adaptor	DT06-3S-CE04	W3S
3	Tri.	16	Plug, DT, 3 way, enhanced seal ret., reduced dia. seals, end cap, black	DT06-3S-CE05	W3S-P012
3	Tri.	16	Plug, DT, 3 way, enhanced seal ret., reduced dia. seals, black	DT06-3S-CE06	W3S-P012
3	Tri.	16	Plug, DT, 3 way, enhanced seal ret., reduced dia. seals, shrink boot adaptor, black	DT06-3S-CE13	W3S-P012
3	Tri.	16	Plug, DT, 3 way, enhanced seal ret., reduced dia. seals, latch guard end cap, black	DT06-3S-CE14	W3S-P012
3	Tri.	16	Plug, DT, 3 way, enhanced seal ret., reduced dia. seals, flange, black	DT06-3S-CL08	W3S-P012
3	Tri.	16	Plug, DT, 3 way, enhanced seal ret., solid rear grommet, end cap	DT06-3S-CP01	Included
(3)2	Tri.	16	Plug, DT, 3 way, C cavity blocked	DT06-3S-C008	W3S
3	Tri.	16	Plug, DT, 3 way, reduced dia. seals	DT06-3S-C015	W3S
3	Tri.	16	Plug, DT, 3 way, solid rear grommet	DT06-3S-C017	Included
3	Tri.	16	Plug, DT, 3 way, fluorosilicone seal, latch guard end cap	DT06-3S-EF02	W3S
3	Tri.	16	Plug, DT, 3 way, latch guard cap	DT06-3S-EP05	W3S
3	Tri.	16	Plug, DT, 3 way, enhanced seal ret., end cap	DT06-3S-EP06	W3S-P012
3	Tri.	16	Plug, DT, 3 way, enhanced seal ret., latch guard end cap	DT06-3S-EP09	W3S-P012

Electrical Connectors

Cavity Shape		Contact Size(s)	Part Description	Part Number	Wedge lock
3	Tri.	16	Plug, DT, 3 way, terminating resistor, gold sockets, end cap, black, J1939	DT06-3S-EP10	Included
3	Tri.	16	Plug, DT, 3 way, enhanced seal ret., shrink boot adaptor, black	DT06-3S-EP11	W3S-P012
3	Tri.	16	Plug, DT, 3 way, end cap	DT06-3S-E003	W3S
3	Tri.	16	Plug, DT, 3 way, black	DT06-3S-E004	W3S
3	Tri.	16	Plug, DT, 3 way, end cap, black	DT06-3S-E005	W3S
3	Tri.	16	Plug, DT, 3 way, shrink boot adaptor	DT06-3S-E008	W3S
3	Tri.	16	Plug, DT, 3 way, terminating resistor, gold sockets, latch guard end cap, J1939	DT06-3S-PE01	Included
3	Tri.	16	Plug, DT, 3 way, terminating resistor, gold sockets, end cap, J1939	DT06-3S-P006	Included
3	Tri.	16	Plug, DT, 3 way, enhanced seal ret., black	DT06-3S-P012	W3S-P012
3	Tri.	16	Plug, DT, 3 way, enhanced seal ret., single piece shrink boot adaptor, black	DT06-3S-P032	W3S-P012
3	Tri.	16	Plug, DT, 3 way, enhanced seal ret., terminating resistor, gold sockets, end cap, black, J1939	DT06-3S-PP01	Included

HD10 Series

3	Circ.	16	Recept., HD10, 3 way, flange, threaded rear	HD10-3-96P	N/A
3	Circ.	16	Recept., HD10, 3 way, in-line, non-threaded rear	HD14-3-16P	N/A
3	Circ.	16	Recept., HD10, 3 way, in-line, threaded rear	HD14-3-96P	N/A
3	Circ.	16	Plug, HD10, 3 way, non-threaded rear	HD16-3-16S	N/A
3	Circ.	16	Plug, HD10, 3 way, threaded rear	HD16-3-96S	N/A

WT Series

3	Circ.	4	Recept., WT, 24 shell, 3 way, N seal	WT04B-24-03PN	N/A
3	Circ.	4	Recept., WT, 24 shell, 3 way, N seal, reverse	WT04B-24-03SN	N/A
3	Circ.	4	Plug, WT, 24 shell, 3 way, N seal	WT06B-24-03SN	N/A

4 CAVITY CONNECTORS

DTF Series

4	Rect.	16	Recept., DTF, 4 way, sz. 16, 90° molded pins, flangeless PCB mount	DTF13-4P	N/A
4	Rect.	16	Recept., DTF, 4 way, sz. 16, 90° molded gold pins, flangeless PBC mount	DTF13-4P-G003	N/A

DTM Series

4	Rect.	20	Recept., DTM, 4 way	DTM04-4P	WM-4P
4	Rect.	20	Recept., DTM, 4 way, end cap	DTM04-4P-E003	WM-4P
4	Rect.	20	Recept., DTM, 4 way, black	DTM04-4P-E004	WM-4P
4	Rect.	20	Recept., DTM, 4 way, end cap, black	DTM04-4P-E005	WM-4P
4	Rect.	20	Plug, DTM, 4 way	DTM06-4S	WM-4S
4	Rect.	20	Plug, DTM, 4 way, black	DTM06-4S-E004	WM-4S
4	Rect.	20	Plug, DTM, 4 way, shrink boot adaptor	DTM06-4S-E007	WM-4S

DTP Series

4	Rect.	12	Recept., DTP, 4 way	DTP04-4P	WP-4P
4	Rect.	12	Recept., DTP, 4 way, reduced diameter seals	DTP04-4P-C015	WP-4P
4	Rect.	12	Recept., DTP, 4 way, end cap	DTP04-4P-E003	WP-4P
4	Rect.	12	Recept., DTP, 4 way, black	DTP04-4P-E004	WP-4P
4	Rect.	12	Recept., DTP, 4 way, flange	DTP04-4P-L012	WP-4P
4	Rect.	12	Recept., DTP, 4 way, flange, end cap	DTP04-4P-LE07	WP-4P
4	Rect.	12	Plug, DTP, 4 way	DTP06-4S	WP-4S
4	Rect.	12	Plug, DTP, 4 way, reduced dia. seals	DTP06-4S-C015	WP-4S
4	Rect.	12	Plug, DTP, 4 way, reduced dia. seals, black	DTP06-4S-CE02	WP-4S
4	Rect.	12	Plug, DTP, 4 way, end cap	DTP06-4S-E003	WP-4S
4	Rect.	12	Plug, DTP, 4 way, black	DTP06-4S-E004	WP-4S
4	Rect.	12	Plug, DTP, 4 way, shrink boot adaptor, black	DTP06-4S-EE01	WP-4S
4	Rect.	12	Recept., DTP10, 4 way, sz. 12, straight molded pins, PCB mount	DTP10-4P	N/A

DT Series

4	Rect.	16	Recept., DT, 4 way	DT04-4P	W4P
4	Rect.	16	Recept., DT, 4 way, reduced dia. seals, end cap	DT04-4P-CE01	W4P
4	Rect.	16	Recept., DT, 4 way, reduced dia. seals, black	DT04-4P-CE02	W4P
4	Rect.	16	Recept., DT, 4 way, reduced dia. seals, end cap, black	DT04-4P-CE03	W4P
4	Rect.	16	Recept., DT, 4 way, reduced dia. seals, shrink boot adaptor	DT04-4P-CE04	W4P
4	Rect.	16	Recept., DT, 4 way, reduced dia. seals, shrink boot adaptor, black	DT04-4P-CE09	W4P

Electrical Connectors

<i>Cavity</i>	<i>Shape</i>	<i>Contact Size(s)</i>	<i>Part Description</i>	<i>Part Number</i>	<i>Wedge lock</i>
4	Rect.	16	Recept., DT, 4 way, reduced dia. seals	DT04-4P-C015	W4P
4	Rect.	16	Recept., DT, 4 way, solid rear grommet	DT04-4P-C017	N/A
4	Rect.	16	Recept., DT, 4 way, reduced dia. seals, flange	DT04-4P-CL03	W4P
4	Rect.	16	Recept., DT, 4 way, (1) 4 pin buss, nickel contacts	DT04-4P-EP13	Included
4	Rect.	16	Recept., DT, 4 way, end cap	DT04-4P-E003	W4P
4	Rect.	16	Recept., DT, 4 way, black	DT04-4P-E004	W4P
4	Rect.	16	Recept., DT, 4 way, end cap, black	DT04-4P-E005	W4P
4	Rect.	16	Recept., DT, 4 way, shrink boot adaptor	DT04-4P-E008	W4P
4	Rect.	16	Recept., DT, 4 way, round housing, end cap, Viton seal	DT04-4P-LE02	W4P
4	Rect.	16	Recept., DT, 4 way, round housing, end cap	DT04-4P-LE04	W4P
4	Rect.	16	Recept., DT, 4 way, flange, end cap, black	DT04-4P-LE11	W4P
4	Rect.	16	Recept., DT, 4 way, round housing, end cap, black	DT04-4P-LE13	W4P
4	Rect.	16	Recept., DT, 4 way, flange	DT04-4P-L012	W4P
4	Rect.	16	Recept., DT, 4 way, (1) 4 pin buss, nickel contacts, gray	DT04-4P-P021	Included
4	Rect.	16	Recept., DT, 4 way, molded in diode (MUR460)	DT04-4P-RT01	N/A
4	Rect.	16	Recept., DT, 4 way, two molded in diodes (MUR460)	DT04-4P-RT03	N/A
4	Rect.	16	Plug, DT, 4 way	DT06-4S	W4S
4	Rect.	16	Plug, DT, 4 way, reduced dia. seals, end cap	DT06-4S-CE01	W4S
4	Rect.	16	Plug, DT, 4 way, reduced dia. seals, black	DT06-4S-CE02	W4S
4	Rect.	16	Plug, DT, 4 way, reduced dia. seals, end cap, black	DT06-4S-CE03	W4S
4	Rect.	16	Plug, DT, 4 way, reduced dia. seals, shrink boot adaptor	DT06-4S-CE04	W4S
4	Rect.	16	Plug, DT, 4 way, enhanced seal ret., reduced dia. seals, end cap, black	DT06-4S-CE05	W4S-P012
4	Rect.	16	Plug, DT, 4 way, enhanced seal ret., reduced dia. seals, black	DT06-4S-CE06	W4S-P012
4	Rect.	16	Plug, DT, 4 way, enhanced seal ret., reduced dia. seals, shrink boot adaptor, black	DT06-4S-CE13	W4S-P012
4	Rect.	16	Plug, DT, 4 way, enhanced seal ret., solid rear grommet, end cap	DT06-4S-CP01	Included
4	Rect.	16	Plug, DT, 4 way, reduced dia. seals	DT06-4S-C015	W4S
4	Rect.	16	Plug, DT, 4 way, solid rear grommet	DT06-4S-C017	Included
4	Rect.	16	Plug, DT, 4 way, enhanced seal ret., end cap, black	DT06-4S-EP06	W4S-P012
4	Rect.	16	Plug, DT, 4 way, enhanced seal ret., shrink boot adaptor, black	DT06-4S-EP11	W4S-P012
4	Rect.	16	Plug, DT, 4 way, end cap	DT06-4S-E003	W4S
4	Rect.	16	Plug, DT, 4 way, black	DT06-4S-E004	W4S
4	Rect.	16	Plug, DT, 4 way, end cap, black	DT06-4S-E005	W4S
4	Rect.	16	Plug, DT, 4 way, shrink boot adaptor	DT06-4S-E008	W4S
4	Rect.	16	Plug, DT, 4 way, enhanced seal ret., black	DT06-4S-P012	W4S-P012

DT13/15 Series

4	Rect.	16	Recept., DT13, 4 way, 90° molded pins, PCB mount	DT13-4P	N/A
4	Rect.	16	Recept., DT13, 4 way, 90° molded gold pins, PCB mount	DT13-4P-G003	N/A
4	Rect.	16	Recept., DT15, 4 way, straight molded pins, PCB mount	DT15-4P	N/A
4	Rect.	16	Recept., DT15, 4 way, straight molded gold pins, PCB mount	DT15-4P-G003	N/A

HD10 Series

4	Circ.	1 sz. 4, 3 sz. 16	Recept., HD10, 4 way, flange, threaded rear	HD10-4-4P	N/A
(4)1	Circ.	1 sz. 4	Recept., HD10, 4 way, flange, threaded rear, cavities B, C, D, blocked	HD10-4-4P-C024	N/A
4	Circ.	1 sz. 4, 3 sz. 16	Plug, HD10, 4 way, threaded rear	HD16-4-4S	N/A
(4)1	Circ.	1 sz. 4	Plug, HD10, 4 way, flange, threaded rear, cavities B, C, D blocked	HD16-4-4S-C024	N/A

5 CAVITY CONNECTORS

HD10 Series

5	Circ.	16	Recept., HD10, 5 way, flange, non-threaded rear	HD10-5-16P	N/A
5	Circ.	16	Recept., HD10, 5 way, flange, non-threaded rear, key removed from flange	HD10-5-16P-B009	N/A
5	Circ.	16	Recept., HD10, 5 way, in-line, non-threaded rear	HD14-5-16P	N/A
5	Circ.	16	Plug, HD10, 5 way, non-threaded rear	HD16-5-16S	N/A

6 CAVITY CONNECTORS

DTF Series

6	Rect.	16	Recept., DTF, 6 way, sz. 16, 90° molded pins, flangeless PCB mount	DTF13-6P	N/A
---	-------	----	--	----------	-----

Electrical Connectors

<i>Cavity</i>	<i>Shape</i>	<i>Contact Size(s)</i>	<i>Part Description</i>	<i>Part Number</i>	<i>Wedge lock</i>
6	Rect.	16	Recept., DTF, 6 way, sz. 16, 90° molded gold pins, flangeless PCB mount	DTF13-6P-G003	N/A
DTM Series					
6	Rect.	20	Recept., DTM, 6 way	DTM04-6P	WM-6P
6	Rect.	20	Recept., DTM, 6 way, end cap	DTM04-6P-E003	WM-6P
6	Rect.	20	Recept., DTM, 6 way, black	DTM04-6P-E004	WM-6P
6	Rect.	20	Recept., DTM, 6 way, end cap, black	DTM04-6P-E005	WM-6P
6	Rect.	20	Plug, DTM, 6 way	DTM06-6S	WM-6S
6	Rect.	20	Plug, DTM, 6 way, black	DTM06-6S-E004	WM-6S
6	Rect.	20	Plug, DTM, 6 way, end cap, black	DTM06-6S-E005	WM-6S
6	Rect.	20	Plug, DTM, 6 way, shrink boot adaptor	DTM06-6S-E007	WM-6S
DT Series					
6	Rect.	16	Recept., DT, 6 way	DT04-6P	W6P
6	Rect.	16	Recept., DT, 6 way, reduced dia. seals, end cap	DT04-6P-CE01	W6P
6	Rect.	16	Recept., DT, 6 way, reduced dia. seals, black	DT04-6P-CE02	W6P
6	Rect.	16	Recept., DT, 6 way, reduced dia. seals, end cap, black	DT04-6P-CE03	W6P
6	Rect.	16	Recept., DT, 6 way, reduced dia. seals, sealed flange, end cap, black	DT04-6P-CL09	W6P
6	Rect.	16	Recept., DT, 6 way, reduced dia. seals	DT04-6P-C015	W6P
6	Rect.	16	Recept., DT, 6 way, solid rear grommet	DT04-6P-C017	N/A
6	Rect.	16	Recept., DT, 6 way, (1) 6 pin buss, nickel contacts, black	DT04-6P-EP13	Included
6	Rect.	16	Recept., DT, 6 way, (2) 3 pin busses, nickel contacts, black	DT04-6P-EP14	Included
6	Rect.	16	Recept., DT, 6 way, end cap	DT04-6P-E003	W6P
6	Rect.	16	Recept., DT, 6 way, black	DT04-6P-E004	W6P
6	Rect.	16	Recept., DT, 6 way, end cap, black	DT04-6P-E005	W6P
6	Rect.	16	Recept., DT, 6 way, (1) 6 pin buss, nickel contacts	DT04-6P-P021	Included
6	Rect.	16	Plug, DT, 6 way	DT06-6S	W6S
6	Rect.	16	Plug, DT, 6 way, reduced dia. seals, end cap	DT06-6S-CE01	W6S
6	Rect.	16	Plug, DT, 6 way, reduced dia. seals, black	DT06-6S-CE02	W6S
6	Rect.	16	Plug, DT, 6 way, reduced dia. seals, end cap, black	DT06-6S-CE03	W6S
6	Rect.	16	Plug, DT, 6 way, enhanced seal ret., reduced dia. seals, end cap, black	DT06-6S-CE05	W6S-P012
6	Rect.	16	Plug, DT, 6 way, enhanced seal ret., reduced dia. seals, black	DT06-6S-CE06	W6S-P012
6	Rect.	16	Plug, DT, 6 way, reduced dia. seals	DT06-6S-C015	W6S
6	Rect.	16	Plug, DT, 6 way, solid rear grommet	DT06-6S-C017	Included
6	Rect.	16	Plug, DT, 6 way, enhanced seal ret., end cap	DT06-6S-EP06	W6S-P012
6	Rect.	16	Plug, DT, 6 way, end cap	DT06-6S-E003	W6S
6	Rect.	16	Plug, DT, 6 way, black	DT06-6S-E004	W6S
6	Rect.	16	Plug, DT, 6 way, end cap, black	DT06-6S-E005	W6S
6	Rect.	16	Plug, DT, 6 way, enhanced seal ret., black	DT06-6S-P012	W6S-P012
DT13/15 Series					
6	Rect.	16	Recept., DT13, 6 way, 90° molded pins, PCB mount	DT13-6P	N/A
6	Rect.	16	Recept., DT13, 6 way, 90° molded gold pins, PCB mount	DT13-6P-G003	N/A
6	Rect.	16	Recept., DT15, 6 way, straight molded pins, PCB mount	DT15-6P	N/A
6	Rect.	16	Recept., DT15, 6 way, straight molded gold pins, PCB mount	DT15-6P-G003	N/A
6	Rect.	16	Recept., DT15, 6 way, straight molded gold pins, PCB mount, 5 P.S.I.	DT15-6P-GP01	N/A
DT16 Series					
6	Rect.	16	Plug, DT16, 6 way, sz. 16, end cap, green	DT16-6S-KP01	N/A
HDP20 Series					
6	Circ.	4 sz. 16, 2 sz. 4	Recept., HDP20, 18 shell, 6 way, N seal	HDP24-18-6PN	N/A
(6)2	Circ.	2 sz. 4	Recept., HDP20, 18 shell, 6 way, N seal, cavities 1, 2, 5, 6 blocked	HDP24-18-6PN-C030	N/A
6	Circ.	4 sz. 16, 2 sz. 4	Plug, HDP20, 18 shell, 6 way, N seal	HDP26-18-6SN	N/A
(6)2	Circ.	2 sz. 4	Plug, HDP20, 18 shell, 6 way, N seal, cavities 1, 2, 5, 6 blocked	HDP26-18-6SN-C030	N/A
HD10 Series					
6	Circ.	12	Recept., HD10, 6 way, flange, threaded rear	HD10-6-12P	N/A
6	Circ.	12	Recept., HD10, 6 way, flange, threaded rear, black	HD10-6-12P-E004	N/A
6	Circ.	16	Recept., HD10, 6 way, flange, threaded rear	HD10-6-96P	N/A
6	Circ.	16	Recept., HD10, 6 way, flange, molded-in pins, PCB mount	HD10-6-96P-N005	N/A

Electrical Connectors

Cavity	Shape	Contact Size(s)	Part Description	Part Number	Wedge lock
6	Circ.	16	Recept., HD10, 6 way, in-line, threaded rear	HD14-6-96P	N/A
6	Circ.	12	Plug, HD10, 6 way, threaded rear, no coupling ring	HD16-6-12S	N/A
6	Circ.	12	Plug, HD10, 6 way, threaded rear, with coupling ring	HD16-6-12S-B010	N/A
6	Circ.	16	Plug, HD10, 6 way, threaded rear	HD16-6-96S	N/A

HD30 Series

6	Circ.	4 sz. 16, 2 sz. 4	Recept., HD30, 18 shell, 6 way, N seal	HD34-18-6PN	N/A
6	Circ.	4 sz. 16, 2 sz. 4	Recept., HD30, 18 shell, 6 way, N seal, cable clamp	HD34-18-6PN-059	N/A
6	Circ.	4 sz. 16, 2 sz. 4	Recept., HD30, 18 shell, 6 way, N seal, adaptor	HD34-18-6PN-072	N/A
(6)2	Circ.	2 sz. 4	Recept., HD30, 18 shell, 6 way, N seal, cavities 1, 2, 5, 6 blocked	HD34-18-6PN-C030	N/A
6	Circ.	4 sz. 16, 2 sz. 4	Plug, HD30, 18 shell, 6 way, N seal, reverse	HD36-18-6PN	N/A
6	Circ.	4 sz. 16, 2 sz. 4	Plug, HD30, 18 shell, 6 way, N seal	HD36-18-6SN	N/A
6	Circ.	4 sz. 16, 2 sz. 4	Plug, HD30, 18 shell, 6 way, N seal, cable clamp	HD36-18-6SN-059	N/A
6	Circ.	4 sz. 16, 2 sz. 4	Plug, HD30, 18 shell, 6 way, N seal, adaptor	HD36-18-6SN-072	N/A
(6)2	Circ.	2 sz. 4	Plug, HD30, 18 shell, 6 way, N seal, cavities 1, 2, 5, 6 blocked	HD36-18-6SN-C030	N/A

8 CAVITY CONNECTORS

DTM Series

8	Rect.	20	Recept., DTM, 8 way, A key	DTM04-08PA	WM-8P
8	Rect.	20	Recept., DTM, 8 way, A key, end cap	DTM04-08PA-E003	WM-8P
8	Rect.	20	Recept., DTM, 8 way, A key, end cap, black	DTM04-08PA-E005	WM-8P
8	Rect.	20	Recept., DTM, 8 way, B key	DTM04-08PB	WM-8P
8	Rect.	20	Recept., DTM, 8 way, B key, end cap	DTM04-08PB-E003	WM-8P
8	Rect.	20	Recept., DTM, 8 way, C key	DTM04-08PC	WM-8P
8	Rect.	20	Recept., DTM, 8 way, D key	DTM04-08PD	WM-8P
8	Rect.	20	Plug, DTM, 8 way, A key	DTM06-08SA	WM-8S
8	Rect.	20	Plug, DTM, 8 way, A key, solid rear grommet	DTM06-08SA-C017	N/A
8	Rect.	20	Plug, DTM, 8 way, A key, shrink boot adaptor	DTM06-08SA-E007	WM-8S
8	Rect.	20	Plug, DTM, 8 way, B key	DTM06-08SB	WM-8S
8	Rect.	20	Plug, DTM, 8 way, B key, shrink boot adaptor	DTM06-08SB-E007	WM-8S
8	Rect.	20	Plug, DTM, 8 way, C key	DTM06-08SC	WM-8S
8	Rect.	20	Plug, DTM, 8 way, D key	DTM06-08SD	WM-8S

DTM13 Series

8	Rect.	20	Recept., DTM13, 8 way, sz. 20, custom flange, PCB mount, A key	DTM13-08PA-R004	N/A
---	-------	----	--	-----------------	-----

DT Series

8	Rect.	16	Recept., DT, 8 way, A key	DT04-08PA	W8P
8	Rect.	16	Recept., DT, 8 way, A key, reduced dia. seals, end cap	DT04-08PA-CE01	W8P
8	Rect.	16	Recept., DT, 8 way, A key, reduced dia. seals, black	DT04-08PA-CE02	W8P
8	Rect.	16	Recept., DT, 8 way, A key, reduced dia. seals, end cap, black	DT04-08PA-CE03	W8P
8	Rect.	16	Recept., DT, 8 way, A key, reduced dia. seals, sealed flange, shrink boot adaptor	DT04-08PA-CL07	W8P
8	Rect.	16	Recept., DT, 8 way, A key, reduced dia. seals	DT04-08PA-C015	W8P
8	Rect.	16	Recept., DT, 8 way, A key, end cap	DT04-08PA-E003	W8P
8	Rect.	16	Recept., DT, 8 way, A key, black	DT04-08PA-E004	W8P
8	Rect.	16	Recept., DT, 8 way, A key, end cap, black	DT04-08PA-E005	W8P
8	Rect.	16	Recept., DT, 8 way, A key, shrink boot adaptor	DT04-08PA-E008	W8P
8	Rect.	16	Recept., DT, 8 way, A key, sealed flange, shrink boot adaptor	DT04-08PA-LE03	W8P
8	Rect.	16	Recept., DT, 8 way, A key, flange, end cap, black	DT04-08PA-LE11	W8P
8	Rect.	16	Recept., DT, 8 way, A key, flange	DT04-08PA-L012	W8P
8	Rect.	16	Recept., DT, 8 way, A key, (1) 8 pin buss, nickel contacts	DT04-08PA-P021	Included
8	Rect.	16	Recept., DT, 8 way, A key, (2) 4 pin busses, nickel contacts	DT04-08PA-P026	Included
8	Rect.	16	Recept., DT, 8 way, A key, (1) 3 pin buss/(1) 5 pin buss, nickel contacts	DT04-08PA-P028	Included
8	Rect.	16	Recept., DT, 8 way, B key	DT04-08PB	W8P
8	Rect.	16	Recept., DT, 8 way, B key, reduced dia. seals, end cap	DT04-08PB-CE01	W8P
8	Rect.	16	Recept., DT, 8 way, B key, reduced dia. seals	DT04-08PB-C015	W8P
8	Rect.	16	Recept., DT, 8 way, B key, end cap	DT04-08PB-E003	W8P
8	Rect.	16	Recept., DT, 8 way, B key, flange	DT04-08PB-L012	W8P

Electrical Connectors

<i>Cavity</i>	<i>Shape</i>	<i>Contact Size(s)</i>	<i>Part Description</i>	<i>Part Number</i>	<i>Wedge lock</i>
8	Rect.	16	Recept., DT, 8 way, B key, (1) 8 pin buss, nickel contacts, black	DT04-08PB-P021	Included
8	Rect.	16	Recept., DT, 8 way, B key, (2) 4 pin busses, nickel contacts, black	DT04-08PB-P026	Included
8	Rect.	16	Recept., DT, 8 way, B key, (1) 3 pin buss/(1) 5 pin buss, nickel contacts, black	DT04-08PB-P028	Included
8	Rect.	16	Recept., DT, 8 way, C key	DT04-08PC	W8P
8	Rect.	16	Recept., DT, 8 way, C key, reduced dia. seals, end cap	DT04-08PC-CE01	W8P
8	Rect.	16	Recept., DT, 8 way, C key, reduced dia. seals	DT04-08PC-C015	W8P
8	Rect.	16	Recept., DT, 8 way, C key, end cap	DT04-08PC-E003	W8P
8	Rect.	16	Recept., DT, 8 way, D key	DT04-08PD	W8P
8	Rect.	16	Recept., DT, 8 way, D key, reduced dia. seals, end cap	DT04-08PD-CE01	W8P
8	Rect.	16	Recept., DT, 8 way, D key, reduced dia. seals	DT04-08PD-C015	W8P
8	Rect.	16	Recept., DT, 8 way, D key, end cap	DT04-08PD-E003	W8P
8	Rect.	16	Plug, DT, 8 way, A key	DT06-08SA	W8S
8	Rect.	16	Plug, DT, 8 way, A key, reduced dia. seals, end cap	DT06-08SA-CE01	W8S
8	Rect.	16	Plug, DT, 8 way, A key, enhanced seal ret., reduced dia. seals, end cap	DT06-08SA-CE05	W8S-P012
8	Rect.	16	Plug, DT, 8 way, A key, enhanced seal ret., reduced dia. seals	DT06-08SA-CE06	W8S-P012
8	Rect.	16	Plug, DT, 8 way, A key, enhanced seal ret., reduced dia. seals, black	DT06-08SA-CE10	W8S-P012
8	Rect.	16	Plug, DT, 8 way, A key, reduced dia. seals	DT06-08SA-C015	W8S
8	Rect.	16	Plug, DT, 8 way, A key, solid rear grommet	DT06-08SA-C017	Included
8	Rect.	16	Plug, DT, 8 way, A key, enhanced seal ret., end cap	DT06-08SA-EP06	W8S-P012
8	Rect.	16	Plug, DT, 8 way, A key, enhanced seal ret., black	DT06-08SA-EP07	W8S-P012
8	Rect.	16	Plug, DT, 8 way, A key, enhanced seal ret., end cap, black	DT06-08SA-EP08	W8S-P012
8	Rect.	16	Plug, DT, 8 way, A key, end cap	DT06-08SA-E003	W8S
8	Rect.	16	Plug, DT, 8 way, A key, end cap, black	DT06-08SA-E005	W8S
8	Rect.	16	Plug, DT, 8 way, A key, shrink boot adaptor	DT06-08SA-E008	W8S
8	Rect.	16	Plug, DT, 8 way, A key, enhanced seal ret.	DT06-08SA-P012	W8S-P012
8	Rect.	16	Plug, DT, 8 way, B key	DT06-08SB	W8S
8	Rect.	16	Plug, DT, 8 way, B key, reduced dia. seals, end cap	DT06-08SB-CE01	W8S
8	Rect.	16	Plug, DT, 8 way, B key, enhanced seal ret., reduced dia. seals, end cap	DT06-08SB-CE05	W8S-P012
8	Rect.	16	Plug, DT, 8 way, B key, enhanced seal ret., reduced dia. seals	DT06-08SB-CE06	W8S-P012
8	Rect.	16	Plug, DT, 8 way, B key, reduced dia. seals	DT06-08SB-C015	W8S
8	Rect.	16	Plug, DT, 8 way, B key, solid rear grommet	DT06-08SB-C017	Included
8	Rect.	16	Plug, DT, 8 way, B key, enhanced seal ret., end cap	DT06-08SB-EP06	W8S-P012
8	Rect.	16	Plug, DT, 8 way, B key, enhanced seal ret.	DT06-08SB-P012	W8S-P012
8	Rect.	16	Plug, DT, 8 way, C key	DT06-08SC	W8S
8	Rect.	16	Plug, DT, 8 way, C key, reduced dia. seals, end cap	DT06-08SC-CE01	W8S
8	Rect.	16	Plug, DT, 8 way, C key, enhanced seal ret., reduced dia. seals, end cap	DT06-08SC-CE05	W8S-P012
8	Rect.	16	Plug, DT, 8 way, C key, reduced dia. seals	DT06-08SC-C015	W8S
8	Rect.	16	Plug, DT, 8 way, C key, solid rear grommet	DT06-08SC-C017	Included
8	Rect.	16	Plug, DT, 8 way, C key, enhanced seal ret., end cap	DT06-08SC-EP06	W8S-P012
8	Rect.	16	Plug, DT, 8 way, C key, enhanced seal ret.	DT06-08SC-P012	W8S-P012
8	Rect.	16	Plug, DT, 8 way, D key	DT06-08SD	W8S
8	Rect.	16	Plug, DT, 8 way, D key, reduced dia. seals, end cap	DT06-08SD-CE01	W8S
8	Rect.	16	Plug, DT, 8 way, D key, enhanced seal ret., reduced dia. seals, end cap	DT06-08SD-CE05	W8S-P012
8	Rect.	16	Plug, DT, 8 way, D key, reduced dia. seals	DT06-08SD-C015	W8S
8	Rect.	16	Plug, DT, 8 way, D key, enhanced seal ret., end cap	DT06-08SD-EP06	W8S-P012
8	Rect.	16	Plug, DT, 8 way, D key, enhanced seal ret.	DT06-08SD-P012	W8S-P012
DT13/15 Series					
8	Rect.	16	Recept., DT13, 8 way, 90° molded pins, PCB mount, A key	DT13-08PA	N/A
8	Rect.	16	Recept., DT13, 8 way, 90° molded gold pins, PCB mount, A key	DT13-08PA-G003	N/A
8	Rect.	16	Recept., DT13, 8 way, 90° molded pins, PCB mount, B key	DT13-08PB	N/A
8	Rect.	16	Recept., DT13, 8 way, 90° molded gold pins, PCB mount, B key	DT13-08PB-G003	N/A
8	Rect.	16	Recept., DT13, 8 way, 90° molded pins, PCB mount, C key	DT13-08PC	N/A
8	Rect.	16	Recept., DT13, 8 way, 90° molded gold pins, PCB mount, C key	DT13-08PC-G003	N/A
8	Rect.	16	Recept., DT13, 8 way, 90° molded pins, PCB mount, D key	DT13-08PD	N/A
8	Rect.	16	Recept., DT15, 8 way, straight molded pins, PCB mount, A key	DT15-08PA	N/A

Electrical Connectors

Cavity	Shape	Contact Size(s)	Part Description	Part Number	Wedge lock
8	Rect.	16	Recept., DT15, 8 way, straight molded gold pins, PCB mount, A key	DT15-08PA-G003	N/A
8	Rect.	16	Recept., DT15, 8 way, straight molded pins, PCB mount, B key	DT15-08PB	N/A
8	Rect.	16	Recept., DT15, 8 way, straight molded pins, PCB mount, C key	DT15-08PC	N/A
8	Rect.	16	Recept., DT15, 8 way, straight molded pins, PCB mount, D key	DT15-08PD	N/A

HDB Series

8	Circ.	8 sz. 12	Plug, HDB30, 18 shell, 8 way, N seal, reverse, breakaway	HDB36-18-8PN	N/A
8	Circ.	8 sz. 12	Plug, HDB30, 18 shell, 8 way, N seal, reverse, breakaway, cable clamp	HDB36-18-8PN-059	N/A
8	Circ.	8 sz. 12	Plug, HDB30, 18 shell, 8 way, N seal, breakaway	HDB36-18-8SN	N/A
8	Circ.	8 sz. 12	Plug, HDB30, 18 shell, 8 way, N seal, breakaway, cable clamp	HDB36-18-8SN-059	N/A

HDP20 Series

8	Circ.	8 sz. 12	Recept., HDP20, 18 shell, 8 way, E seal	HDP24-18-8PE	N/A
8	Circ.	8 sz. 12	Recept., HDP20, 18 shell, 8 way, E seal, ring adaptor	HDP24-18-8PE-L017	N/A
8	Circ.	8 sz. 12	Recept., HDP20, 18 shell, 8 way, E seal, reverse	HDP24-18-8SE	N/A
8	Circ.	8 sz. 12	Recept., HDP20, 18 shell, 8 way, N seal	HDP24-18-8PN	N/A
8	Circ.	8 sz. 12	Recept., HDP20, 18 shell, 8 way, N seal, reverse	HDP24-18-8SN	N/A
8	Circ.	8 sz. 12	Plug, HDP20, 18 shell, 8 way, N seal, reverse	HDP26-18-8PN	N/A
8	Circ.	8 sz. 12	Plug, HDP20, 18 shell, 8 way, E seal	HDP26-18-8SE	N/A
8	Circ.	8 sz. 12	Plug, HDP20, 18 shell, 8 way, E seal, ring adaptor	HDP26-18-8SE-L017	N/A
8	Circ.	8 sz. 12	Plug, HDP20, 18 shell, 8 way, N seal	HDP26-18-8SN	N/A

HD30 Series

8	Circ.	8 sz. 12	Recept., HD30, 18 shell, 8 way, E seal	HD34-18-8PE	N/A
8	Circ.	8 sz. 12	Recept., HD30, 18 shell, 8 way, E seal, cable clamp	HD34-18-8PE-059	N/A
8	Circ.	8 sz. 12	Recept., HD30, 18 shell, 8 way, E seal, adaptor	HD34-18-8PE-072	N/A
8	Circ.	8 sz. 12	Recept., HD30, 18 shell, 8 way, N seal	HD34-18-8PN	N/A
8	Circ.	8 sz. 12	Recept., HD30, 18 shell, 8 way, N seal, cable clamp	HD34-18-8PN-059	N/A
8	Circ.	8 sz. 12	Recept., HD30, 18 shell, 8 way, N seal, adaptor	HD34-18-8PN-072	N/A
8	Circ.	8 sz. 12	Recept., HD30, 18 shell, 8 way, E seal, reverse	HD34-18-8SE	N/A
8	Circ.	8 sz. 12	Recept., HD30, 18 shell, 8 way, E seal, reverse, cable clamp	HD34-18-8SE-059	N/A
8	Circ.	8 sz. 12	Recept., HD30, 18 shell, 8 way, E seal, reverse, adaptor	HD34-18-8SE-072	N/A
8	Circ.	8 sz. 12	Recept., HD30, 18 shell, 8 way, N seal, reverse	HD34-18-8SN	N/A
8	Circ.	8 sz. 12	Recept., HD30, 18 shell, 8 way, N seal, reverse, cable clamp	HD34-18-8SN-059	N/A
8	Circ.	8 sz. 12	Recept., HD30, 18 shell, 8 way, N seal, reverse, adaptor	HD34-18-8SN-072	N/A
8	Circ.	8 sz. 12	Plug, HD30, 18 shell, 8 way, E seal, reverse	HD36-18-8PE	N/A
8	Circ.	8 sz. 12	Plug, HD30, 18 shell, 8 way, E seal, reverse, cable clamp	HD36-18-8PE-059	N/A
8	Circ.	8 sz. 12	Plug, HD30, 18 shell, 8 way, E seal, reverse, adaptor	HD36-18-8PE-072	N/A
8	Circ.	8 sz. 12	Plug, HD30, 18 shell, 8 way, N seal, reverse	HD36-18-8PN	N/A
8	Circ.	8 sz. 12	Plug, HD30, 18 shell, 8 way, N seal, reverse, cable clamp	HD36-18-8PN-059	N/A
8	Circ.	8 sz. 12	Plug, HD30, 18 shell, 8 way, N seal, reverse, adaptor	HD36-18-8PN-072	N/A
8	Circ.	8 sz. 12	Plug, HD30, 18 shell, 8 way, E seal	HD36-18-8SE	N/A
8	Circ.	8 sz. 12	Plug, HD30, 18 shell, 8 way, E seal, cable clamp	HD36-18-8SE-059	N/A
8	Circ.	8 sz. 12	Plug, HD30, 18 shell, 8 way, E seal, adaptor	HD36-18-8SE-072	N/A
8	Circ.	8 sz. 12	Plug, HD30, 18 shell, 8 way, N seal	HD36-18-8SN	N/A
8	Circ.	8 sz. 12	Plug, HD30, 18 shell, 8 way, N seal, cable clamp	HD36-18-8SN-059	N/A
8	Circ.	8 sz. 12	Plug, HD30, 18 shell, 8 way, N seal, adaptor	HD36-18-8SN-072	N/A

9 CAVITY CONNECTORS

HDB Series

9	Circ.	6 sz. 12, 2 sz. 8 1 sz. 4	Plug, HDB30, 24 shell, 9 way, N seal, reverse, breakaway	HDB36-24-9PN	N/A
9	Circ.	6 sz. 12, 2 sz. 8 1 sz. 4	Plug, HDB30, 24 shell, 9 way, N seal, reverse, breakaway, cable clamp	HDB36-24-9PN-059	N/A
9	Circ.	6 sz. 12, 2 sz. 8 1 sz. 4	Plug, HDB30, 24 shell, 9 way, N seal, breakaway	HDB36-24-9SN	N/A
9	Circ.	6 sz. 12, 2 sz. 8 1 sz. 4	Plug, HDB30, 24 shell, 9 way, N seal, breakaway, cable clamp	HDB36-24-9SN-059	N/A
9	Circ.	5 sz. 16, 2 sz. 12, 2 sz. 8	Plug, HDB30, 24 shell, 9 way, E seal, breakaway, J1939	HDB36-24-91SE	N/A

Electrical Connectors

Cavity	Shape	Contact Size(s)	Part Description	Part Number	Wedge lock
9	Circ.	5 sz. 16, 2 sz. 12, 2 sz. 8	Plug, HDB30, 24 shell, 9 way, E seal, breakaway, cable clamp, J1939	HDB36-24-91SE-059	N/A
9	Circ.	5 sz. 16, 2 sz. 12, 2 sz. 8	Plug, HDB30, 24 shell, 9 way, N seal, breakaway, J1939	HDB36-24-91SN	N/A
9	Circ.	5 sz. 16, 2 sz. 12, 2 sz. 8	Plug, HDB30, 24 shell, 9 way, N seal, breakaway, cable clamp, J1939	HDB36-24-91SN-059	N/A
HDP20 Series					
9	Circ.	6 sz. 12, 2 sz. 8 1 sz. 4	Recept., HDP20, 24 shell, 9 way, E seal	HDP24-24-9PE	N/A
9	Circ.	6 sz. 12, 2 sz. 8 1 sz. 4	Recept., HDP20, 24 shell, 9 way, E seal, threaded adaptor	HDP24-24-9PE-L015	N/A
9	Circ.	6 sz. 12, 2 sz. 8 1 sz. 4	Recept., HDP20, 24 shell, 9 way, E seal, ring adaptor	HDP24-24-9PE-L017	N/A
9	Circ.	6 sz. 12, 2 sz. 8 1 sz. 4	Recept., HDP20, 24 shell, 9 way, N seal	HDP24-24-9PN	N/A
9	Circ.	6 sz. 12, 2 sz. 8 1 sz. 4	Recept., HDP20, 24 shell, 9 way, N seal, threaded adaptor	HDP24-24-9PN-L015	N/A
9	Circ.	6 sz. 12, 2 sz. 8 1 sz. 4	Recept., HDP20, 24 shell, 9 way, N seal, ring adaptor	HDP24-24-9PN-L017	N/A
9	Circ.	6 sz. 12, 2 sz. 8 1 sz. 4	Recept., HDP20, 24 shell, 9 way, N seal, reverse	HDP24-24-9SN	N/A
9	Circ.	6 sz. 12, 2 sz. 8 1 sz. 4	Recept., HDP20, 24 shell, 9 way, N seal, reverse, threaded adaptor	HDP24-24-9SN-L015	N/A
9	Circ.	6 sz. 12, 2 sz. 8 1 sz. 4	Recept., HDP20, 24 shell, 9 way, N seal, reverse, ring adaptor	HDP24-24-9SN-L017	N/A
9	Circ.	6 sz. 12, 2 sz. 8 1 sz. 4	Plug, HDP20, 24 shell, 9 way, N seal, reverse	HDP26-24-9PN	N/A
9	Circ.	6 sz. 12, 2 sz. 8 1 sz. 4	Plug, HDP20, 24 shell, 9 way, N seal, reverse, threaded adaptor	HDP26-24-9PN-L015	N/A
9	Circ.	6 sz. 12, 2 sz. 8 1 sz. 4	Plug, HDP20, 24 shell, 9 way, N seal, reverse, ring adaptor	HDP26-24-9PN-L017	N/A
9	Circ.	6 sz. 12, 2 sz. 8 1 sz. 4	Plug, HDP20, 24 shell, 9 way, E seal	HDP26-24-9SE	N/A
9	Circ.	6 sz. 12, 2 sz. 8 1 sz. 4	Plug, HDP20, 24 shell, 9 way, E seal, threaded adaptor	HDP26-24-9SE-L015	N/A
9	Circ.	6 sz. 12, 2 sz. 8 1 sz. 4	Plug, HDP20, 24 shell, 9 way, E seal, ring adaptor	HDP26-24-9SE-L017	N/A
9	Circ.	6 sz. 12, 2 sz. 8 1 sz. 4	Plug, HDP20, 24 shell, 9 way, N seal	HDP26-24-9SN	N/A
9	Circ.	6 sz. 12, 2 sz. 8 1 sz. 4	Plug, HDP20, 24 shell, 9 way, N seal, threaded adaptor	HDP26-24-9SN-L015	N/A
9	Circ.	6 sz. 12, 2 sz. 8 1 sz. 4	Plug, HDP20, 24 shell, 9 way, N seal, ring adaptor	HDP26-24-9SN-L017	N/A
HD10 Series					
9	Circ.	16	Recept., HD10, 9 way, flange, non-threaded rear	HD10-9-16P	N/A
9	Circ.	16	Recept., HD10, 9 way, flange, non-threaded rear, key removed from front of flange	HD10-9-16P-B009	N/A
9	Circ.	16	Recept., HD10, 9 way, flange, threaded rear, J1939	HD10-9-1939P	N/A
9	Circ.	16	Recept., HD10, 9 way, flange, threaded rear, J1939, E seal	HD10-9-1939PE	N/A
9	Circ.	16	Recept., HD10, 9 way, flange, threaded rear	HD10-9-96P	N/A
9	Circ.	16	Recept., HD10, 9 way, flange, threaded rear, key removed from front of flange	HD10-9-96P-B009	N/A
9	Circ.	16	Recept., HD10, 9 way, d-hole panel mount, non-threaded rear, black	HD10-9-96P-B025	N/A
9	Circ.	16	Recept., HD10, 9 way, flange, threaded rear, molded-in pins, PCB mount	HD10-9-96P-N005	N/A
9	Circ.	16	Recept., HD10, 9 way, flange, threaded rear, E seal	HD10-9-96PE	N/A
9	Circ.	16	Recept., HD10, 9 way, in-line, non-threaded rear	HD14-9-16P	N/A
9	Circ.	16	Recept., HD10, 9 way, in-line, threaded rear, J1939	HD14-9-1939P	N/A
9	Circ.	16	Recept., HD10, 9 way, in-line, threaded rear, J1939, E seal	HD14-9-1939PE	N/A
9	Circ.	16	Recept., HD10, 9 way, in-line, threaded rear	HD14-9-96P	N/A
(9)7	Circ.	16	Recept., HD10, 9 way, in-line, threaded rear, cavities H, J blocked	HD14-9-96P-C016	N/A
9	Circ.	16	Recept., HD10, 9 way, in-line, threaded rear, J1939, E seal	HD14-9-96PE	N/A
9	Circ.	16	Plug, HD10, 9 way, non-threaded rear	HD16-9-16S	N/A
9	Circ.	16	Plug, HD10, 9 way, threaded rear, J1939	HD16-9-1939S	N/A
9	Circ.	16	Plug, HD10, 9 way, threaded rear, J1939, E seal	HD16-9-1939SE	N/A
9	Circ.	16	Plug, HD10, 9 way, threaded rear	HD16-9-96S	N/A
(9)7	Circ.	16	Plug, HD10, 9 way, threaded rear, cavities H, J blocked	HD16-9-96S-C016	N/A
9	Circ.	16	Plug, HD10, 9 way, threaded rear, E seal	HD16-9-96SE	N/A
9	Circ.	16	Plug, HD10, 9 way, threaded rear, no coupling ring, J1939	HD17-9-1939S	N/A

Electrical Connectors

<i>Cavity</i>	<i>Shape</i>	<i>Contact Size(s)</i>	<i>Part Description</i>	<i>Part Number</i>	<i>Wedge lock</i>
9	Circ.	16	Plug, HD10, 9 way, threaded rear, no coupling ring, J1939, E seal	HD17-9-1939SE	N/A
HD30 Series					
9	Circ.	6 sz. 12, 2 sz. 8 1 sz. 4	Recept., HD30, 24 shell, 9 way, N seal	HD34-24-9PN	N/A
9	Circ.	6 sz. 12, 2 sz. 8 1 sz. 4	Recept., HD30, 24 shell, 9 way, N seal, cable clamp	HD34-24-9PN-059	N/A
9	Circ.	6 sz. 12, 2 sz. 8 1 sz. 4	Recept., HD30, 24 shell, 9 way, N seal, adaptor	HD34-24-9PN-072	N/A
9	Circ.	6 sz. 12, 2 sz. 8 1 sz. 4	Recept., HD30, 24 shell, 9 way, N seal, reverse	HD34-24-9SN	N/A
9	Circ.	6 sz. 12, 2 sz. 8 1 sz. 4	Recept., HD30, 24 shell, 9 way, N seal, reverse, cable clamp	HD34-24-9SN-059	N/A
9	Circ.	6 sz. 12, 2 sz. 8 1 sz. 4	Recept., HD30, 24 shell, 9 way, N seal, reverse, adaptor	HD34-24-9SN-072	N/A
9	Circ.	6 sz. 12, 2 sz. 8 1 sz. 4	Recept., HD30, 24 shell, 9 way, N seal, HDBox arrangement	HD34-24-91PN	N/A
9	Circ.	6 sz. 12, 2 sz. 8 1 sz. 4	Recept., HD30, 24 shell, 9 way, N seal, HDBox arrangement, cable clamp	HD34-24-91PN-059	N/A
9	Circ.	6 sz. 12, 2 sz. 8 1 sz. 4	Recept., HD30, 24 shell, 9 way, N seal, HDBox arrangement, adaptor	HD34-24-91PN-072	N/A
9	Circ.	6 sz. 12, 2 sz. 8 1 sz. 4	Recept., HD30, 24 shell, 9 way, E seal, HDBox arrangement	HD34-24-91PE	N/A
9	Circ.	6 sz. 12, 2 sz. 8 1 sz. 4	Recept., HD30, 24 shell, 9 way, E seal, HDBox arrangement, cable clamp	HD34-24-91PE-059	N/A
9	Circ.	6 sz. 12, 2 sz. 8 1 sz. 4	Recept., HD30, 24 shell, 9 way, E seal, HDBox arrangement, adaptor	HD34-24-91PE-072	N/A
9	Circ.	6 sz. 12, 2 sz. 8 1 sz. 4	Plug, HD30, 24 shell, 9 way, N seal, reverse	HD36-24-9PN	N/A
9	Circ.	6 sz. 12, 2 sz. 8 1 sz. 4	Plug, HD30, 24 shell, 9 way, N seal, reverse, cable clamp	HD36-24-9PN-059	N/A
9	Circ.	6 sz. 12, 2 sz. 8 1 sz. 4	Plug, HD30, 24 shell, 9 way, N seal, reverse, adaptor	HD36-24-9PN-072	N/A
9	Circ.	6 sz. 12, 2 sz. 8 1 sz. 4	Plug, HD30, 24 shell, 9 way, N seal	HD36-24-9SN	N/A
9	Circ.	6 sz. 12, 2 sz. 8 1 sz. 4	Plug, HD30, 24 shell, 9 way, N seal, cable clamp	HD36-24-9SN-059	N/A
9	Circ.	6 sz. 12, 2 sz. 8 1 sz. 4	Plug, HD30, 24 shell, 9 way, N seal, adaptor	HD36-24-9SN-072	N/A

10 CAVITY CONNECTORS

HDFB Series

10	Rect.	12	Module, HDFB, sz. 12, (1) 10 pin buss	HDFB12-01S	N/A
10	Rect.	12	Module, HDFB, sz. 12, (1) 6 pin buss / (1) 4 pin buss	HDFB12-02S	N/A
10	Rect.	12	Module, HDFB, sz. 12, (2) 4 pin busses / (1) 2 pin buss	HDFB12-03S	N/A
10	Rect.	12	Module, HDFB, sz. 12, (3) 2 pin busses / (1) 4 pin buss	HDFB12-04S	N/A

HD30 Series

(14)10	Circ.	10 sz. 16	Recept., HD30, 24 shell, 10 way, N seal, reverse, cavities 1, 2, 8, 9 blocked	HD34-24-14SN-C019	N/A
(14)10	Circ.	10 sz. 16	Plug, HD30, 18 shell, 10 way, E seal, cavities A, B, C, D blocked	HD36-18-14SE-C021	N/A
(14)10	Circ.	10 sz. 16	Plug, HD30, 18 shell, 10 way, E seal, cavities A, D, J, M blocked	HD36-18-14SE-C022	N/A

12 CAVITY CONNECTORS

DTF Series

12	Rect.	16	Recept., DTF, 12 way, 90° molded pins, flangeless PCB mount, A key	DTF13-12PA	N/A
12	Rect.	16	Recept., DTF, 12 way, 90° molded gold pins, flangeless PCB mount, A key	DTF13-12PA-G003	N/A
12	Rect.	16	Recept., DTF, 12 way, 90° molded pins, flangeless PCB mount, B key	DTF13-12PB	N/A
12	Rect.	16	Recept., DTF, 12 way, 90° molded pins, flangeless PCB mount, C key	DTF13-12PC	N/A
12	Rect.	16	Recept., DTF, 12 way, 90° molded pins, flangeless PCB mount, D key	DTF13-12PD	N/A
12	Rect.	16	Recept., DTF, 12 way, sz. 16, straight molded pins, flangeless PCB mount, A key	DTF15-12PA	N/A
12	Rect.	16	Recept., DTF, 12 way, sz. 16, straight molded gold pins, flangeless PCB mount, A key	DTF15-12PA-G003	N/A
12	Rect.	16	Recept., DTF, 12 way, sz. 16, straight molded pins, flangeless PCB mount, B key	DTF15-12PB	N/A
12	Rect.	16	Recept., DTF, 12 way, sz. 16, straight molded pins, flangeless PCB mount, C key	DTF15-12PC	N/A
12	Rect.	16	Recept., DTF, 12 way, sz. 16, straight molded pins, flangeless PCB mount, D key	DTF15-12PD	N/A

DTM Series

Electrical Connectors

Cavity Shape		Contact Size(s)	Part Description	Part Number	Wedge lock
12	Rect.	20	Recept., DTM, 12 way, A key	DTM04-12PA	WM-12P
12	Rect.	20	Recept., DTM, 12 way, A key, end cap	DTM04-12PA-E003	WM-12P
12	Rect.	20	Recept., DTM, 12 way, A key, end cap, black	DTM04-12PA-E005	WM-12P
12	Rect.	20	Recept., DTM, 12 way, A key, flange	DTM04-12PA-L012	WM-12P
12	Rect.	20	Recept., DTM, 12 way, B key	DTM04-12PB	WM-12P
12	Rect.	20	Recept., DTM, 12 way, B key, flange	DTM04-12PB-L012	WM-12P
12	Rect.	20	Recept., DTM, 12 way, C key	DTM04-12PC	WM-12P
12	Rect.	20	Recept., DTM, 12 way, D key	DTM04-12PD	WM-12P
12	Rect.	20	Plug, DTM, 12 way, A key	DTM06-12SA	WM-12S
12	Rect.	20	Plug, DTM, 12 way, A key, end cap	DTM06-12SA-E003	WM-12S
12	Rect.	20	Plug, DTM, 12 way, A key, shrink boot adaptor	DTM06-12SA-E007	WM-12S
12	Rect.	20	Plug, DTM, 12 way, B key	DTM06-12SB	WM-12S
12	Rect.	20	Plug, DTM, 12 way, B key, shrink boot adaptor	DTM06-12SB-E007	WM-12S
12	Rect.	20	Plug, DTM, 12 way, C key	DTM06-12SC	WM-12S
12	Rect.	20	Plug, DTM, 12 way, C key, shrink boot adaptor	DTM06-12SC-E007	WM-12S
12	Rect.	20	Plug, DTM, 12 way, D key	DTM06-12SD	WM-12S
12	Rect.	20	Plug, DTM, 12 way, D key, shrink boot adaptor	DTM06-12SD-E007	WM-12S
DTM13/15 Series					
12	Rect.	20	Recept., DTM13, 12 way, 90° molded pins, PCB mount, A key	DTM13-12PA	N/A
12	Rect.	20	Recept., DTM13, 12 way, 90° molded gold pins, header PCB enclosure, A key	DTM13-12PA-GR01	N/A
12	Rect.	20	Recept., DTM13, 12 way, 90° molded pins, header PCB enclosure, A key	DTM13-12PA-R008	N/A
12	Rect.	20	Recept., DTM13, 12 way, 90° molded pins, PCB mount, B key	DTM13-12PB	N/A
12	Rect.	20	Recept., DTM13, 12 way, 90° molded pins, PCB mount, no flange, B key	DTM13-12PB-R005	N/A
12	Rect.	20	Recept., DTM13, 12 way, 90° molded pins, header PCB enclosure, B key	DTM13-12PB-R008	N/A
12	Rect.	20	Recept., DTM13, 12 way, 90° molded pins, PCB mount, C key	DTM13-12PC	N/A
12	Rect.	20	Recept., DTM13, 12 way, 90° molded pins, PCB mount, D key	DTM13-12PD	N/A
12	Rect.	20	Recept., DTM15, 12 way, straight molded pins, PCB mount, A key	DTM15-12PA	N/A
12	Rect.	20	Recept., DTM15, 12 way, straight molded pins, PCB mount, B key	DTM15-12PB	N/A
12	Rect.	20	Recept., DTM15, 12 way, straight molded pins, PCB mount, C key	DTM15-12PC	N/A
12	Rect.	20	Recept., DTM15, 12 way, straight molded pins, PCB mount, D key	DTM15-12PD	N/A
DT Series					
12	Rect.	16	Recept., DT, 12 way, A key	DT04-12PA	W12P
12	Rect.	16	Recept., DT, 12 way, enhanced A key, end cap	DT04-12PA-BE02	W12P
12	Rect.	16	Recept., DT, 12 way, enhanced A key, end cap, black	DT04-12PA-BE03	W12P
12	Rect.	16	Recept., DT, 12 way, enhanced A key, reduced dia. seals, end cap, black	DT04-12PA-BE04	W12P
12	Rect.	16	Recept., DT, 12 way, enhanced A key, flange	DT04-12PA-BL04	W12P
12	Rect.	16	Recept., DT, 12 way, enhanced A key, flange, black	DT04-12PA-BL08	W12P
12	Rect.	16	Recept., DT, 12 way, enhanced A key, reduced dia. seals, sealed flange, shrink boot adaptor	DT04-12PA-BL10	W12P
12	Rect.	16	Recept., DT, 12 way, enhanced A key, reduced dia. seals, sealed flange, end cap	DT04-12PA-BL11	W12P
12	Rect.	16	Recept., DT, 12 way, enhanced A key	DT04-12PA-B016	W12P
12	Rect.	16	Recept., DT, 12 way, A key, reduced dia. seals, end cap	DT04-12PA-CE01	W12P
12	Rect.	16	Recept., DT, 12 way, A key, reduced dia. seals, black	DT04-12PA-CE02	W12P
12	Rect.	16	Recept., DT, 12 way, A key, reduced dia. seals, end cap, black	DT04-12PA-CE03	W12P
12	Rect.	16	Recept., DT, 12 way, enhanced A key, reduced dia. seals, end cap	DT04-12PA-CE07	W12P
12	Rect.	16	Recept., DT, 12 way, enhanced A key, reduced dia. seals	DT04-12PA-CE08	W12P
12	Rect.	16	Recept., DT, 12 way, A key, reduced dia. seals, sealed flange, end cap	DT04-12PA-CL11	W12P
12	Rect.	16	Recept., DT, 12 way, A key, reduced dia. seals	DT04-12PA-C015	W12P
12	Rect.	16	Recept., DT, 12 way, A key, solid rear grommet	DT04-12PA-C017	N/A
12	Rect.	16	Recept., DT, 12 way, A key, end cap	DT04-12PA-E003	W12P
12	Rect.	16	Recept., DT, 12 way, A key, black	DT04-12PA-E004	W12P
12	Rect.	16	Recept., DT, 12 way, A key, end cap, black	DT04-12PA-E005	W12P
12	Rect.	16	Recept., DT, 12 way, A key, shrink boot adaptor	DT04-12PA-E008	W12P
12	Rect.	16	Recept., DT, 12 way, A key, sealed black flange, gasket, end cap	DT04-12PA-LE01	W12P

Electrical Connectors

<i>Cavity</i>	<i>Shape</i>	<i>Contact Size(s)</i>	<i>Part Description</i>	<i>Part Number</i>	<i>Wedge lock</i>
12	Rect.	16	Recept., DT, 12 way, A key, sealed flange, gasket (sold separately), end cap	DT04-12PA-LE03	W12P
12	Rect.	16	Recept., DT, 12 way, A key, sealed flange, gasket, end cap	DT04-12PA-LE05	W12P
12	Rect.	16	Recept., DT, 12 way, A key, reduced dia. seals, sealed flange, gasket, end cap	DT04-12PA-LE06	W12P
12	Rect.	16	Recept., DT, 12 way, A key, flange, end cap	DT04-12PA-LE07	W12P
12	Rect.	16	Recept., DT, 12 way, A key, sealed flange, gasket (sold separately), end cap, black	DT04-12PA-LE09	W12P
12	Rect.	16	Recept., DT, 12 way, A key, sealed flange, gasket, end cap, black	DT04-12PA-LE10	W12P
12	Rect.	16	Recept., DT, 12 way, A key, flange, black	DT04-12PA-LE14	W12P
12	Rect.	16	Recept., DT, 12 way, enhanced A key, sealed flange, gasket (sold separately), end cap, black	DT04-12PA-LE17	W12P
12	Rect.	16	Recept., DT, 12 way, A key, flange	DT04-12PA-L012	W12P
12	Rect.	16	Recept., DT, 12 way, A key, (1) 12 pin buss, gold contacts	DT04-12PA-P016	Included
12	Rect.	16	Recept., DT, 12 way, A key, (1) 12 pin buss, nickel contacts	DT04-12PA-P021	Included
12	Rect.	16	Recept., DT, 12 way, A key, (2) 6 pin busses, nickel contacts	DT04-12PA-P026	Included
12	Rect.	16	Recept., DT, 12 way, A key, (4) 3 pin busses, nickel contacts	DT04-12PA-P030	Included
12	Rect.	16	Recept., DT, 12 way, A key, (4) 3 pin busses, gold contacts	DT04-12PA-P031	Included
12	Rect.	16	Recept., DT, 12 way, B key	DT04-12PB	W12P
12	Rect.	16	Recept., DT, 12 way, enhanced B key, end cap	DT04-12PB-BE02	W12P
12	Rect.	16	Recept., DT, 12 way, enhanced B key, flange	DT04-12PB-BL04	W12P
12	Rect.	16	Recept., DT, 12 way, enhanced B key, reduced dia. seals, sealed flange, end cap	DT04-12PB-BL11	W12P
12	Rect.	16	Recept., DT, 12 way, enhanced B key	DT04-12PB-B016	W12P
12	Rect.	16	Recept., DT, 12 way, B key, reduced dia. seals, end cap	DT04-12PB-CE01	W12P
12	Rect.	16	Recept., DT, 12 way, enhanced B key, reduced dia. seals, end cap	DT04-12PB-CE07	W12P
12	Rect.	16	Recept., DT, 12 way, B key, reduced dia. seals, sealed flange, end cap	DT04-12PB-CL11	W12P
12	Rect.	16	Recept., DT, 12 way, B key, reduced dia. seals	DT04-12PB-C015	W12P
12	Rect.	16	Recept., DT, 12 way, B key, end cap	DT04-12PB-E003	W12P
12	Rect.	16	Recept., DT, 12 way, B key, sealed black flange, gasket, end cap	DT04-12PB-LE01	W12P
12	Rect.	16	Recept., DT, 12 way, B key, flange	DT04-12PB-L012	W12P
12	Rect.	16	Recept., DT, 12 way, B key, (1) 12 pin buss, gold contacts	DT04-12PB-P016	Included
12	Rect.	16	Recept., DT, 12 way, B key, (1) 12 pin buss, nickel contacts	DT04-12PB-P021	Included
12	Rect.	16	Recept., DT, 12 way, B key, (2) 6 pin busses, nickel contacts	DT04-12PB-P026	Included
12	Rect.	16	Recept., DT, 12 way, B key, (2) 6 pin busses, gold contacts	DT04-12PB-P027	Included
12	Rect.	16	Recept., DT, 12 way, B key, (4) 3 pin busses, nickel contacts	DT04-12PB-P030	Included
12	Rect.	16	Recept., DT, 12 way, B key, (4) 3 pin busses, gold contacts	DT04-12PB-P031	Included
12	Rect.	16	Recept., DT, 12 way, C key	DT04-12PC	W12P
12	Rect.	16	Recept., DT, 12 way, enhanced C key, end cap	DT04-12PC-BE02	W12P
12	Rect.	16	Recept., DT, 12 way, enhanced C key, flange	DT04-12PC-BL04	W12P
12	Rect.	16	Recept., DT, 12 way, enhanced C key, flange, end cap	DT04-12PC-BL05	W12P
12	Rect.	16	Recept., DT, 12 way, enhanced C key	DT04-12PC-B016	W12P
12	Rect.	16	Recept., DT, 12 way, C key, reduced dia. seals, end cap	DT04-12PC-CE01	W12P
12	Rect.	16	Recept., DT, 12 way, enhanced C key, reduced dia. seals, end cap	DT04-12PC-CE07	W12P
12	Rect.	16	Recept., DT, 12 way, C key, reduced dia. seals	DT04-12PC-C015	W12P
12	Rect.	16	Recept., DT, 12 way, C key, sealed black flange, gasket, end cap	DT04-12PC-LE01	W12P
12	Rect.	16	Recept., DT, 12 way, C key, flange	DT04-12PC-L012	W12P
12	Rect.	16	Recept., DT, 12 way, D key	DT04-12PD	W12P
12	Rect.	16	Recept., DT, 12 way, enhanced D key, end cap	DT04-12PD-BE02	W12P
12	Rect.	16	Recept., DT, 12 way, enhanced D key, flange	DT04-12PD-BL04	W12P
12	Rect.	16	Recept., DT, 12 way, enhanced D key	DT04-12PD-B016	W12P
12	Rect.	16	Recept., DT, 12 way, D key, reduced dia. seals, end cap	DT04-12PD-CE01	W12P
12	Rect.	16	Recept., DT, 12 way, enhanced D key, reduced dia. seals, end cap	DT04-12PD-CE07	W12P
12	Rect.	16	Recept., DT, 12 way, D key, reduced dia. seals	DT04-12PD-C015	W12P
12	Rect.	16	Recept., DT, 12 way, D key, flange	DT04-12PD-L012	W12P
12	Rect.	16	Plug, DT, 12 way, A key	DT06-12SA	W12S
12	Rect.	16	Plug, DT, 12 way, A key, reduced dia. seals, end cap	DT06-12SA-CE01	W12S
12	Rect.	16	Plug, DT, 12 way, A key, reduced dia. seals, black	DT06-12SA-CE02	W12S

Electrical Connectors

<i>Cavity</i>	<i>Shape</i>	<i>Contact Size(s)</i>	<i>Part Description</i>	<i>Part Number</i>	<i>Wedge lock</i>
12	Rect.	16	Plug, DT, 12 way, A key, reduced dia. seals, shrink boot adaptor	DT06-12SA-CE04	W12S
12	Rect.	16	Plug, DT, 12 way, A key, enhanced seal ret., reduced dia. seals, end cap	DT06-12SA-CE05	W12S-P012
12	Rect.	16	Plug, DT, 12 way, A key, enhanced seal ret., reduced dia. seals	DT06-12SA-CE06	W12S-P012
12	Rect.	16	Plug, DT, 12 way, A key, enhanced seal ret., reduced dia. seals, black	DT06-12SA-CE10	W12S-P012
12	Rect.	16	Plug, DT, 12 way, A key, enhanced seal ret., reduced dia. seals, end cap, black	DT06-12SA-CE11	W12S-P012
12	Rect.	16	Plug, DT, 12 way, A key, enhanced seal ret., reduced dia. seals, shrink boot adaptor	DT06-12SA-CE13	W12S-P012
12	Rect.	16	Plug, DT, 12 way, A key, reduced dia. seals	DT06-12SA-C015	W12S
12	Rect.	16	Plug, DT, 12 way, A key, solid rear grommet	DT06-12SA-C017	Included
12	Rect.	16	Plug, DT, 12 way, A key, enhanced seal ret., end cap	DT06-12SA-EP06	W12S-P012
12	Rect.	16	Plug, DT, 12 way, A key, enhanced seal ret., black	DT06-12SA-EP07	W12S-P012
12	Rect.	16	Plug, DT, 12 way, A key, enhanced seal ret., end cap, black	DT06-12SA-EP08	W12S-P012
12	Rect.	16	Plug, DT, 12 way, A key, enhanced seal ret., shrink boot adaptor	DT06-12SA-EP20	W12S-P012
12	Rect.	16	Plug, DT, 12 way, A key, end cap	DT06-12SA-E003	W12S
12	Rect.	16	Plug, DT, 12 way, A key, end cap, black	DT06-12SA-E005	W12S
12	Rect.	16	Plug, DT, 12 way, A key, shrink boot adaptor	DT06-12SA-E008	W12S
12	Rect.	16	Plug, DT, 12 way, A key, enhanced seal ret.	DT06-12SA-P012	W12S-P012
12	Rect.	16	Plug, DT, 12 way, B key	DT06-12SB	W12S
12	Rect.	16	Plug, DT, 12 way, B key, reduced dia. seals, end cap	DT06-12SB-CE01	W12S
12	Rect.	16	Plug, DT, 12 way, B key, reduced dia. seals, shrink boot adaptor	DT06-12SB-CE04	W12S
12	Rect.	16	Plug, DT, 12 way, B key, enhanced seal ret., reduced dia. seals, end cap	DT06-12SB-CE05	W12S-P012
12	Rect.	16	Plug, DT, 12 way, B key, enhanced seal ret., reduced dia. seals	DT06-12SB-CE06	W12S-P012
12	Rect.	16	Plug, DT, 12 way, B key, enhanced seal ret., reduced dia. seals, shrink boot adaptor	DT06-12SB-CE13	W12S-P012
12	Rect.	16	Plug, DT, 12 way, B key, reduced dia. seals	DT06-12SB-C015	W12S
12	Rect.	16	Plug, DT, 12 way, B key, enhanced seal ret., end cap	DT06-12SB-EP06	W12S-P012
12	Rect.	16	Plug, DT, 12 way, B key, enhanced seal ret., shrink boot adaptor	DT06-12SB-EP20	W12S-P012
12	Rect.	16	Plug, DT, 12 way, B key, end cap	DT06-12SB-E003	W12S
12	Rect.	16	Plug, DT, 12 way, B key, shrink boot adaptor	DT06-12SB-E008	W12S
12	Rect.	16	Plug, DT, 12 way, B key, enhanced seal ret.	DT06-12SB-P012	W12S-P012
12	Rect.	16	Plug, DT, 12 way, C key	DT06-12SC	W12S
12	Rect.	16	Plug, DT, 12 way, C key, reduced dia. seals, end cap	DT06-12SC-CE01	W12S
12	Rect.	16	Plug, DT, 12 way, C key, reduced dia. seals, shrink boot adaptor	DT06-12SC-CE04	W12S
12	Rect.	16	Plug, DT, 12 way, C key, enhanced seal ret., reduced dia. seals, end cap	DT06-12SC-CE05	W12S-P012
12	Rect.	16	Plug, DT, 12 way, C key, enhanced seal ret., reduced dia. seals	DT06-12SC-CE06	W12S-P012
12	Rect.	16	Plug, DT, 12 way, C key, reduced dia. seals	DT06-12SC-C015	W12S
12	Rect.	16	Plug, DT, 12 way, C key, solid rear grommet	DT06-12SC-C017	Included
12	Rect.	16	Plug, DT, 12 way, C key, enhanced seal ret., end cap	DT06-12SC-EP06	W12S-P012
12	Rect.	16	Plug, DT, 12 way, C key, end cap	DT06-12SC-E003	W12S
12	Rect.	16	Plug, DT, 12 way, C key, enhanced seal ret.	DT06-12SC-P012	W12S-P012
12	Rect.	16	Plug, DT, 12 way, D key	DT06-12SD	W12S
12	Rect.	16	Plug, DT, 12 way, D key, reduced dia. seals, shrink boot adaptor	DT06-12SD-CE04	W12S
12	Rect.	16	Plug, DT, 12 way, D key, enhanced seal ret., reduced dia. seals, end cap	DT06-12SD-CE05	W12S-P012
12	Rect.	16	Plug, DT, 12 way, D key, enhanced seal ret., reduced dia. seals	DT06-12SD-CE06	W12S-P012
12	Rect.	16	Plug, DT, 12 way, D key, reduced dia. seals	DT06-12SD-C015	W12S
12	Rect.	16	Plug, DT, 12 way, D key, enhanced seal ret., end cap	DT06-12SD-EP06	W12S-P012
12	Rect.	16	Plug, DT, 12 way, D key, end cap	DT06-12SD-E003	W12S
12	Rect.	16	Plug, DT, 12 way, D key, enhanced seal ret.	DT06-12SD-P012	W12S-P012
DT13/15 Series					
12	Rect.	16	Recept., DT13, 12 way, 90° molded pins, PCB mount, A key	DT13-12PA	N/A
12	Rect.	16	Recept., DT13, 12 way, 90° molded pins, PCB mount, enhanced A key	DT13-12PA-B016	N/A
12	Rect.	16	Recept., DT13, 12 way, 90° molded gold pins, PCB mount, A key	DT13-12PA-G003	N/A
12	Rect.	16	Recept., DT13, 12 way, 90° molded pins, PCB mount, B key	DT13-12PB	N/A
12	Rect.	16	Recept., DT13, 12 way, 90° molded pins, PCB mount, enhanced B key	DT13-12PB-B016	N/A
12	Rect.	16	Recept., DT13, 12 way, 90° molded gold pins, PCB mount, B key	DT13-12PB-G003	N/A
12	Rect.	16	Recept., DT13, 12 way, 90° molded pins, PCB mount, C key	DT13-12PC	N/A

Electrical Connectors

Cavity	Shape	Contact Size(s)	Part Description	Part Number	Wedge lock
12	Rect.	16	Recept., DT13, 12 way, 90° molded pins, PCB mount, enhanced C key	DT13-12PC-B016	N/A
12	Rect.	16	Recept., DT13, 12 way, 90° molded gold pins, PCB mount, C key	DT13-12PC-G003	N/A
12	Rect.	16	Recept., DT13, 12 way, 90° molded pins, PCB mount, D key	DT13-12PD	N/A
12	Rect.	16	Recept., DT13, 12 way, 90° molded pins, PCB mount, enhanced D key	DT13-12PD-B016	N/A
12	Rect.	16	Recept., DT13, 12 way, 90° molded gold pins, PCB mount, D key	DT13-12PD-G003	N/A
12	Rect.	16	Recept., DT15, 12 way, straight molded pins, PCB mount, A key	DT15-12PA	N/A
12	Rect.	16	Recept., DT15, 12 way, straight molded pins, PCB mount, enhanced A key	DT15-12PA-B016	N/A
12	Rect.	16	Recept., DT15, 12 way, straight molded gold pins, PCB mount, A key	DT15-12PA-G003	N/A
12	Rect.	16	Recept., DT15, 12 way, straight molded pins, PCB mount, A key, 5 P.S.I	DT15-12PA-P010	N/A
12	Rect.	16	Recept., DT15, 12 way, straight molded pins, PCB mount, B key	DT15-12PB	N/A
12	Rect.	16	Recept., DT15, 12 way, straight molded pins, PCB mount, enhanced B key	DT15-12PB-B016	N/A
12	Rect.	16	Recept., DT15, 12 way, straight molded gold pins, PCB mount, B key	DT15-12PB-G003	N/A
12	Rect.	16	Recept., DT15, 12 way, straight molded pins, PCB mount, B key, 5 P.S.I	DT15-12PB-P010	N/A
12	Rect.	16	Recept., DT15, 12 way, straight molded pins, PCB mount, C key	DT15-12PC	N/A
12	Rect.	16	Recept., DT15, 12 way, straight molded pins, PCB mount, enhanced C key	DT15-12PC-B016	N/A
12	Rect.	16	Recept., DT15, 12 way, straight molded gold pins, PCB mount, C key	DT15-12PC-G003	N/A
12	Rect.	16	Recept., DT15, 12 way, straight molded pins, PCB mount, D key	DT15-12PD	N/A
12	Rect.	16	Recept., DT15, 12 way, straight molded pins, PCB mount, enhanced D key	DT15-12PD-B016	N/A

HD30 Series

(14)12	Circ.	12 sz. 16	Recept., HD30, 18 shell, 12 way, N seal, cavities A, D blocked	HD34-18-14PN-C020	N/A
(14)12	Circ.	12 sz. 16	Recept., HD30, 18 shell, 12 way, N seal, reverse, cavities J, P blocked	HD34-18-14SN-C012	N/A
(14)12	Circ.	12 sz. 16	Plug, HD30, 18 shell, 12 way, N seal, reverse, cavities J, P blocked	HD36-18-14PN-C012	N/A

14 CAVITY CONNECTORS

HDB Series

14	Circ.	14 sz. 16	Plug, HDB30, 18 shell, 14 way, E seal, reverse, breakaway	HDB36-18-14PE	N/A
14	Circ.	14 sz. 16	Plug, HDB30, 18 shell, 14 way, E seal, reverse, breakaway, cable clamp	HDB36-18-14PE-059	N/A
14	Circ.	14 sz. 16	Plug, HDB30, 18 shell, 14 way, N seal, reverse, breakaway	HDB36-18-14PN	N/A
14	Circ.	14 sz. 16	Plug, HDB30, 18 shell, 14 way, N seal, reverse, breakaway, cable clamp	HDB36-18-14PN-059	N/A
14	Circ.	14 sz. 16	Plug, HDB30, 18 shell, 14 way, N seal, breakaway	HDB36-18-14SN	N/A
14	Circ.	14 sz. 16	Plug, HDB30, 18 shell, 14 way, N seal, breakaway, cable clamp	HDB36-18-14SN-059	N/A
14	Circ.	12 sz. 16, 1 sz. 12 1 sz. 4	Plug, HDB30, 24 shell, 14 way, N seal, breakaway	HDB36-24-14SN	N/A
14	Circ.	12 sz. 16, 1 sz. 12 1 sz. 4	Plug, HDB30, 24 shell, 14 way, N seal, breakaway, cable clamp	HDB36-24-14SN-059	N/A

HDP20 Series

14	Circ.	14 sz. 16	Recept., HDP20, 18 shell, 14 way, E seal	HDP24-18-14PE	N/A
14	Circ.	14 sz. 16	Recept., HDP20, 18 shell, 14 way, N seal	HDP24-18-14PN	N/A
14	Circ.	14 sz. 16	Recept., HDP20, 18 shell, 14 way, E seal, reverse	HDP24-18-14SE	N/A
14	Circ.	14 sz. 16	Recept., HDP20, 18 shell, 14 way, E seal, reverse, ring adaptor	HDP24-18-14SE-L017	N/A
14	Circ.	14 sz. 16	Recept., HDP20, 18 shell, 14 way, N seal, reverse	HDP24-18-14SN	N/A
14	Circ.	12 sz. 16, 1 sz. 12 1 sz. 4	Recept., HDP20, 24 shell, 14 way, N seal	HDP24-24-14PN	N/A
14	Circ.	12 sz. 16, 1 sz. 12 1 sz. 4	Recept., HDP20, 24 shell, 14 way, N seal, threaded adaptor	HDP24-24-14PN-L015	N/A
14	Circ.	12 sz. 16, 1 sz. 12 1 sz. 4	Recept., HDP20, 24 shell, 14 way, N seal, ring adaptor	HDP24-24-14PN-L017	N/A
14	Circ.	12 sz. 16, 1 sz. 12 1 sz. 4	Recept., HDP20, 24 shell, 14 way, N seal, reverse	HDP24-24-14SN	N/A
14	Circ.	12 sz. 16, 1 sz. 12 1 sz. 4	Recept., HDP20, 24 shell, 14 way, N seal, reverse, threaded adaptor	HDP24-24-14SN-L015	N/A
14	Circ.	12 sz. 16, 1 sz. 12 1 sz. 4	Recept., HDP20, 24 shell, 14 way, N seal, reverse, ring adaptor	HDP24-24-14SN-L017	N/A
14	Circ.	14 sz. 16	Plug, HDP20, 18 shell, 14 way, E seal, reverse	HDP26-18-14PE	N/A
14	Circ.	14 sz. 16	Plug, HDP20, 18 shell, 14 way, E seal, reverse, ring adaptor	HDP26-18-14PE-L017	N/A
14	Circ.	14 sz. 16	Plug, HDP20, 18 shell, 14 way, N seal, reverse	HDP26-18-14PN	N/A
14	Circ.	14 sz. 16	Plug, HDP20, 18 shell, 14 way, E seal	HDP26-18-14SE	N/A
14	Circ.	14 sz. 16	Plug, HDP20, 18 shell, 14 way, E seal, ring adaptor	HDP26-18-14SE-L017	N/A
14	Circ.	14 sz. 16	Plug, HDP20, 18 shell, 14 way, N seal	HDP26-18-14SN	N/A

Electrical Connectors

<i>Cavity Shape</i>	<i>Contact Size(s)</i>	<i>Part Description</i>	<i>Part Number</i>	<i>Wedge lock</i>
14	Circ. 12 sz. 16, 1 sz. 12 1 sz. 4	Plug, HDP20, 24 shell, 14 way, N seal, reverse	HDP26-24-14PN	N/A
14	Circ. 12 sz. 16, 1 sz. 12 1 sz. 4	Plug, HDP20, 24 shell, 14 way, N seal, reverse, threaded adaptor	HDP26-24-14PN-L015	N/A
14	Circ. 12 sz. 16, 1 sz. 12 1 sz. 4	Plug, HDP20, 24 shell, 14 way, N seal, reverse, ring adaptor	HDP26-24-14PN-L017	N/A
14	Circ. 12 sz. 16, 1 sz. 12 1 sz. 4	Plug, HDP20, 24 shell, 14 way, E seal	HDP26-24-14SE	N/A
14	Circ. 12 sz. 16, 1 sz. 12 1 sz. 4	Plug, HDP20, 24 shell, 14 way, N seal	HDP26-24-14SN	N/A
14	Circ. 12 sz. 16, 1 sz. 12 1 sz. 4	Plug, HDP20, 24 shell, 14 way, N seal, threaded adaptor	HDP26-24-14SN-L015	N/A
14	Circ. 12 sz. 16, 1 sz. 12 1 sz. 4	Plug, HDP20, 24 shell, 14 way, N seal, ring adaptor	HDP26-24-14SN-L017	N/A
HD30 Series				
14	Circ. 14 sz. 16	Recept., HD30, 18 shell, 14 way, E seal	HD34-18-14PE	N/A
14	Circ. 14 sz. 16	Recept., HD30, 18 shell, 14 way, E seal, cable clamp	HD34-18-14PE-059	N/A
14	Circ. 14 sz. 16	Recept., HD30, 18 shell, 14 way, E seal, adaptor	HD34-18-14PE-072	N/A
14	Circ. 14 sz. 16	Recept., HD30, 18 shell, 14 way, N seal	HD34-18-14PN	N/A
14	Circ. 14 sz. 16	Recept., HD30, 18 shell, 14 way, N seal, cable clamp	HD34-18-14PN-059	N/A
14	Circ. 14 sz. 16	Recept., HD30, 18 shell, 14 way, N seal, adaptor	HD34-18-14PN-072	N/A
(14)12	Circ. 14 sz. 16	Recept., HD30, 18 shell, 14 way, N seal, cavities A, D blocked	HD34-18-14PN-C020	N/A
14	Circ. 14 sz. 16	Recept., HD30, 18 shell, 14 way, N seal, chromated	HD34-18-14PN-H001	N/A
14	Circ. 14 sz. 16	Recept., HD30, 18 shell, 14 way, T seal	HD34-18-14PT	N/A
14	Circ. 14 sz. 16	Recept., HD30, 18 shell, 14 way, T seal, cable clamp	HD34-18-14PT-059	N/A
14	Circ. 14 sz. 16	Recept., HD30, 18 shell, 14 way, T seal, adaptor	HD34-18-14PT-072	N/A
14	Circ. 14 sz. 16	Recept., HD30, 18 shell, 14 way, E seal, reverse	HD34-18-14SE	N/A
14	Circ. 14 sz. 16	Recept., HD30, 18 shell, 14 way, E seal, reverse, cable clamp	HD34-18-14SE-059	N/A
14	Circ. 14 sz. 16	Recept., HD30, 18 shell, 14 way, E seal, reverse, adaptor	HD34-18-14SE-072	N/A
14	Circ. 14 sz. 16	Recept., HD30, 18 shell, 14 way, N seal, reverse	HD34-18-14SN	N/A
14	Circ. 14 sz. 16	Recept., HD30, 18 shell, 14 way, N seal, reverse, cable clamp	HD34-18-14SN-059	N/A
14	Circ. 14 sz. 16	Recept., HD30, 18 shell, 14 way, N seal, reverse, adaptor	HD34-18-14SN-072	N/A
(14)12	Circ. 14 sz. 16	Recept., HD30, 18 shell, 14 way, N seal, reverse, cavities J, P blocked	HD34-18-14SN-C012	N/A
14	Circ. 12 sz. 16, 1 sz. 12 1 sz. 4	Recept., HD30, 24 shell, 14 way, E seal	HD34-24-14PE	N/A
14	Circ. 12 sz. 16, 1 sz. 12 1 sz. 4	Recept., HD30, 24 shell, 14 way, N seal	HD34-24-14PN	N/A
14	Circ. 12 sz. 16, 1 sz. 12 1 sz. 4	Recept., HD30, 24 shell, 14 way, N seal, cable clamp	HD34-24-14PN-059	N/A
14	Circ. 12 sz. 16, 1 sz. 12 1 sz. 4	Recept., HD30, 24 shell, 14 way, N seal, adaptor	HD34-24-14PN-072	N/A
14	Circ. 12 sz. 16, 1 sz. 12 1 sz. 4	Recept., HD30, 24 shell, 14 way, N seal, reverse	HD34-24-14SN	N/A
14	Circ. 12 sz. 16, 1 sz. 12 1 sz. 4	Recept., HD30, 24 shell, 14 way, N seal, reverse, cable clamp	HD34-24-14SN-059	N/A
14	Circ. 12 sz. 16, 1 sz. 12 1 sz. 4	Recept., HD30, 24 shell, 14 way, N seal, reverse, adaptor	HD34-24-14SN-072	N/A
(14)10	Circ. 14 sz. 16	Recept., HD30, 24 shell, 14 way, N seal, reverse, cavities 1, 2, 8, 9 blocked	HD34-24-14SN-C019	N/A
14	Circ. 14 sz. 16	Plug, HD30, 18 shell, 14 way, E seal, reverse	HD36-18-14PE	N/A
14	Circ. 14 sz. 16	Plug, HD30, 18 shell, 14 way, E seal, reverse, cable clamp	HD36-18-14PE-059	N/A
14	Circ. 14 sz. 16	Plug, HD30, 18 shell, 14 way, E seal, reverse, adaptor	HD36-18-14PE-072	N/A
14	Circ. 14 sz. 16	Plug, HD30, 18 shell, 14 way, N seal, reverse	HD36-18-14PN	N/A
14	Circ. 14 sz. 16	Plug, HD30, 18 shell, 14 way, N seal, reverse, cable clamp	HD36-18-14PN-059	N/A
14	Circ. 14 sz. 16	Plug, HD30, 18 shell, 14 way, N seal, reverse, adaptor	HD36-18-14PN-072	N/A
(14)12	Circ. 14 sz. 16	Plug, HD30, 18 shell, 14 way, N seal, reverse, cavities J, P blocked	HD36-18-14PN-C012	N/A
14	Circ. 14 sz. 16	Plug, HD30, 18 shell, 14 way, E seal	HD36-18-14SE	N/A
14	Circ. 14 sz. 16	Plug, HD30, 18 shell, 14 way, E seal, cable clamp	HD36-18-14SE-059	N/A
14	Circ. 14 sz. 16	Plug, HD30, 18 shell, 14 way, E seal, adaptor	HD36-18-14SE-072	N/A
(14)10	Circ. 14 sz. 16	Plug, HD30, 18 shell, 14 way, E seal, cavities A, B, C, D blocked	HD36-18-14SE-C021	N/A
(14)10	Circ. 14 sz. 16	Plug, HD30, 18 shell, 14 way, E seal, cavities A, D, J, M blocked	HD36-18-14SE-C022	N/A
14	Circ. 14 sz. 16	Plug, HD30, 18 shell, 14 way, N seal	HD36-18-14SN	N/A
14	Circ. 14 sz. 16	Plug, HD30, 18 shell, 14 way, N seal, cable clamp	HD36-18-14SN-059	N/A
14	Circ. 14 sz. 16	Plug, HD30, 18 shell, 14 way, N seal, adaptor	HD36-18-14SN-072	N/A

Electrical Connectors

<i>Cavity</i>	<i>Shape</i>	<i>Contact Size(s)</i>	<i>Part Description</i>	<i>Part Number</i>	<i>Wedge lock</i>
14	Circ.	14 sz. 16	Plug, HD30, 18 shell, 14 way, N seal, chromated	HD36-18-14SN-H001	N/A
14	Circ.	14 sz. 16	Plug, HD30, 18 shell, 14 way, T seal	HD36-18-14ST	N/A
14	Circ.	14 sz. 16	Plug, HD30, 18 shell, 14 way, T seal, cable clamp	HD36-18-14ST-059	N/A
14	Circ.	14 sz. 16	Plug, HD30, 18 shell, 14 way, T seal, adaptor	HD36-18-14ST-072	N/A
14	Circ.	12 sz. 16, 1 sz. 12 1 sz. 4	Plug, HD30, 24 shell, 14 way, N seal, reverse	HD36-24-14PN	N/A
14	Circ.	12 sz. 16, 1 sz. 12 1 sz. 4	Plug, HD30, 24 shell, 14 way, N seal, reverse, cable clamp	HD36-24-14PN-059	N/A
14	Circ.	12 sz. 16, 1 sz. 12 1 sz. 4	Plug, HD30, 24 shell, 14 way, N seal, reverse, adaptor	HD36-24-14PN-072	N/A
14	Circ.	12 sz. 16, 1 sz. 12 1 sz. 4	Plug, HD30, 24 shell, 14 way, E seal	HD36-24-14SE	N/A
14	Circ.	12 sz. 16, 1 sz. 12 1 sz. 4	Plug, HD30, 24 shell, 14 way, E seal, cable clamp	HD36-24-14SE-059	N/A
14	Circ.	12 sz. 16, 1 sz. 12 1 sz. 4	Plug, HD30, 24 shell, 14 way, E seal, adaptor	HD36-24-14SE-072	N/A
14	Circ.	12 sz. 16, 1 sz. 12 1 sz. 4	Plug, HD30, 24 shell, 14 way, N seal	HD36-24-14SN	N/A
14	Circ.	12 sz. 16, 1 sz. 12 1 sz. 4	Plug, HD30, 24 shell, 14 way, N seal, cable clamp	HD36-24-14SN-059	N/A
14	Circ.	12 sz. 16, 1 sz. 12 1 sz. 4	Plug, HD30, 24 shell, 14 way, N seal, adaptor	HD36-24-14SN-072	N/A

15 CAVITY CONNECTORS

HD Box Series

15	Special		Recept., HD Box, houses HD34-24-91PN, DT13-2P, DT13-4P	HDBOX-24-91PN	N/A
----	---------	--	--	---------------	-----

16 CAVITY CONNECTORS

HDB Series

16	Circ.	16 sz. 12	Plug, HDB30, 24 shell, 16 way, N seal, reverse, breakaway	HDB36-24-16PN	N/A
16	Circ.	16 sz. 12	Plug, HDB30, 24 shell, 16 way, N seal, reverse, breakaway, cable clamp	HDB36-24-16PN-059	N/A
16	Circ.	16 sz. 12	Plug, HDB30, 24 shell, 16 way, N seal, breakaway	HDB36-24-16SN	N/A
16	Circ.	16 sz. 12	Plug, HDB30, 24 shell, 16 way, N seal, breakaway, cable clamp	HDB36-24-16SN-059	N/A

HDP20 Series

16	Circ.	16 sz. 12	Recept., HDP20, 24 shell, 16 way, E seal	HDP24-24-16PE	N/A
16	Circ.	16 sz. 12	Recept., HDP20, 24 shell, 16 way, E seal, threaded adaptor	HDP24-24-16PE-L015	N/A
16	Circ.	16 sz. 12	Recept., HDP20, 24 shell, 16 way, E seal, ring adaptor	HDP24-24-16PE-L017	N/A
16	Circ.	16 sz. 12	Recept., HDP20, 24 shell, 16 way, N seal	HDP24-24-16PN	N/A
16	Circ.	16 sz. 12	Recept., HDP20, 24 shell, 16 way, N seal, threaded adaptor	HDP24-24-16PN-L015	N/A
16	Circ.	16 sz. 12	Recept., HDP20, 24 shell, 16 way, N seal, ring adaptor	HDP24-24-16PN-L017	N/A
16	Circ.	16 sz. 12	Recept., HDP20, 24 shell, 16 way, N seal, reverse	HDP24-24-16SN	N/A
16	Circ.	16 sz. 12	Recept., HDP20, 24 shell, 16 way, N seal, reverse, threaded adaptor	HDP24-24-16SN-L015	N/A
16	Circ.	16 sz. 12	Recept., HDP20, 24 shell, 16 way, N seal, reverse, ring adaptor	HDP24-24-16SN-L017	N/A
16	Circ.	16 sz. 12	Plug, HDP20, 24 shell, 16 way, E seal, reverse	HDP26-24-16PE	N/A
16	Circ.	16 sz. 12	Plug, HDP20, 24 shell, 16 way, E seal, reverse, threaded adaptor	HDP26-24-16PE-L015	N/A
16	Circ.	16 sz. 12	Plug, HDP20, 24 shell, 16 way, E seal, reverse, ring adaptor	HDP26-24-16PE-L017	N/A
16	Circ.	16 sz. 12	Plug, HDP20, 24 shell, 16 way, N seal, reverse	HDP26-24-16PN	N/A
16	Circ.	16 sz. 12	Plug, HDP20, 24 shell, 16 way, N seal, reverse, threaded adaptor	HDP26-24-16PN-L015	N/A
16	Circ.	16 sz. 12	Plug, HDP20, 24 shell, 16 way, N seal, reverse, ring adaptor	HDP26-24-16PN-L017	N/A
16	Circ.	16 sz. 12	Plug, HDP20, 24 shell, 16 way, E seal	HDP26-24-16SE	N/A
16	Circ.	16 sz. 12	Plug, HDP20, 24 shell, 16 way, E seal, threaded adaptor	HDP26-24-16SE-L015	N/A
16	Circ.	16 sz. 12	Plug, HDP20, 24 shell, 16 way, E seal, ring adaptor	HDP26-24-16SE-L017	N/A
16	Circ.	16 sz. 12	Plug, HDP20, 24 shell, 16 way, N seal	HDP26-24-16SN	N/A
16	Circ.	16 sz. 12	Plug, HDP20, 24 shell, 16 way, N seal, threaded adaptor	HDP26-24-16SN-L015	N/A
16	Circ.	16 sz. 12	Plug, HDP20, 24 shell, 16 way, N seal, ring adaptor	HDP26-24-16SN-L017	N/A

HD30 Series

16	Circ.	16 sz. 12	Recept., HD30, 24 shell, 16 way, E seal	HD34-24-16PE	N/A
16	Circ.	16 sz. 12	Recept., HD30, 24 shell, 16 way, E seal, cable clamp	HD34-24-16PE-059	N/A
16	Circ.	16 sz. 12	Recept., HD30, 24 shell, 16 way, E seal, adaptor	HD34-24-16PE-072	N/A
16	Circ.	16 sz. 12	Recept., HD30, 24 shell, 16 way, N seal	HD34-24-16PN	N/A

Electrical Connectors

Cavity	Shape	Contact Size(s)	Part Description	Part Number	Wedge lock
16	Circ.	16 sz. 12	Recept., HD30, 24 shell, 16 way, N seal, cable clamp	HD34-24-16PN-059	N/A
16	Circ.	16 sz. 12	Recept., HD30, 24 shell, 16 way, N seal, adaptor	HD34-24-16PN-072	N/A
16	Circ.	16 sz. 12	Recept., HD30, 24 shell, 16 way, N seal, reverse	HD34-24-16SN	N/A
16	Circ.	16 sz. 12	Recept., HD30, 24 shell, 16 way, N seal, reverse, cable clamp	HD34-24-16SN-059	N/A
16	Circ.	16 sz. 12	Recept., HD30, 24 shell, 16 way, N seal, reverse, adaptor	HD34-24-16SN-072	N/A
(19)16	Circ.	11 sz. 16, 5 sz. 12	Recept., HD30, 24 shell, 19 way, N seal, cavities 11, 18, 19 blocked	HD34-24-19PN-C018	N/A
16	Circ.	16 sz. 12	Plug, HD30, 24 shell, 16 way, N seal, reverse	HD36-24-16PN	N/A
16	Circ.	16 sz. 12	Plug, HD30, 24 shell, 16 way, N seal, reverse, cable clamp	HD36-24-16PN-059	N/A
16	Circ.	16 sz. 12	Plug, HD30, 24 shell, 16 way, N seal, reverse, adaptor	HD36-24-16PN-072	N/A
16	Circ.	16 sz. 12	Plug, HD30, 24 shell, 16 way, E seal	HD36-24-16SE	N/A
16	Circ.	16 sz. 12	Plug, HD30, 24 shell, 16 way, E seal, cable clamp	HD36-24-16SE-059	N/A
16	Circ.	16 sz. 12	Plug, HD30, 24 shell, 16 way, E seal, adaptor	HD36-24-16SE-072	N/A
16	Circ.	16 sz. 12	Plug, HD30, 24 shell, 16 way, N seal	HD36-24-16SN	N/A
16	Circ.	16 sz. 12	Plug, HD30, 24 shell, 16 way, N seal, cable clamp	HD36-24-16SN-059	N/A
16	Circ.	16 sz. 12	Plug, HD30, 24 shell, 16 way, N seal, adaptor	HD36-24-16SN-072	N/A
(19)16	Circ.	11 sz. 16, 5 sz. 12	Plug, HD30, 24 shell, 19 way, E seal, cavities 11, 18, 19 blocked	HD34-24-19SE-C018	N/A

WT Series

16	Circ.	16	Recept., WT, 20 shell, 16 way, N seal	WT04B-20-16PN	N/A
16	Circ.	16	Plug, WT, 20 shell, 16 way, N seal	WT06B-20-16SN	N/A

18 CAVITY CONNECTORS

DTV Series

18	Rect.	16	Recept., DTV, 18 way, A key, sealed flange, gasket, end cap	DTV02-18PA	WV-18P
18	Rect.	16	Recept., DTV, 18 way, B key, sealed flange, gasket, end cap	DTV02-18PB	WV-18P
18	Rect.	16	Plug, DTV, 18 way, A key, end cap	DTV06-18SA	WV-18S
18	Rect.	16	Plug, DTV, 18 way, B key, end cap	DTV06-18SB	WV-18S

HDB Series

18	Circ.	14 sz. 16, 3 sz. 12 1 sz. 8	Plug, HDB30, 24 shell, 18 way, E seal, reverse, breakaway	HDB36-24-18PE	N/A
18	Circ.	14 sz. 16, 3 sz. 12 1 sz. 8	Plug, HDB30, 24 shell, 18 way, E seal, reverse, breakaway, cable clamp	HDB36-24-18PE-059	N/A
18	Circ.	14 sz. 16, 3 sz. 12 1 sz. 8	Plug, HDB30, 24 shell, 18 way, N seal, reverse, breakaway	HDB36-24-18PN	N/A
18	Circ.	14 sz. 16, 3 sz. 12 1 sz. 8	Plug, HDB30, 24 shell, 18 way, N seal, reverse, breakaway, cable clamp	HDB36-24-18PN-059	N/A

HDP20 Series

18	Circ.	14 sz. 16, 3 sz. 12 1 sz. 8	Recept., HDP20, 24 shell, 18 way, E seal	HDP24-24-18PE	N/A
18	Circ.	14 sz. 16, 3 sz. 12 1 sz. 8	Recept., HDP20, 24 shell, 18 way, E seal, threaded adaptor	HDP24-24-18PE-L015	N/A
18	Circ.	14 sz. 16, 3 sz. 12 1 sz. 8	Recept., HDP20, 24 shell, 18 way, E seal, ring adaptor	HDP24-24-18PE-L017	N/A
18	Circ.	14 sz. 16, 3 sz. 12 1 sz. 8	Recept., HDP20, 24 shell, 18 way, N seal	HDP24-24-18PN	N/A
18	Circ.	14 sz. 16, 3 sz. 12 1 sz. 8	Recept., HDP20, 24 shell, 18 way, N seal, threaded adaptor	HDP24-24-18PN-L015	N/A
18	Circ.	14 sz. 16, 3 sz. 12 1 sz. 8	Recept., HDP20, 24 shell, 18 way, E seal, reverse	HDP24-24-18SE	N/A
18	Circ.	14 sz. 16, 3 sz. 12 1 sz. 8	Recept., HDP20, 24 shell, 18 way, E seal, reverse, threaded adaptor	HDP24-24-18SE-L015	N/A
18	Circ.	14 sz. 16, 3 sz. 12 1 sz. 8	Recept., HDP20, 24 shell, 18 way, E seal, reverse, ring adaptor	HDP24-24-18SE-L017	N/A
18	Circ.	14 sz. 16, 3 sz. 12 1 sz. 8	Recept., HDP20, 24 shell, 18 way, N seal, reverse	HDP24-24-18SN	N/A
18	Circ.	14 sz. 16, 3 sz. 12 1 sz. 8	Recept., HDP20, 24 shell, 18 way, N seal, reverse, threaded adaptor	HDP24-24-18SN-L015	N/A
18	Circ.	14 sz. 16, 3 sz. 12 1 sz. 8	Recept., HDP20, 24 shell, 18 way, N seal, reverse, ring adaptor	HDP24-24-18SN-L017	N/A
18	Circ.	14 sz. 16, 3 sz. 12 1 sz. 8	Plug, HDP20, 24 shell, 18 way, E seal, reverse	HDP26-24-18PE	N/A
18	Circ.	14 sz. 16, 3 sz. 12 1 sz. 8	Plug, HDP20, 24 shell, 18 way, E seal, reverse, threaded adaptor	HDP26-24-18PE-L015	N/A
18	Circ.	14 sz. 16, 3 sz. 12 1 sz. 8	Plug, HDP20, 24 shell, 18 way, E seal, reverse, ring adaptor	HDP26-24-18PE-L017	N/A

Electrical Connectors

<i>Cavity Shape</i>	<i>Contact Size(s)</i>	<i>Part Description</i>	<i>Part Number</i>	<i>Wedge lock</i>
18	Circ. 14 sz. 16, 3 sz. 12 1 sz. 8	Plug, HDP20, 24 shell, 18 way, N seal, reverse	HDP26-24-18PN	N/A
18	Circ. 14 sz. 16, 3 sz. 12 1 sz. 8	Plug, HDP20, 24 shell, 18 way, N seal, reverse, threaded adaptor	HDP26-24-18PN-L015	N/A
18	Circ. 14 sz. 16, 3 sz. 12 1 sz. 8	Plug, HDP20, 24 shell, 18 way, N seal, reverse, ring adaptor	HDP26-24-18PN-L017	N/A
18	Circ. 14 sz. 16, 3 sz. 12 1 sz. 8	Plug, HDP20, 24 shell, 18 way, E seal	HDP26-24-18SE	N/A
18	Circ. 14 sz. 16, 3 sz. 12 1 sz. 8	Plug, HDP20, 24 shell, 18 way, E seal, threaded adaptor	HDP26-24-18SE-L015	N/A
18	Circ. 14 sz. 16, 3 sz. 12 1 sz. 8	Plug, HDP20, 24 shell, 18 way, E seal, ring adaptor	HDP26-24-18SE-L017	N/A
18	Circ. 14 sz. 16, 3 sz. 12 1 sz. 8	Plug, HDP20, 24 shell, 18 way, N seal	HDP26-24-18SN	N/A
18	Circ. 14 sz. 16, 3 sz. 12 1 sz. 8	Plug, HDP20, 24 shell, 18 way, N seal, threaded adaptor	HDP26-24-18SN-L015	N/A
18	Circ. 14 sz. 16, 3 sz. 12 1 sz. 8	Plug, HDP20, 24 shell, 18 way, N seal, ring adaptor	HDP26-24-18SN-L017	N/A

HD30 Series

18	Circ. 14 sz. 16, 3 sz. 12 1 sz. 8	Recept., HD30, 24 shell, 18 way, N seal	HD34-24-18PN	N/A
18	Circ. 14 sz. 16, 3 sz. 12 1 sz. 8	Recept., HD30, 24 shell, 18 way, N seal, cable clamp	HD34-24-18PN-059	N/A
18	Circ. 14 sz. 16, 3 sz. 12 1 sz. 8	Recept., HD30, 24 shell, 18 way, N seal, adaptor	HD34-24-18PN-072	N/A
18	Circ. 14 sz. 16, 3 sz. 12 1 sz. 8	Recept., HD30, 24 shell, 18 way, E seal, reverse	HD34-24-18SE	N/A
18	Circ. 14 sz. 16, 3 sz. 12 1 sz. 8	Recept., HD30, 24 shell, 18 way, E seal, reverse, cable clamp	HD34-24-18SE-059	N/A
18	Circ. 14 sz. 16, 3 sz. 12 1 sz. 8	Recept., HD30, 24 shell, 18 way, E seal, reverse, adaptor	HD34-24-18SE-072	N/A
18	Circ. 14 sz. 16, 3 sz. 12 1 sz. 8	Recept., HD30, 24 shell, 18 way, N seal, reverse	HD34-24-18SN	N/A
18	Circ. 14 sz. 16, 3 sz. 12 1 sz. 8	Recept., HD30, 24 shell, 18 way, N seal, reverse, cable clamp	HD34-24-18SN-059	N/A
18	Circ. 14 sz. 16, 3 sz. 12 1 sz. 8	Recept., HD30, 24 shell, 18 way, N seal, reverse, adaptor	HD34-24-18SN-072	N/A
18	Circ. 14 sz. 16, 3 sz. 12 1 sz. 8	Plug, HD30, 24 shell, 18 way, E seal, reverse	HD36-24-18PE	N/A
18	Circ. 14 sz. 16, 3 sz. 12 1 sz. 8	Plug, HD30, 24 shell, 18 way, E seal, reverse, cable clamp	HD36-24-18PE-059	N/A
18	Circ. 14 sz. 16, 3 sz. 12 1 sz. 8	Plug, HD30, 24 shell, 18 way, E seal, reverse, adaptor	HD36-24-18PE-072	N/A
18	Circ. 14 sz. 16, 3 sz. 12 1 sz. 8	Plug, HD30, 24 shell, 18 way, N seal, reverse	HD36-24-18PN	N/A
18	Circ. 14 sz. 16, 3 sz. 12 1 sz. 8	Plug, HD30, 24 shell, 18 way, N seal, reverse, cable clamp	HD36-24-18PN-059	N/A
18	Circ. 14 sz. 16, 3 sz. 12 1 sz. 8	Plug, HD30, 24 shell, 18 way, N seal, reverse, adaptor	HD36-24-18PN-072	N/A
18	Circ. 14 sz. 16, 3 sz. 12 1 sz. 8	Plug, HD30, 24 shell, 18 way, N seal	HD36-24-18SN	N/A
18	Circ. 14 sz. 16, 3 sz. 12 1 sz. 8	Plug, HD30, 24 shell, 18 way, N seal, cable clamp	HD36-24-18SN-059	N/A
18	Circ. 14 sz. 16, 3 sz. 12 1 sz. 8	Plug, HD30, 24 shell, 18 way, N seal, adaptor	HD36-24-18SN-072	N/A
(23)18	Circ. 18 sz. 16	Plug, HD30, 24 shell, 18 way, N seal, cavities J, Q, R, S, X blocked	HD36-24-23SN-CL01	N/A

19 CAVITY CONNECTORS

HDB Series

19	Circ. 13 sz. 16, 6 sz. 12	Plug, HDB30, 24 shell, 19 way, N seal, reverse, breakaway	HDB36-24-19PN	N/A
19	Circ. 13 sz. 16, 6 sz. 12	Plug, HDB30, 24 shell, 19 way, N seal, reverse, breakaway, cable clamp	HDB36-24-19PN-059	N/A
19	Circ. 13 sz. 16, 6 sz. 12	Plug, HDB30, 24 shell, 19 way, N seal, breakaway	HDB36-24-19SN	N/A
19	Circ. 13 sz. 16, 6 sz. 12	Plug, HDB30, 24 shell, 19 way, N seal, breakaway, cable clamp	HDB36-24-19SN-059	N/A

HDP20 Series

19	Circ. 13 sz. 16, 6 sz. 12	Recept., HDP20, 24 shell, 19 way, E seal	HDP24-24-19PE	N/A
19	Circ. 13 sz. 16, 6 sz. 12	Recept., HDP20, 24 shell, 19 way, E seal, threaded adaptor	HDP24-24-19PE-L015	N/A
19	Circ. 13 sz. 16, 6 sz. 12	Recept., HDP20, 24 shell, 19 way, E seal, ring adaptor	HDP24-24-19PE-L017	N/A
19	Circ. 13 sz. 16, 6 sz. 12	Recept., HDP20, 24 shell, 19 way, N seal	HDP24-24-19PN	N/A
19	Circ. 13 sz. 16, 6 sz. 12	Recept., HDP20, 24 shell, 19 way, N seal, threaded adaptor	HDP24-24-19PN-L015	N/A
19	Circ. 13 sz. 16, 6 sz. 12	Recept., HDP20, 24 shell, 19 way, N seal, ring adaptor	HDP24-24-19PN-L017	N/A

Electrical Connectors

Cavity	Shape	Contact Size(s)	Part Description	Part Number	Wedge lock
19	Circ.	13 sz. 16, 6 sz. 12	Recept., HDP20, 24 shell, 19 way, E seal, reverse	HDP24-24-19SE	N/A
19	Circ.	13 sz. 16, 6 sz. 12	Recept., HDP20, 24 shell, 19 way, E seal, reverse, threaded adaptor	HDP24-24-19SE-L015	N/A
19	Circ.	13 sz. 16, 6 sz. 12	Recept., HDP20, 24 shell, 19 way, E seal, reverse, ring adaptor	HDP24-24-19SE-L017	N/A
19	Circ.	13 sz. 16, 6 sz. 12	Recept., HDP20, 24 shell, 19 way, N seal, reverse	HDP24-24-19SN	N/A
19	Circ.	13 sz. 16, 6 sz. 12	Recept., HDP20, 24 shell, 19 way, N seal, reverse, threaded adaptor	HDP24-24-19SN-L015	N/A
19	Circ.	13 sz. 16, 6 sz. 12	Recept., HDP20, 24 shell, 19 way, N seal, reverse, ring adaptor	HDP24-24-19SN-L017	N/A
19	Circ.	13 sz. 16, 6 sz. 12	Plug, HDP20, 24 shell, 19 way, E seal, reverse	HDP26-24-19PE	N/A
19	Circ.	13 sz. 16, 6 sz. 12	Plug, HDP20, 24 shell, 19 way, E seal, reverse, threaded adaptor	HDP26-24-19PE-L015	N/A
19	Circ.	13 sz. 16, 6 sz. 12	Plug, HDP20, 24 shell, 19 way, E seal, reverse, ring adaptor	HDP26-24-19PE-L017	N/A
19	Circ.	13 sz. 16, 6 sz. 12	Plug, HDP20, 24 shell, 19 way, N seal, reverse	HDP26-24-19PN	N/A
19	Circ.	13 sz. 16, 6 sz. 12	Plug, HDP20, 24 shell, 19 way, N seal, reverse, threaded adaptor	HDP26-24-19PN-L015	N/A
19	Circ.	13 sz. 16, 6 sz. 12	Plug, HDP20, 24 shell, 19 way, N seal, reverse, ring adaptor	HDP26-24-19PN-L017	N/A
19	Circ.	13 sz. 16, 6 sz. 12	Plug, HDP20, 24 shell, 19 way, E seal	HDP26-24-19SE	N/A
19	Circ.	13 sz. 16, 6 sz. 12	Plug, HDP20, 24 shell, 19 way, E seal, threaded adaptor	HDP26-24-19SE-L015	N/A
19	Circ.	13 sz. 16, 6 sz. 12	Plug, HDP20, 24 shell, 19 way, E seal, ring adaptor	HDP26-24-19SE-L017	N/A
19	Circ.	13 sz. 16, 6 sz. 12	Plug, HDP20, 24 shell, 19 way, N seal	HDP26-24-19SN	N/A
19	Circ.	13 sz. 16, 6 sz. 12	Plug, HDP20, 24 shell, 19 way, N seal, threaded adaptor	HDP26-24-19SN-L015	N/A
19	Circ.	13 sz. 16, 6 sz. 12	Plug, HDP20, 24 shell, 19 way, N seal, ring adaptor	HDP26-24-19SN-L017	N/A

HD30 Series

19	Circ.	13 sz. 16, 6 sz. 12	Recept., HD30, 24 shell, 19 way, E seal	HD34-24-19PE	N/A
19	Circ.	13 sz. 16, 6 sz. 12	Recept., HD30, 24 shell, 19 way, E seal, cable clamp	HD34-24-19PE-059	N/A
19	Circ.	13 sz. 16, 6 sz. 12	Recept., HD30, 24 shell, 19 way, E seal, adaptor	HD34-24-19PE-072	N/A
19	Circ.	13 sz. 16, 6 sz. 12	Recept., HD30, 24 shell, 19 way, N seal	HD34-24-19PN	N/A
19	Circ.	13 sz. 16, 6 sz. 12	Recept., HD30, 24 shell, 19 way, N seal, cable clamp	HD34-24-19PN-059	N/A
19	Circ.	13 sz. 16, 6 sz. 12	Recept., HD30, 24 shell, 19 way, N seal, adaptor	HD34-24-19PN-072	N/A
(19)16	Circ.	13 sz. 16, 6 sz. 12	Recept., HD30, 24 shell, 19 way, N seal, cavities 11, 18, 19 blocked	HD34-24-19PN-C018	N/A
19	Circ.	13 sz. 16, 6 sz. 12	Recept., HD30, 24 shell, 19 way, E seal, reverse	HD34-24-19SE	N/A
19	Circ.	13 sz. 16, 6 sz. 12	Recept., HD30, 24 shell, 19 way, E seal, reverse, cable clamp	HD34-24-19SE-059	N/A
19	Circ.	13 sz. 16, 6 sz. 12	Recept., HD30, 24 shell, 19 way, E seal, reverse, adaptor	HD34-24-19SE-072	N/A
19	Circ.	13 sz. 16, 6 sz. 12	Recept., HD30, 24 shell, 19 way, N seal, reverse	HD34-24-19SN	N/A
19	Circ.	13 sz. 16, 6 sz. 12	Recept., HD30, 24 shell, 19 way, N seal, reverse, cable clamp	HD34-24-19SN-059	N/A
19	Circ.	13 sz. 16, 6 sz. 12	Recept., HD30, 24 shell, 19 way, N seal, reverse, adaptor	HD34-24-19SN-072	N/A
19	Circ.	13 sz. 16, 6 sz. 12	Plug, HD30, 24 shell, 19 way, E seal, reverse	HD36-24-19PE	N/A
19	Circ.	13 sz. 16, 6 sz. 12	Plug, HD30, 24 shell, 19 way, E seal, reverse, cable clamp	HD36-24-19PE-059	N/A
19	Circ.	13 sz. 16, 6 sz. 12	Plug, HD30, 24 shell, 19 way, E seal, reverse, adaptor	HD36-24-19PE-072	N/A
19	Circ.	13 sz. 16, 6 sz. 12	Plug, HD30, 24 shell, 19 way, N seal, reverse	HD36-24-19PN	N/A
19	Circ.	13 sz. 16, 6 sz. 12	Plug, HD30, 24 shell, 19 way, N seal, reverse, cable clamp	HD36-24-19PN-059	N/A
19	Circ.	13 sz. 16, 6 sz. 12	Plug, HD30, 24 shell, 19 way, N seal, reverse, adaptor	HD36-24-19PN-072	N/A
19	Circ.	13 sz. 16, 6 sz. 12	Plug, HD30, 24 shell, 19 way, E seal	HD36-24-19SE	N/A
19	Circ.	13 sz. 16, 6 sz. 12	Plug, HD30, 24 shell, 19 way, E seal, cable clamp	HD36-24-19SE-059	N/A
19	Circ.	13 sz. 16, 6 sz. 12	Plug, HD30, 24 shell, 19 way, E seal, adaptor	HD36-24-19SE-072	N/A
(19)16	Circ.	13 sz. 16, 6 sz. 12	Plug, HD30, 24 shell, 19 way, E seal, cavities 11, 18, 19 blocked	HD36-24-19SE-C018	N/A
19	Circ.	13 sz. 16, 6 sz. 12	Plug, HD30, 24 shell, 19 way, N seal	HD36-24-19SN	N/A
19	Circ.	13 sz. 16, 6 sz. 12	Plug, HD30, 24 shell, 19 way, N seal, cable clamp	HD36-24-19SN-059	N/A
19	Circ.	13 sz. 16, 6 sz. 12	Plug, HD30, 24 shell, 19 way, N seal, adaptor	HD36-24-19SN-072	N/A

20 CAVITY CONNECTORS

DT13 Series

20	Rect.	16	Recept., DT13, 20 way, 90° molded pins, PCB mount, A/A key, black	DT13-20PAA-E004	N/A
----	-------	----	---	-----------------	-----

HDB Series

20	Circ.	18 sz. 20, 2 sz. 16	Plug, HDB30, 18 shell, 20 way, N seal, reverse, breakaway	HDB36-18-20PN	N/A
20	Circ.	18 sz. 20, 2 sz. 16	Plug, HDB30, 18 shell, 20 way, N seal, reverse, breakaway, cable clamp	HDB36-18-20PN-059	N/A
20	Circ.	18 sz. 20, 2 sz. 16	Plug, HDB30, 18 shell, 20 way, N seal, breakaway	HDB36-18-20SN	N/A
20	Circ.	18 sz. 20, 2 sz. 16	Plug, HDB30, 18 shell, 20 way, N seal, breakaway, cable clamp	HDB36-18-20SN-059	N/A

HDP20 Series

Electrical Connectors

<i>Cavity</i>	<i>Shape</i>	<i>Contact Size(s)</i>	<i>Part Description</i>	<i>Part Number</i>	<i>Wedge lock</i>
20	Circ.	18 sz. 20, 2 sz. 16	Recept., HDP20, 18 shell, 20 way, N seal	HDP24-18-20PN	N/A
20	Circ.	18 sz. 20, 2 sz. 16	Plug, HDP20, 18 shell, 20 way, N seal, reverse	HDP26-18-20PN	N/A
20	Circ.	18 sz. 20, 2 sz. 16	Plug, HDP20, 18 shell, 20 way, N seal	HDP26-18-20SN	N/A

HD30 Series

20	Circ.	18 sz. 20, 2 sz. 16	Recept., HD30, 18 shell, 20 way, N seal	HD34-18-20PN	N/A
20	Circ.	18 sz. 20, 2 sz. 16	Recept., HD30, 18 shell, 20 way, N seal, cable clamp	HD34-18-20PN-059	N/A
20	Circ.	18 sz. 20, 2 sz. 16	Recept., HD30, 18 shell, 20 way, N seal, adaptor	HD34-18-20PN-072	N/A
20	Circ.	18 sz. 20, 2 sz. 16	Recept., HD30, 18 shell, 20 way, N seal, reverse	HD34-18-20SN	N/A
20	Circ.	18 sz. 20, 2 sz. 16	Recept., HD30, 18 shell, 20 way, N seal, reverse, cable clamp	HD34-18-20SN-059	N/A
20	Circ.	18 sz. 20, 2 sz. 16	Recept., HD30, 18 shell, 20 way, N seal, reverse, adaptor	HD34-18-20SN-072	N/A
20	Circ.	18 sz. 20, 2 sz. 16	Plug, HD30, 18 shell, 20 way, N seal, reverse	HD36-18-20PN	N/A
20	Circ.	18 sz. 20, 2 sz. 16	Plug, HD30, 18 shell, 20 way, N seal, reverse, cable clamp	HD36-18-20PN-059	N/A
20	Circ.	18 sz. 20, 2 sz. 16	Plug, HD30, 18 shell, 20 way, N seal, reverse, adaptor	HD36-18-20PN-072	N/A
20	Circ.	18 sz. 20, 2 sz. 16	Plug, HD30, 18 shell, 20 way, N seal	HD36-18-20SN	N/A
20	Circ.	18 sz. 20, 2 sz. 16	Plug, HD30, 18 shell, 20 way, N seal, cable clamp	HD36-18-20SN-059	N/A
20	Circ.	18 sz. 20, 2 sz. 16	Plug, HD30, 18 shell, 20 way, N seal, adaptor	HD36-18-20SN-072	N/A

21 CAVITY CONNECTORS

HDB Series

21	Circ.	21 sz. 20	Plug, HDB30, 18 shell, 21 way, N seal, reverse, breakaway	HDB36-18-21PN	N/A
21	Circ.	21 sz. 20	Plug, HDB30, 18 shell, 21 way, N seal, reverse, breakaway, cable clamp	HDB36-18-21PN-059	N/A
21	Circ.	21 sz. 20	Plug, HDB30, 18 shell, 21 way, N seal, breakaway	HDB36-18-21SN	N/A
21	Circ.	21 sz. 20	Plug, HDB30, 18 shell, 21 way, N seal, breakaway, cable clamp	HDB36-18-21SN-059	N/A
21	Circ.	17 sz. 16, 4 sz. 12	Plug, HDB30, 24 shell, 21 way, N seal, reverse, breakaway	HDB36-24-21PN	N/A
21	Circ.	17 sz. 16, 4 sz. 12	Plug, HDB30, 24 shell, 21 way, N seal, reverse, breakaway, cable clamp	HDB36-24-21PN-059	N/A
21	Circ.	17 sz. 16, 4 sz. 12	Plug, HDB30, 24 shell, 21 way, E seal, breakaway	HDB36-24-21SE	N/A
21	Circ.	17 sz. 16, 4 sz. 12	Plug, HDB30, 24 shell, 21 way, E seal, breakaway, cable clamp	HDB36-24-21SE-059	N/A
21	Circ.	17 sz. 16, 4 sz. 12	Plug, HDB30, 24 shell, 21 way, N seal, breakaway	HDB36-24-21SN	N/A
21	Circ.	17 sz. 16, 4 sz. 12	Plug, HDB30, 24 shell, 21 way, N seal, breakaway, cable clamp	HDB36-24-21SN-059	N/A

HDFB Series

21	Rect.	16	Module, HDFB, sz 16, (1) 9 pin buss / (4) 3 pin busses	HDFB16-06S	N/A
----	-------	----	--	------------	-----

HDP20 Series

21	Circ.	21 sz. 20	Recept., HDP20, 18 shell, 21 way, N seal	HDP24-18-21PN	N/A
21	Circ.	21 sz. 20	Recept., HDP20, 18 shell, 21 way, N seal, ring adaptor	HDP24-18-21PN-L017	N/A
21	Circ.	21 sz. 20	Recept., HDP20, 18 shell, 21 way, N seal, reverse	HDP24-18-21SN	N/A
21	Circ.	17 sz. 16, 4 sz. 12	Recept., HDP20, 24 shell, 21 way, E seal	HDP24-24-21PE	N/A
21	Circ.	17 sz. 16, 4 sz. 12	Recept., HDP20, 24 shell, 21 way, E seal, threaded adaptor	HDP24-24-21PE-L015	N/A
21	Circ.	17 sz. 16, 4 sz. 12	Recept., HDP20, 24 shell, 21 way, E seal, ring adaptor	HDP24-24-21PE-L017	N/A
21	Circ.	17 sz. 16, 4 sz. 12	Recept., HDP20, 24 shell, 21 way, N seal	HDP24-24-21PN	N/A
21	Circ.	17 sz. 16, 4 sz. 12	Recept., HDP20, 24 shell, 21 way, N seal, threaded adaptor	HDP24-24-21PN-L015	N/A
21	Circ.	17 sz. 16, 4 sz. 12	Recept., HDP20, 24 shell, 21 way, N seal, ring adaptor	HDP24-24-21PN-L017	N/A
21	Circ.	17 sz. 16, 4 sz. 12	Recept., HDP20, 24 shell, 21 way, E seal, reverse	HDP24-24-21SE	N/A
21	Circ.	17 sz. 16, 4 sz. 12	Recept., HDP20, 24 shell, 21 way, E seal, reverse, threaded adaptor	HDP24-24-21SE-L015	N/A
21	Circ.	17 sz. 16, 4 sz. 12	Recept., HDP20, 24 shell, 21 way, E seal, reverse, ring adaptor	HDP24-24-21SE-L017	N/A
21	Circ.	17 sz. 16, 4 sz. 12	Recept., HDP20, 24 shell, 21 way, N seal, reverse	HDP24-24-21SN	N/A
21	Circ.	17 sz. 16, 4 sz. 12	Recept., HDP20, 24 shell, 21 way, N seal, reverse, threaded adaptor	HDP24-24-21SN-L015	N/A
21	Circ.	17 sz. 16, 4 sz. 12	Recept., HDP20, 24 shell, 21 way, N seal, reverse, ring adaptor	HDP24-24-21SN-L017	N/A
21	Circ.	21 sz. 20	Plug, HDP20, 18 shell, 21 way, N seal, reverse	HDP26-18-21PN	N/A
21	Circ.	21 sz. 20	Plug, HDP20, 18 shell, 21 way, N seal	HDP26-18-21SN	N/A
21	Circ.	21 sz. 20	Plug, HDP20, 18 shell, 21 way, N seal, ring adaptor	HDP26-18-21SN-L017	N/A
21	Circ.	17 sz. 16, 4 sz. 12	Plug, HDP20, 24 shell, 21 way, E seal, reverse	HDP26-24-21PE	N/A
21	Circ.	17 sz. 16, 4 sz. 12	Plug, HDP20, 24 shell, 21 way, E seal, reverse, threaded adaptor	HDP26-24-21PE-L015	N/A
21	Circ.	17 sz. 16, 4 sz. 12	Plug, HDP20, 24 shell, 21 way, E seal, reverse, ring adaptor	HDP26-24-21PE-L017	N/A
21	Circ.	17 sz. 16, 4 sz. 12	Plug, HDP20, 24 shell, 21 way, N seal, reverse	HDP26-24-21PN	N/A
21	Circ.	17 sz. 16, 4 sz. 12	Plug, HDP20, 24 shell, 21 way, N seal, reverse, threaded adaptor	HDP26-24-21PN-L015	N/A

Electrical Connectors

Cavity	Shape	Contact Size(s)	Part Description	Part Number	Wedge lock
21	Circ.	17 sz. 16, 4 sz. 12	Plug, HDP20, 24 shell, 21 way, N seal, reverse, ring adaptor	HDP26-24-21PN-L017	N/A
21	Circ.	17 sz. 16, 4 sz. 12	Plug, HDP20, 24 shell, 21 way, E seal	HDP26-24-21SE	N/A
21	Circ.	17 sz. 16, 4 sz. 12	Plug, HDP20, 24 shell, 21 way, E seal, threaded adaptor	HDP26-24-21SE-L015	N/A
21	Circ.	17 sz. 16, 4 sz. 12	Plug, HDP20, 24 shell, 21 way, E seal, ring adaptor	HDP26-24-21SE-L017	N/A
21	Circ.	17 sz. 16, 4 sz. 12	Plug, HDP20, 24 shell, 21 way, N seal	HDP26-24-21SN	N/A
21	Circ.	17 sz. 16, 4 sz. 12	Plug, HDP20, 24 shell, 21 way, N seal, threaded adaptor	HDP26-24-21SN-L015	N/A
21	Circ.	17 sz. 16, 4 sz. 12	Plug, HDP20, 24 shell, 21 way, N seal, ring adaptor	HDP26-24-21SN-L017	N/A

HD30 Series

21	Circ.	21 sz. 20	Recept., HD30, 18 shell, 21 way, N seal	HD34-18-21PN	N/A
21	Circ.	21 sz. 20	Recept., HD30, 18 shell, 21 way, N seal, cable clamp	HD34-18-21PN-059	N/A
21	Circ.	21 sz. 20	Recept., HD30, 18 shell, 21 way, N seal, adaptor	HD34-18-21PN-072	N/A
21	Circ.	21 sz. 20	Recept., HD30, 18 shell, 21 way, N seal, reverse	HD34-18-21SN	N/A
21	Circ.	21 sz. 20	Recept., HD30, 18 shell, 21 way, N seal, reverse, cable clamp	HD34-18-21SN-059	N/A
21	Circ.	21 sz. 20	Recept., HD30, 18 shell, 21 way, N seal, reverse, adaptor	HD34-18-21SN-072	N/A
21	Circ.	17 sz. 16, 4 sz. 12	Recept., HD30, 24 shell, 21 way, E seal	HD34-24-21PE	N/A
21	Circ.	17 sz. 16, 4 sz. 12	Recept., HD30, 24 shell, 21 way, E seal, cable clamp	HD34-24-21PE-059	N/A
21	Circ.	17 sz. 16, 4 sz. 12	Recept., HD30, 24 shell, 21 way, E seal, adaptor	HD34-24-21PE-072	N/A
21	Circ.	17 sz. 16, 4 sz. 12	Recept., HD30, 24 shell, 21 way, N seal	HD34-24-21PN	N/A
21	Circ.	17 sz. 16, 4 sz. 12	Recept., HD30, 24 shell, 21 way, N seal, cable clamp	HD34-24-21PN-059	N/A
21	Circ.	17 sz. 16, 4 sz. 12	Recept., HD30, 24 shell, 21 way, N seal, adaptor	HD34-24-21PN-072	N/A
21	Circ.	17 sz. 16, 4 sz. 12	Recept., HD30, 24 shell, 21 way, E seal, reverse	HD34-24-21SE	N/A
21	Circ.	17 sz. 16, 4 sz. 12	Recept., HD30, 24 shell, 21 way, E seal, reverse, cable clamp	HD34-24-21SE-059	N/A
21	Circ.	17 sz. 16, 4 sz. 12	Recept., HD30, 24 shell, 21 way, E seal, reverse, adaptor	HD34-24-21SE-072	N/A
21	Circ.	17 sz. 16, 4 sz. 12	Recept., HD30, 24 shell, 21 way, N seal, reverse	HD34-24-21SN	N/A
21	Circ.	17 sz. 16, 4 sz. 12	Recept., HD30, 24 shell, 21 way, N seal, reverse, cable clamp	HD34-24-21SN-059	N/A
21	Circ.	17 sz. 16, 4 sz. 12	Recept., HD30, 24 shell, 21 way, N seal, reverse, adaptor	HD34-24-21SN-072	N/A
21	Circ.	21 sz. 20	Plug, HD30, 18 shell, 21 way, N seal, reverse	HD36-18-21PN	N/A
21	Circ.	21 sz. 20	Plug, HD30, 18 shell, 21 way, N seal, reverse, cable clamp	HD36-18-21PN-059	N/A
21	Circ.	21 sz. 20	Plug, HD30, 18 shell, 21 way, N seal, reverse, adaptor	HD36-18-21PN-072	N/A
21	Circ.	21 sz. 20	Plug, HD30, 18 shell, 21 way, N seal	HD36-18-21SN	N/A
21	Circ.	21 sz. 20	Plug, HD30, 18 shell, 21 way, N seal, cable clamp	HD36-18-21SN-059	N/A
21	Circ.	21 sz. 20	Plug, HD30, 18 shell, 21 way, N seal, adaptor	HD36-18-21SN-072	N/A
21	Circ.	17 sz. 16, 4 sz. 12	Plug, HD30, 24 shell, 21 way, E seal, reverse	HD36-24-21PE	N/A
21	Circ.	17 sz. 16, 4 sz. 12	Plug, HD30, 24 shell, 21 way, E seal, reverse, cable clamp	HD36-24-21PE-059	N/A
21	Circ.	17 sz. 16, 4 sz. 12	Plug, HD30, 24 shell, 21 way, E seal, reverse, adaptor	HD36-24-21PE-072	N/A
21	Circ.	17 sz. 16, 4 sz. 12	Plug, HD30, 24 shell, 21 way, N seal, reverse	HD36-24-21PN	N/A
21	Circ.	17 sz. 16, 4 sz. 12	Plug, HD30, 24 shell, 21 way, N seal, reverse, cable clamp	HD36-24-21PN-059	N/A
21	Circ.	17 sz. 16, 4 sz. 12	Plug, HD30, 24 shell, 21 way, N seal, reverse, adaptor	HD36-24-21PN-072	N/A
21	Circ.	17 sz. 16, 4 sz. 12	Plug, HD30, 24 shell, 21 way, E seal	HD36-24-21SE	N/A
21	Circ.	17 sz. 16, 4 sz. 12	Plug, HD30, 24 shell, 21 way, E seal, cable clamp	HD36-24-21SE-059	N/A
21	Circ.	17 sz. 16, 4 sz. 12	Plug, HD30, 24 shell, 21 way, E seal, adaptor	HD36-24-21SE-072	N/A
21	Circ.	17 sz. 16, 4 sz. 12	Plug, HD30, 24 shell, 21 way, N seal	HD36-24-21SN	N/A
21	Circ.	17 sz. 16, 4 sz. 12	Plug, HD30, 24 shell, 21 way, N seal, cable clamp	HD36-24-21SN-059	N/A
21	Circ.	17 sz. 16, 4 sz. 12	Plug, HD30, 24 shell, 21 way, N seal, adaptor	HD36-24-21SN-072	N/A

23 CAVITY CONNECTORS

HDB Series

23	Circ.	23 sz. 16	Plug, HDB30, 24 shell, 23 way, E seal, reverse, breakaway	HDB36-24-23PE	N/A
23	Circ.	23 sz. 16	Plug, HDB30, 24 shell, 23 way, E seal, reverse, breakaway, cable clamp	HDB36-24-23PE-059	N/A
23	Circ.	23 sz. 16	Plug, HDB30, 24 shell, 23 way, N seal, reverse, breakaway	HDB36-24-23PN	N/A
23	Circ.	23 sz. 16	Plug, HDB30, 24 shell, 23 way, N seal, reverse, breakaway, cable clamp	HDB36-24-23PN-059	N/A
23	Circ.	23 sz. 16	Plug, HDB30, 24 shell, 23 way, T seal, reverse, breakaway	HDB36-24-23PT	N/A
23	Circ.	23 sz. 16	Plug, HDB30, 24 shell, 23 way, T seal, reverse, breakaway, cable clamp	HDB36-24-23PT-059	N/A
23	Circ.	23 sz. 16	Plug, HDB30, 24 shell, 23 way, E seal, breakaway	HDB36-24-23SE	N/A
23	Circ.	23 sz. 16	Plug, HDB30, 24 shell, 23 way, E seal, breakaway, cable clamp	HDB36-24-23SE-059	N/A

Electrical Connectors

<i>Cavity</i>	<i>Shape</i>	<i>Contact Size(s)</i>	<i>Part Description</i>	<i>Part Number</i>	<i>Wedge lock</i>
23	Circ.	23 sz. 16	Plug, HDB30, 24 shell, 23 way, N seal, breakaway	HDB36-24-23SN	N/A
23	Circ.	23 sz. 16	Plug, HDB30, 24 shell, 23 way, N seal, breakaway, cable clamp	HDB36-24-23SN-059	N/A
HDN Series					
23	Circ.	23 sz. 16	Plug, HDN, 24 shell, 23 way, N seal, non-env., std. insert marking identification	HDN36-24-23SN-C003	N/A
23	Circ.	23 sz. 16	Plug, HDN, 24 shell, 23 way, N seal, non-env., reverse insert marking identification	HDN36-24-23SN-F001	N/A
HDP20 Series					
23	Circ.	23 sz. 16	Recept., HDP20, 24 shell, 23 way, E seal	HDP24-24-23PE	N/A
23	Circ.	23 sz. 16	Recept., HDP20, 24 shell, 23 way, E seal, threaded adaptor	HDP24-24-23PE-L015	N/A
23	Circ.	23 sz. 16	Recept., HDP20, 24 shell, 23 way, E seal, ring adaptor	HDP24-24-23PE-L017	N/A
23	Circ.	23 sz. 16	Recept., HDP20, 24 shell, 23 way, N seal	HDP24-24-23PN	N/A
23	Circ.	23 sz. 16	Recept., HDP20, 24 shell, 23 way, N seal, threaded adaptor	HDP24-24-23PN-L015	N/A
23	Circ.	23 sz. 16	Recept., HDP20, 24 shell, 23 way, N seal, ring adaptor	HDP24-24-23PN-L017	N/A
23	Circ.	23 sz. 16	Recept., HDP20, 24 shell, 23 way, T seal	HDP24-24-23PT	N/A
23	Circ.	23 sz. 16	Recept., HDP20, 24 shell, 23 way, T seal, threaded adaptor	HDP24-24-23PT-L015	N/A
23	Circ.	23 sz. 16	Recept., HDP20, 24 shell, 23 way, T seal, ring adaptor	HDP24-24-23PT-L017	N/A
23	Circ.	23 sz. 16	Recept., HDP20, 24 shell, 23 way, E seal, reverse	HDP24-24-23SE	N/A
23	Circ.	23 sz. 16	Recept., HDP20, 24 shell, 23 way, E seal, reverse, threaded adaptor	HDP24-24-23SE-L015	N/A
23	Circ.	23 sz. 16	Recept., HDP20, 24 shell, 23 way, E seal, reverse, ring adaptor	HDP24-24-23SE-L017	N/A
23	Circ.	23 sz. 16	Recept., HDP20, 24 shell, 23 way, N seal, reverse	HDP24-24-23SN	N/A
23	Circ.	23 sz. 16	Recept., HDP20, 24 shell, 23 way, N seal, reverse, threaded adaptor	HDP24-24-23SN-L015	N/A
23	Circ.	23 sz. 16	Recept., HDP20, 24 shell, 23 way, N seal, reverse, ring adaptor	HDP24-24-23SN-L017	N/A
23	Circ.	23 sz. 16	Recept., HDP20, 24 shell, 23 way, T seal, reverse	HDP24-24-23ST	N/A
23	Circ.	23 sz. 16	Recept., HDP20, 24 shell, 23 way, T seal, reverse, threaded adaptor	HDP24-24-23ST-L015	N/A
23	Circ.	23 sz. 16	Recept., HDP20, 24 shell, 23 way, T seal, reverse, ring adaptor	HDP24-24-23ST-L017	N/A
23	Circ.	23 sz. 16	Plug, HDP20, 24 shell, 23 way, E seal, reverse	HDP26-24-23PE	N/A
23	Circ.	23 sz. 16	Plug, HDP20, 24 shell, 23 way, E seal, reverse, threaded adaptor	HDP26-24-23PE-L015	N/A
23	Circ.	23 sz. 16	Plug, HDP20, 24 shell, 23 way, E seal, reverse, ring adaptor	HDP26-24-23PE-L017	N/A
23	Circ.	23 sz. 16	Plug, HDP20, 24 shell, 23 way, N seal, reverse	HDP26-24-23PN	N/A
23	Circ.	23 sz. 16	Plug, HDP20, 24 shell, 23 way, N seal, reverse, threaded adaptor	HDP26-24-23PN-L015	N/A
23	Circ.	23 sz. 16	Plug, HDP20, 24 shell, 23 way, N seal, reverse, ring adaptor	HDP26-24-23PN-L017	N/A
23	Circ.	23 sz. 16	Plug, HDP20, 24 shell, 23 way, T seal, reverse	HDP26-24-23PT	N/A
23	Circ.	23 sz. 16	Plug, HDP20, 24 shell, 23 way, T seal, reverse, threaded adaptor	HDP26-24-23PT-L015	N/A
23	Circ.	23 sz. 16	Plug, HDP20, 24 shell, 23 way, T seal, reverse, ring adaptor	HDP26-24-23PT-L017	N/A
23	Circ.	23 sz. 16	Plug, HDP20, 24 shell, 23 way, E seal	HDP26-24-23SE	N/A
23	Circ.	23 sz. 16	Plug, HDP20, 24 shell, 23 way, E seal, threaded adaptor	HDP26-24-23SE-L015	N/A
23	Circ.	23 sz. 16	Plug, HDP20, 24 shell, 23 way, E seal, ring adaptor	HDP26-24-23SE-L017	N/A
23	Circ.	23 sz. 16	Plug, HDP20, 24 shell, 23 way, N seal	HDP26-24-23SN	N/A
23	Circ.	23 sz. 16	Plug, HDP20, 24 shell, 23 way, N seal, threaded adaptor	HDP26-24-23SN-L015	N/A
23	Circ.	23 sz. 16	Plug, HDP20, 24 shell, 23 way, N seal, ring adaptor	HDP26-24-23SN-L017	N/A
23	Circ.	23 sz. 16	Plug, HDP20, 24 shell, 23 way, T seal	HDP26-24-23ST	N/A
23	Circ.	23 sz. 16	Plug, HDP20, 24 shell, 23 way, T seal, threaded adaptor	HDP26-24-23ST-L015	N/A
23	Circ.	23 sz. 16	Plug, HDP20, 24 shell, 23 way, T seal, ring adaptor	HDP26-24-23ST-L017	N/A
HD30 Series					
23	Circ.	23 sz. 16	Recept., HD30, 24 shell, 23 way, E seal	HD34-24-23PE	N/A
23	Circ.	23 sz. 16	Recept., HD30, 24 shell, 23 way, E seal, cable clamp	HD34-24-23PE-059	N/A
23	Circ.	23 sz. 16	Recept., HD30, 24 shell, 23 way, E seal, adaptor	HD34-24-23PE-072	N/A
23	Circ.	23 sz. 16	Recept., HD30, 24 shell, 23 way, N seal	HD34-24-23PN	N/A
23	Circ.	23 sz. 16	Recept., HD30, 24 shell, 23 way, N seal, cable clamp	HD34-24-23PN-059	N/A
23	Circ.	23 sz. 16	Recept., HD30, 24 shell, 23 way, N seal, adaptor	HD34-24-23PN-072	N/A
23	Circ.	23 sz. 16	Recept., HD30, 24 shell, 23 way, T seal	HD34-24-23PT	N/A
23	Circ.	23 sz. 16	Recept., HD30, 24 shell, 23 way, T seal, cable clamp	HD34-24-23PT-059	N/A
23	Circ.	23 sz. 16	Recept., HD30, 24 shell, 23 way, T seal, adaptor	HD34-24-23PT-072	N/A
23	Circ.	23 sz. 16	Recept., HD30, 24 shell, 23 way, E seal, reverse	HD34-24-23SE	N/A
23	Circ.	23 sz. 16	Recept., HD30, 24 shell, 23 way, E seal, reverse, cable clamp	HD34-24-23SE-059	N/A
23	Circ.	23 sz. 16	Recept., HD30, 24 shell, 23 way, E seal, reverse, adaptor	HD34-24-23SE-072	N/A

Electrical Connectors

Cavity	Shape	Contact Size(s)	Part Description	Part Number	Wedge lock
23	Circ.	23 sz. 16	Recept., HD30, 24 shell, 23 way, N seal, reverse	HD34-24-23SN	N/A
23	Circ.	23 sz. 16	Recept., HD30, 24 shell, 23 way, N seal, reverse, cable clamp	HD34-24-23SN-059	N/A
23	Circ.	23 sz. 16	Recept., HD30, 24 shell, 23 way, N seal, reverse, adaptor	HD34-24-23SN-072	N/A
23	Circ.	23 sz. 16	Recept., HD30, 24 shell, 23 way, T seal, reverse	HD34-24-23ST	N/A
23	Circ.	23 sz. 16	Recept., HD30, 24 shell, 23 way, T seal, reverse, cable clamp	HD34-24-23ST-059	N/A
23	Circ.	23 sz. 16	Recept., HD30, 24 shell, 23 way, T seal, reverse, adaptor	HD34-24-23ST-072	N/A
23	Circ.	23 sz. 16	Recept., 24 shell, 23 way, feed-thru hermetic	HD34H-24-23PP	N/A
23	Circ.	23 sz. 16	Plug, HD30, 24 shell, 23 way, E seal, reverse	HD36-24-23PE	N/A
23	Circ.	23 sz. 16	Plug, HD30, 24 shell, 23 way, E seal, reverse, cable clamp	HD36-24-23PE-059	N/A
23	Circ.	23 sz. 16	Plug, HD30, 24 shell, 23 way, E seal, reverse, adaptor	HD36-24-23PE-072	N/A
23	Circ.	23 sz. 16	Plug, HD30, 24 shell, 23 way, N seal, reverse	HD36-24-23PN	N/A
23	Circ.	23 sz. 16	Plug, HD30, 24 shell, 23 way, N seal, reverse, cable clamp	HD36-24-23PN-059	N/A
23	Circ.	23 sz. 16	Plug, HD30, 24 shell, 23 way, N seal, reverse, adaptor	HD36-24-23PN-072	N/A
23	Circ.	23 sz. 16	Plug, HD30, 24 shell, 23 way, T seal, reverse	HD36-24-23PT	N/A
23	Circ.	23 sz. 16	Plug, HD30, 24 shell, 23 way, T seal, reverse, cable clamp	HD36-24-23PT-059	N/A
23	Circ.	23 sz. 16	Plug, HD30, 24 shell, 23 way, T seal, reverse, adaptor	HD36-24-23PT-072	N/A
23	Circ.	23 sz. 16	Plug, HD30, 24 shell, 23 way, E seal	HD36-24-23SE	N/A
23	Circ.	23 sz. 16	Plug, HD30, 24 shell, 23 way, E seal, cable clamp	HD36-24-23SE-059	N/A
23	Circ.	23 sz. 16	Plug, HD30, 24 shell, 23 way, E seal, adaptor	HD36-24-23SE-072	N/A
23	Circ.	23 sz. 16	Plug, HD30, 24 shell, 23 way, N seal	HD36-24-23SN	N/A
23	Circ.	23 sz. 16	Plug, HD30, 24 shell, 23 way, N seal, cable clamp	HD36-24-23SN-059	N/A
23	Circ.	23 sz. 16	Plug, HD30, 24 shell, 23 way, N seal, adaptor	HD36-24-23SN-072	N/A
(23)18	Circ.	23 sz. 16	Plug, HD30, 24 shell, 23 way, N seal, cavities J, Q, R, S, X blocked	HD36-24-23SN-CL01	N/A
23	Circ.	23 sz. 16	Plug, HD30, 24 shell, 23 way, N seal, reverse insert marking identification, for HD34H-24-23PP	HD36-24-23SN-J001	N/A
23	Circ.	23 sz. 16	Plug, HD30, 24 shell, 23 way, T seal	HD36-24-23ST	N/A
23	Circ.	23 sz. 16	Plug, HD30, 24 shell, 23 way, T seal, cable clamp	HD36-24-23ST-059	N/A
23	Circ.	23 sz. 16	Plug, HD30, 24 shell, 23 way, T seal, adaptor	HD36-24-23ST-072	N/A
23	Circ.	23 sz. 16	Plug, HD30, 24 shell, 23 way, T seal	HD36-24-23ST-F001	N/A

24 CAVITY CONNECTORS

DRC Series

24	Rect.	16	Recept., DRC, 24 way, flange, A key, solder pots	DRC10-24PA	N/A
24	Rect.	16	Recept., DRC, 24 way, flange, A key, molded pins	DRC10-24PA-A004	N/A
24	Rect.	16	Recept., DRC, 24 way, flange, B key, molded pins	DRC10-24PB-A004	N/A
24	Rect.	16	Recept., DRC, 24 way, flange, C key, molded pins	DRC10-24PC-A004	N/A
24	Rect.	16	Recept., DRC, 24 way, flange, D key, molded pins	DRC10-24PD-A004	N/A
24	Rect.	16	Recept., DRC, 24 way, flange, A key	DRC12-24PA	N/A
24	Rect.	16	Recept., DRC, 24 way, flange, A key, E seal	DRC12-24PAE	N/A
24	Rect.	16	Recept., DRC, 24 way, flange, A key, T seal	DRC12-24PAT	N/A
24	Rect.	16	Recept., DRC, 24 way, flange, B key	DRC12-24PB	N/A
24	Rect.	16	Recept., DRC, 24 way, flange, B key, E seal	DRC12-24PBE	N/A
24	Rect.	16	Recept., DRC, 24 way, flange, B key, T seal	DRC12-24PBT	N/A
24	Rect.	16	Recept., DRC, 24 way, flange, C key	DRC12-24PC	N/A
24	Rect.	16	Recept., DRC, 24 way, flange, C key, E seal	DRC12-24PCE	N/A
24	Rect.	16	Recept., DRC, 24 way, flange, D key	DRC12-24PD	N/A
24	Rect.	16	Recept., DRC, 24 way, 90° molded pins, PCB mount, A key	DRC13-24PA	N/A
24	Rect.	16	Recept., DRC, 24 way, 90° molded pins, PCB mount, A key, silver inserts, outside rows gold, inside rows tin	DRC13-24PA-CG01	N/A
24	Rect.	16	Recept., DRC, 24 way, 90° molded pins, PCB mount, A key, outside rows gold, inside rows tin	DRC13-24PA-G002	N/A
24	Rect.	16	Recept., DRC, 24 way, 90° molded pins, PCB mount, B key	DRC13-24PB	N/A
24	Rect.	16	Recept., DRC, 24 way, 90° molded pins, PCB mount, B key, outside rows gold, inside rows tin	DRC13-24PB-G002	N/A
24	Rect.	16	Recept., DRC, 24 way, 90° molded pins, PCB mount, C key	DRC13-24PC	N/A
24	Rect.	16	Recept., DRC, 24 way, 90° molded pins, PCB mount, D key	DRC13-24PD	N/A
24	Rect.	16	Recept., DRC, 24 way, in-line, A key	DRC14-24PA	N/A

Electrical Connectors

<i>Cavity</i>	<i>Shape</i>	<i>Contact Size(s)</i>	<i>Part Description</i>	<i>Part Number</i>	<i>Wedge lock</i>
24	Rect.	16	Recept., DRC, 24 way, in-line, A key, E seal	DRC14-24PAE	N/A
24	Rect.	16	Recept., DRC, 24 way, in-line, A key, T seal	DRC14-24PAT	N/A
24	Rect.	16	Recept., DRC, 24 way, in-line, B key	DRC14-24PB	N/A
24	Rect.	16	Recept., DRC, 24 way, in-line, C key	DRC14-24PC	N/A
24	Rect.	16	Recept., DRC, 24 way, in-line, D key	DRC14-24PD	N/A
24	Rect.	16	Plug, DRC, 24 way, A key	DRC16-24SA	N/A
24	Rect.	16	Plug, DRC, 24 way, A key, bonded front seal	DRC16-24SA-P013	N/A
24	Rect.	16	Plug, DRC, 24 way, A key, E seal	DRC16-24SAE	N/A
24	Rect.	16	Plug, DRC, 24 way, A key, E seal, bonded front seal	DRC16-24SAE-P013	N/A
24	Rect.	16	Plug, DRC, 24 way, A key, T seal	DRC16-24SAT	N/A
24	Rect.	16	Plug, DRC, 24 way, B key	DRC16-24SB	N/A
24	Rect.	16	Plug, DRC, 24 way, B key, bonded front seal	DRC16-24SB-P013	N/A
24	Rect.	16	Plug, DRC, 24 way, B key, E seal, bonded front seal	DRC16-24SBE-P013	N/A
24	Rect.	16	Plug, DRC, 24 way, B key, T seal	DRC16-24SBT	N/A
24	Rect.	16	Plug, DRC, 24 way, C key	DRC16-24SC	N/A
24	Rect.	16	Plug, DRC, 24 way, C key, bonded front seal	DRC16-24SC-P013	N/A
24	Rect.	16	Plug, DRC, 24 way, C key, E seal	DRC16-24SCE	N/A
24	Rect.	16	Plug, DRC, 24 way, D key	DRC16-24SD	N/A
24	Rect.	20	Recept., DRC, 24 way, 90° molded pins, PCB mount, A key	DRC23-24PA	N/A
24	Rect.	20	Recept., DRC, 24 way, 90° molded pins, PCB mount, B key	DRC23-24PB	N/A
24	Rect.	20	Plug, DRC, 24 way, A key	DRC26-24SA	N/A
24	Rect.	20	Plug, DRC, 24 way, A key, zinc chromate screw retaining clip	DRC26-24SA-P019	N/A
24	Rect.	20	Plug, DRC, 24 way, B key	DRC26-24SB	N/A

DTM13 Series

24	Rect.	20	Recept., DTM13, 24 way, 90° molded gold pins, header PCB enclosure, A & B key	DTM13-12PA-12PB-GR01	N/A
24	Rect.	20	Recept., DTM13, 24 way, 90° molded pins, header PCB enclosure, A & B key	DTM13-12PA-12PB-R008	N/A
24	Rect.	20	Recept., DTM13, 24 way, 90° molded pins, header PCB enclosure, C & D key	DTM13-12PC-12PD-R008	N/A

29 CAVITY CONNECTORS

HDB Series

29	Circ.	19 sz. 16, 6 sz. 20 4 sz. 12	Plug, HDB30, 24 shell, 29 way, E seal, breakaway	HDB36-24-29SE	N/A
----	-------	---------------------------------	--	---------------	-----

HDP20 Series

29	Circ.	19 sz. 16, 6 sz. 20 4 sz. 12	Recept., HDP20, 24 shell, 29 way, E seal	HDP24-24-29PE	N/A
29	Circ.	19 sz. 16, 6 sz. 20 4 sz. 12	Recept., HDP20, 24 shell, 29 way, E seal, threaded adaptor	HDP24-24-29PE-L015	N/A
29	Circ.	19 sz. 16, 6 sz. 20 4 sz. 12	Recept., HDP20, 24 shell, 29 way, E seal, ring adaptor	HDP24-24-29PE-L017	N/A
29	Circ.	19 sz. 16, 6 sz. 20 4 sz. 12	Recept., HDP20, 24 shell, 29 way, E seal, reverse	HDP24-24-29SE	N/A
29	Circ.	19 sz. 16, 6 sz. 20 4 sz. 12	Recept., HDP20, 24 shell, 29 way, E seal, reverse, threaded adaptor	HDP24-24-29SE-L015	N/A
29	Circ.	19 sz. 16, 6 sz. 20 4 sz. 12	Recept., HDP20, 24 shell, 29 way, E seal, reverse, ring adaptor	HDP24-24-29SE-L017	N/A
29	Circ.	19 sz. 16, 6 sz. 20 4 sz. 12	Plug, HDP20, 24 shell, 29 way, E seal, reverse	HDP26-24-29PE	N/A
29	Circ.	19 sz. 16, 6 sz. 20 4 sz. 12	Plug, HDP20, 24 shell, 29 way, E seal, reverse, threaded adaptor	HDP26-24-29PE-L015	N/A
29	Circ.	19 sz. 16, 6 sz. 20 4 sz. 12	Plug, HDP20, 24 shell, 29 way, E seal, reverse, ring adaptor	HDP26-24-29PE-L017	N/A
29	Circ.	19 sz. 16, 6 sz. 20 4 sz. 12	Plug, HDP20, 24 shell, 29 way, E seal	HDP26-24-29SE	N/A
29	Circ.	19 sz. 16, 6 sz. 20 4 sz. 12	Plug, HDP20, 24 shell, 29 way, E seal, threaded adaptor	HDP26-24-29SE-L015	N/A
29	Circ.	19 sz. 16, 6 sz. 20 4 sz. 12	Plug, HDP20, 24 shell, 29 way, E seal, ring adaptor	HDP26-24-29SE-L017	N/A

HD30 Series

29	Circ.	19 sz. 16, 6 sz. 20 4 sz. 12	Recept., HD30, 24 shell, 29 way, E seal	HD34-24-29PE	N/A
29	Circ.	19 sz. 16, 6 sz. 20 4 sz. 12	Recept., HD30, 24 shell, 29 way, E seal, cable clamp	HD34-24-29PE-059	N/A

Electrical Connectors

Cavity	Shape	Contact Size(s)	Part Description	Part Number	Wedge lock
29	Circ.	19 sz. 16, 6 sz. 20 4 sz. 12	Recept., HD30, 24 shell, 29 way, E seal, adaptor	HD34-24-29PE-072	N/A
29	Circ.	19 sz. 16, 6 sz. 20 4 sz. 12	Plug, HD30, 24 shell, 29 way, E seal, reverse	HD36-24-29PE	N/A
29	Circ.	19 sz. 16, 6 sz. 20 4 sz. 12	Plug, HD30, 24 shell, 29 way, E seal, reverse, cable clamp	HD36-24-29PE-059	N/A
29	Circ.	19 sz. 16, 6 sz. 20 4 sz. 12	Plug, HD30, 24 shell, 29 way, E seal, reverse, adaptor	HD36-24-29PE-072	N/A
29	Circ.	19 sz. 16, 6 sz. 20 4 sz. 12	Plug, HD30, 24 shell, 29 way, E seal	HD36-24-29SE	N/A
29	Circ.	19 sz. 16, 6 sz. 20 4 sz. 12	Plug, HD30, 24 shell, 29 way, E seal, cable clamp	HD36-24-29SE-059	N/A
29	Circ.	19 sz. 16, 6 sz. 20 4 sz. 12	Plug, HD30, 24 shell, 29 way, E seal, adaptor	HD36-24-29SE-072	N/A

31 CAVITY CONNECTORS

HDB Series

31	Circ.	31 sz. 16	Plug, HDB30, 24 shell, 31 way, T seal, reverse, breakaway	HDB36-24-31PT	N/A
31	Circ.	31 sz. 16	Plug, HDB30, 24 shell, 31 way, T seal, reverse, breakaway, cable clamp	HDB36-24-31PT-059	N/A
31	Circ.	31 sz. 16	Plug, HDB30, 24 shell, 31 way, E seal, breakaway	HDB36-24-31SE	N/A
31	Circ.	31 sz. 16	Plug, HDB30, 24 shell, 31 way, E seal, breakaway, cable clamp	HDB36-24-31SE-059	N/A
31	Circ.	31 sz. 16	Plug, HDB30, 24 shell, 31 way, T seal, breakaway	HDB36-24-31ST	N/A
31	Circ.	31 sz. 16	Plug, HDB30, 24 shell, 31 way, T seal, breakaway, cable clamp	HDB36-24-31ST-059	N/A

HDP20 Series

31	Circ.	31 sz. 16	Recept., HDP20, 24 shell, 31 way, E seal	HDP24-24-31PE	N/A
31	Circ.	31 sz. 16	Recept., HDP20, 24 shell, 31 way, E seal, threaded adaptor	HDP24-24-31PE-L015	N/A
31	Circ.	31 sz. 16	Recept., HDP20, 24 shell, 31 way, E seal, ring adaptor	HDP24-24-31PE-L017	N/A
31	Circ.	31 sz. 16	Recept., HDP20, 24 shell, 31 way, T seal	HDP24-24-31PT	N/A
31	Circ.	31 sz. 16	Recept., HDP20, 24 shell, 31 way, T seal, threaded adaptor	HDP24-24-31PT-L015	N/A
31	Circ.	31 sz. 16	Recept., HDP20, 24 shell, 31 way, T seal, ring adaptor	HDP24-24-31PT-L017	N/A
31	Circ.	31 sz. 16	Recept., HDP20, 24 shell, 31 way, E seal, reverse	HDP24-24-31SE	N/A
31	Circ.	31 sz. 16	Recept., HDP20, 24 shell, 31 way, E seal, reverse, threaded adaptor	HDP24-24-31SE-L015	N/A
31	Circ.	31 sz. 16	Recept., HDP20, 24 shell, 31 way, E seal, reverse, ring adaptor	HDP24-24-31SE-L017	N/A
31	Circ.	31 sz. 16	Recept., HDP20, 24 shell, 31 way, T seal, reverse	HDP24-24-31ST	N/A
31	Circ.	31 sz. 16	Recept., HDP20, 24 shell, 31 way, T seal, reverse, threaded adaptor	HDP24-24-31ST-L015	N/A
31	Circ.	31 sz. 16	Recept., HDP20, 24 shell, 31 way, T seal, reverse, ring adaptor	HDP24-24-31ST-L017	N/A
31	Circ.	31 sz. 16	Plug, HDP20, 24 shell, 31 way, E seal, reverse	HDP26-24-31PE	N/A
31	Circ.	31 sz. 16	Plug, HDP20, 24 shell, 31 way, E seal, reverse, threaded adaptor	HDP26-24-31PE-L015	N/A
31	Circ.	31 sz. 16	Plug, HDP20, 24 shell, 31 way, E seal, reverse, ring adaptor	HDP26-24-31PE-L017	N/A
31	Circ.	31 sz. 16	Plug, HDP20, 24 shell, 31 way, T seal, reverse	HDP26-24-31PT	N/A
31	Circ.	31 sz. 16	Plug, HDP20, 24 shell, 31 way, T seal, reverse, threaded adaptor	HDP26-24-31PT-L015	N/A
31	Circ.	31 sz. 16	Plug, HDP20, 24 shell, 31 way, T seal, reverse, ring adaptor	HDP26-24-31PT-L017	N/A
31	Circ.	31 sz. 16	Plug, HDP20, 24 shell, 31 way, E seal	HDP26-24-31SE	N/A
31	Circ.	31 sz. 16	Plug, HDP20, 24 shell, 31 way, E seal, threaded adaptor	HDP26-24-31SE-L015	N/A
31	Circ.	31 sz. 16	Plug, HDP20, 24 shell, 31 way, E seal, ring adaptor	HDP26-24-31SE-L017	N/A
31	Circ.	31 sz. 16	Plug, HDP20, 24 shell, 31 way, T seal	HDP26-24-31ST	N/A
31	Circ.	31 sz. 16	Plug, HDP20, 24 shell, 31 way, T seal, threaded adaptor	HDP26-24-31ST-L015	N/A
31	Circ.	31 sz. 16	Plug, HDP20, 24 shell, 31 way, T seal, ring adaptor	HDP26-24-31ST-L017	N/A

HD30 Series

31	Circ.	31 sz. 16	Recept., HD30, 24 shell, 31 way, E seal	HD34-24-31PE	N/A
31	Circ.	31 sz. 16	Recept., HD30, 24 shell, 31 way, E seal, cable clamp	HD34-24-31PE-059	N/A
31	Circ.	31 sz. 16	Recept., HD30, 24 shell, 31 way, E seal, adaptor	HD34-24-31PE-072	N/A
31	Circ.	31 sz. 16	Recept., HD30, 24 shell, 31 way, T seal	HD34-24-31PT	N/A
31	Circ.	31 sz. 16	Recept., HD30, 24 shell, 31 way, T seal, cable clamp	HD34-24-31PT-059	N/A
31	Circ.	31 sz. 16	Recept., HD30, 24 shell, 31 way, T seal, custom mount	HD34-24-31PT-B019	N/A
31	Circ.	31 sz. 16	Recept., HD30, 24 shell, 31 way, E seal, reverse	HD34-24-31SE	N/A
31	Circ.	31 sz. 16	Recept., HD30, 24 shell, 31 way, E seal, reverse, cable clamp	HD34-24-31SE-059	N/A
31	Circ.	31 sz. 16	Recept., HD30, 24 shell, 31 way, E seal, reverse, adaptor	HD34-24-31SE-072	N/A
31	Circ.	31 sz. 16	Recept., HD30, 24 shell, 31 way, T seal, reverse	HD34-24-31ST	N/A

Electrical Connectors

<i>Cavity Shape</i>	<i>Contact Size(s)</i>	<i>Part Description</i>	<i>Part Number</i>	<i>Wedge lock</i>	
31	Circ.	31 sz. 16	Recept., HD30, 24 shell, 31 way, T seal, reverse, cable clamp	HD34-24-31ST-059	N/A
31	Circ.	31 sz. 16	Recept., HD30, 24 shell, 31 way, T seal, reverse, adaptor	HD34-24-31ST-072	N/A
31	Circ.	31 sz. 16	Plug, HD30, 24 shell, 31 way, E seal, reverse	HD36-24-31PE	N/A
31	Circ.	31 sz. 16	Plug, HD30, 24 shell, 31 way, E seal, reverse, cable clamp	HD36-24-31PE-059	N/A
31	Circ.	31 sz. 16	Plug, HD30, 24 shell, 31 way, E seal, reverse, adaptor	HD36-24-31PE-072	N/A
31	Circ.	31 sz. 16	Plug, HD30, 24 shell, 31 way, T seal, reverse	HD36-24-31PT	N/A
31	Circ.	31 sz. 16	Plug, HD30, 24 shell, 31 way, T seal, reverse, cable clamp	HD36-24-31PT-059	N/A
31	Circ.	31 sz. 16	Plug, HD30, 24 shell, 31 way, T seal, reverse, adaptor	HD36-24-31PT-072	N/A
31	Circ.	31 sz. 16	Plug, HD30, 24 shell, 31 way, E seal	HD36-24-31SE	N/A
31	Circ.	31 sz. 16	Plug, HD30, 24 shell, 31 way, E seal, cable clamp	HD36-24-31SE-059	N/A
31	Circ.	31 sz. 16	Plug, HD30, 24 shell, 31 way, E seal, adaptor	HD36-24-31SE-072	N/A
31	Circ.	31 sz. 16	Plug, HD30, 24 shell, 31 way, T seal	HD36-24-31ST	N/A
31	Circ.	31 sz. 16	Plug, HD30, 24 shell, 31 way, T seal, cable clamp	HD36-24-31ST-059	N/A
31	Circ.	31 sz. 16	Plug, HD30, 24 shell, 31 way, T seal, adaptor	HD36-24-31ST-072	N/A
31	Circ.	31 sz. 16	Plug, HD30, 24 shell, 31 way, T seal, custom mount	HD36-24-31ST-B019	N/A

WT Series

31	Circ.	16	Recept., WT, 24 shell, 31 way, N seal	WT04B-24-31PN	N/A
31	Circ.	16	Recept., WT, 24 shell, 31 way, N seal, reverse	WT04B-24-31SN	N/A
31	Circ.	16	Plug, WT, 24 shell, 31 way, N seal, reverse	WT06B-24-31PN	N/A
31	Circ.	16	Plug, WT, 24 shell, 31 way, N seal	WT06B-24-31SN	N/A
31	Circ.	16	Recept., WT, 24 shell, 31 way, N seal, composite	WTC04B-24-31PN	N/A
31	Circ.	16	Recept., WT, 24 shell, 31 way, N seal, composite, reverse	WTC04B-24-31SN	N/A
31	Circ.	16	Plug, WT, 24 shell, 31 way, N seal, composite, reverse	WTC06B-24-31PN	N/A
31	Circ.	16	Plug, WT, 24 shell, 31 way, N seal, composite	WTC06B-24-31SN	N/A

32 CAVITY CONNECTORS

Strike Series

32	Rect.	4 sz. 16, 28 sz. 20	Recept., Strike, Med. shell, 32 way, A key, no cable attachment	SRK02 MDA 32A 001	N/A
32	Rect.	4 sz. 16, 28 sz. 20	Plug, Strike, Med. shell, 32 way, A key, no cable attachment	SRK06 MDA 32A 001	N/A

33 CAVITY CONNECTORS

HDB Series

33	Circ.	33 sz. 20	Plug, HDB30, 24 shell, 33 way, N seal, reverse, breakaway	HDB36-24-33PN	N/A
33	Circ.	33 sz. 20	Plug, HDB30, 24 shell, 33 way, N seal, reverse, breakaway, cable clamp	HDB36-24-33PN-059	N/A
33	Circ.	33 sz. 20	Plug, HDB30, 24 shell, 33 way, N seal, breakaway	HDB36-24-33SN	N/A
33	Circ.	33 sz. 20	Plug, HDB30, 24 shell, 33 way, N seal, breakaway, cable clamp	HDB36-24-33SN-059	N/A

HDP20 Series

33	Circ.	33 sz. 20	Recept., HDP20, 24 shell, 33 way, N seal	HDP24-24-33PN	N/A
33	Circ.	33 sz. 20	Recept., HDP20, 24 shell, 33 way, N seal, threaded adaptor	HDP24-24-33PN-L015	N/A
33	Circ.	33 sz. 20	Recept., HDP20, 24 shell, 33 way, N seal, ring adaptor	HDP24-24-33PN-L017	N/A
33	Circ.	33 sz. 20	Recept., HDP20, 24 shell, 33 way, N seal, reverse	HDP24-24-33SN	N/A
33	Circ.	33 sz. 20	Recept., HDP20, 24 shell, 33 way, N seal, reverse, threaded adaptor	HDP24-24-33SN-L015	N/A
33	Circ.	33 sz. 20	Recept., HDP20, 24 shell, 33 way, N seal, reverse, ring adaptor	HDP24-24-33SN-L017	N/A
33	Circ.	33 sz. 20	Plug, HDP20, 24 shell, 33 way, N seal, reverse	HDP26-24-33PN	N/A
33	Circ.	33 sz. 20	Plug, HDP20, 24 shell, 33 way, N seal, reverse, threaded adaptor	HDP26-24-33PN-L015	N/A
33	Circ.	33 sz. 20	Plug, HDP20, 24 shell, 33 way, N seal, reverse, ring adaptor	HDP26-24-33PN-L017	N/A
33	Circ.	33 sz. 20	Plug, HDP20, 24 shell, 33 way, N seal	HDP26-24-33SN	N/A
33	Circ.	33 sz. 20	Plug, HDP20, 24 shell, 33 way, N seal, threaded adaptor	HDP26-24-33SN-L015	N/A
33	Circ.	33 sz. 20	Plug, HDP20, 24 shell, 33 way, N seal, ring adaptor	HDP26-24-33SN-L017	N/A

HD30 Series

33	Circ.	33 sz. 20	Recept., HD30, 24 shell, 33 way, N seal	HD34-24-33PN	N/A
33	Circ.	33 sz. 20	Recept., HD30, 24 shell, 33 way, N seal, cable clamp	HD34-24-33PN-059	N/A
33	Circ.	33 sz. 20	Recept., HD30, 24 shell, 33 way, N seal, adaptor	HD34-24-33PN-072	N/A
33	Circ.	33 sz. 20	Recept., HD30, 24 shell, 33 way, N seal, reverse	HD34-24-33SN	N/A
33	Circ.	33 sz. 20	Recept., HD30, 24 shell, 33 way, N seal, reverse, cable clamp	HD34-24-33SN-059	N/A

Electrical Connectors

Cavity	Shape	Contact Size(s)	Part Description	Part Number	Wedge lock
33	Circ.	33 sz. 20	Recept., HD30, 24 shell, 33 way, N seal, reverse, adaptor	HD34-24-33SN-072	N/A
33	Circ.	33 sz. 20	Plug, HD30, 24 shell, 33 way, N seal, reverse	HD36-24-33PN	N/A
33	Circ.	33 sz. 20	Plug, HD30, 24 shell, 33 way, N seal, reverse, cable clamp	HD36-24-33PN-059	N/A
33	Circ.	33 sz. 20	Plug, HD30, 24 shell, 33 way, N seal, reverse, adaptor	HD36-24-33PN-072	N/A
33	Circ.	33 sz. 20	Plug, HD30, 24 shell, 33 way, N seal	HD36-24-33SN	N/A
33	Circ.	33 sz. 20	Plug, HD30, 24 shell, 33 way, N seal, cable clamp	HD36-24-33SN-059	N/A
33	Circ.	33 sz. 20	Plug, HD30, 24 shell, 33 way, N seal, adaptor	HD36-24-33SN-072	N/A

35 CAVITY CONNECTORS

HDB Series

35	Circ.	32 sz. 20, 3 sz. 16	Plug, HDB30, 24 shell, 35 way, N seal, reverse, breakaway	HDB36-24-35PN	N/A
35	Circ.	32 sz. 20, 3 sz. 16	Plug, HDB30, 24 shell, 35 way, N seal, reverse, breakaway, cable clamp	HDB36-24-35PN-059	N/A
35	Circ.	32 sz. 20, 3 sz. 16	Plug, HDB30, 24 shell, 35 way, N seal, breakaway	HDB36-24-35SN	N/A

HDP20 Series

35	Circ.	32 sz. 20, 3 sz. 16	Recept., HDP20, 24 shell, 35 way, E seal	HDP24-24-35PE	N/A
35	Circ.	32 sz. 20, 3 sz. 16	Recept., HDP20, 24 shell, 35 way, E seal, threaded adaptor	HDP24-24-35PE-L015	N/A
35	Circ.	32 sz. 20, 3 sz. 16	Recept., HDP20, 24 shell, 35 way, E seal, ring adaptor	HDP24-24-35PE-L017	N/A
35	Circ.	32 sz. 20, 3 sz. 16	Recept., HDP20, 24 shell, 35 way, N seal	HDP24-24-35PN	N/A
35	Circ.	32 sz. 20, 3 sz. 16	Recept., HDP20, 24 shell, 35 way, N seal, threaded adaptor	HDP24-24-35PN-L015	N/A
35	Circ.	32 sz. 20, 3 sz. 16	Recept., HDP20, 24 shell, 35 way, N seal, ring adaptor	HDP24-24-35PN-L017	N/A
35	Circ.	32 sz. 20, 3 sz. 16	Recept., HDP20, 24 shell, 35 way, N seal, reverse	HDP24-24-35SN	N/A
35	Circ.	32 sz. 20, 3 sz. 16	Recept., HDP20, 24 shell, 35 way, N seal, reverse, threaded adaptor	HDP24-24-35SN-L015	N/A
35	Circ.	32 sz. 20, 3 sz. 16	Recept., HDP20, 24 shell, 35 way, N seal, reverse, ring adaptor	HDP24-24-35SN-L017	N/A
35	Circ.	32 sz. 20, 3 sz. 16	Plug, HDP20, 24 shell, 35 way, N seal, reverse	HDP26-24-35PN	N/A
35	Circ.	32 sz. 20, 3 sz. 16	Plug, HDP20, 24 shell, 35 way, N seal, reverse, threaded adaptor	HDP26-24-35PN-L015	N/A
35	Circ.	32 sz. 20, 3 sz. 16	Plug, HDP20, 24 shell, 35 way, N seal, reverse, ring adaptor	HDP26-24-35PN-L017	N/A
35	Circ.	32 sz. 20, 3 sz. 16	Plug, HDP20, 24 shell, 35 way, N seal	HDP26-24-35SN	N/A
35	Circ.	32 sz. 20, 3 sz. 16	Plug, HDP20, 24 shell, 35 way, N seal, threaded adaptor	HDP26-24-35SN-L015	N/A
35	Circ.	32 sz. 20, 3 sz. 16	Plug, HDP20, 24 shell, 35 way, N seal, ring adaptor	HDP26-24-35SN-L017	N/A

HD30 Series

35	Circ.	32 sz. 20, 3 sz. 16	Recept., HD30, 24 shell, 35 way, N seal	HD34-24-35PN	N/A
35	Circ.	32 sz. 20, 3 sz. 16	Recept., HD30, 24 shell, 35 way, N seal, cable clamp	HD34-24-35PN-059	N/A
35	Circ.	32 sz. 20, 3 sz. 16	Recept., HD30, 24 shell, 35 way, N seal, adaptor	HD34-24-35PN-072	N/A
35	Circ.	32 sz. 20, 3 sz. 16	Recept., HD30, 24 shell, 35 way, N seal, reverse	HD34-24-35SN	N/A
35	Circ.	32 sz. 20, 3 sz. 16	Recept., HD30, 24 shell, 35 way, N seal, reverse, cable clamp	HD34-24-35SN-059	N/A
35	Circ.	32 sz. 20, 3 sz. 16	Recept., HD30, 24 shell, 35 way, N seal, reverse, adaptor	HD34-24-35SN-072	N/A
35	Circ.	32 sz. 20, 3 sz. 16	Plug, HD30, 24 shell, 35 way, N seal, reverse	HD36-24-35PN	N/A
35	Circ.	32 sz. 20, 3 sz. 16	Plug, HD30, 24 shell, 35 way, N seal, reverse, cable clamp	HD36-24-35PN-059	N/A
35	Circ.	32 sz. 20, 3 sz. 16	Plug, HD30, 24 shell, 35 way, N seal, reverse, adaptor	HD36-24-35PN-072	N/A
35	Circ.	32 sz. 20, 3 sz. 16	Plug, HD30, 24 shell, 35 way, N seal	HD36-24-35SN	N/A
35	Circ.	32 sz. 20, 3 sz. 16	Plug, HD30, 24 shell, 35 way, N seal, cable clamp	HD36-24-35SN-059	N/A
35	Circ.	32 sz. 20, 3 sz. 16	Plug, HD30, 24 shell, 35 way, N seal, adaptor	HD36-24-35SN-072	N/A

38 CAVITY CONNECTORS

DRC Series

38	Rect.	34 sz. 20, 4 sz. 12	Plug, DRC, 38 way, 01 key, stainless steel retaining clip	DRC26-38S01-P017	N/A
38	Rect.	34 sz. 20, 4 sz. 12	Plug, DRC, 38 way, 02 key, stainless steel retaining clip	DRC26-38S02-P017	N/A

40 CAVITY CONNECTORS

AEC Series

40	Sq.	16	Recept., AEC, 40 way, square in-line, A key	AEC14-40PA	N/A
40	Sq.	16	Recept., AEC, 40 way, square in-line, A/B key	AEC14-40PAB	N/A
40	Sq.	16	Recept., AEC, 40 way, square in-line, B key	AEC14-40PB	N/A
40	Sq.	16	Recept., AEC, 40 way, square in-line, C key	AEC14-40PC	N/A
40	Sq.	16	Recept., AEC, 40 way, square in-line, D key	AEC14-40PD	N/A

Electrical Connectors

<i>Cavity Shape</i>	<i>Contact Size(s)</i>	<i>Part Description</i>	<i>Part Number</i>	<i>Wedge lock</i>	
40	Sq.	16	Plug, AEC, 40 way, square in-line, A key	AEC16-40SA	N/A
40	Sq.	16	Plug, AEC, 40 way, square in-line, E seal, A key, remove blue stripe/brown end cap	AEC16-40SAE-K001	N/A
40	Sq.	16	Plug, AEC, 40 way, square in-line, B key	AEC16-40SB	N/A
40	Sq.	16	Plug, AEC, 40 way, square in-line, C key	AEC16-40SC	N/A
40	Sq.	16	Plug, AEC, 40 way, square in-line, D key	AEC16-40SD	N/A
40	Sq.	16	Plug, AEC, 40 way, square in-line, Univ. key	AEC16-40SU	N/A
40	Sq.	16	Recept., AEC, 40 way, square 90° PCB mount, A key	AEC17-40PA	N/A
40	Sq.	16	Recept., AEC, 40 way, square 90° PCB mount, B key	AEC17-40PB	N/A
40	Sq.	16	Recept., AEC, 40 way, square 90° PCB mount, C key	AEC17-40PC	N/A
DRC Series					
40	Rect.	16	Recept., DRC, 40 way, flange, solder pot	DRC10-40P	N/A
40	Rect.	16	Recept., DRC, 40 way, flange, molded pins	DRC10-40P-A004	N/A
40	Rect.	16	Recept., DRC, 40 way, flange, A key	DRC12-40PA	N/A
40	Rect.	16	Recept., DRC, 40 way, flange, A key, E seal	DRC12-40PAE	N/A
40	Rect.	16	Recept., DRC, 40 way, flange, B key	DRC12-40PB	N/A
40	Rect.	16	Recept., DRC, 40 way, flange, B key, E seal	DRC12-40PBE	N/A
40	Rect.	16	Recept., DRC, 40 way, flange, C key	DRC12-40PC	N/A
40	Rect.	16	Recept., DRC, 40 way, flange, C key, E seal	DRC12-40PCE	N/A
40	Rect.	16	Recept., DRC, 40 way, flange, D key	DRC12-40PD	N/A
40	Rect.	16	Recept., DRC, 40 way, 90° molded pins, PCB mount, A key	DRC13-40PA	N/A
40	Rect.	16	Recept., DRC, 40 way, 90° molded gold pins, PCB mount, A key	DRC13-40PA-G001	N/A
40	Rect.	16	Recept., DRC, 40 way, 90° molded pins, PCB mount, A key, outside row gold, inside rows tin	DRC13-40PA-G002	N/A
40	Rect.	16	Recept., DRC, 40 way, 90° molded pins, PCB mount, B key	DRC13-40PB	N/A
40	Rect.	16	Recept., DRC, 40 way, 90° molded pins, PCB mount, B key, outside row gold, inside rows tin	DRC13-40PB-G002	N/A
40	Rect.	16	Recept., DRC, 40 way, 90° molded pins, PCB mount, C key	DRC13-40PC	N/A
40	Rect.	16	Recept., DRC, 40 way, 90° molded pins, PCB mount, C key, outside row gold, inside rows tin	DRC13-40PC-G002	N/A
40	Rect.	16	Recept., DRC, 40 way, 90° molded pins, PCB mount, D key	DRC13-40PD	N/A
40	Rect.	16	Recept., DRC, 40 way, in-line, A key	DRC14-40PA	N/A
40	Rect.	16	Recept., DRC, 40 way, in-line, A key, E seal	DRC14-40PAE	N/A
40	Rect.	16	Recept., DRC, 40 way, in-line, B key	DRC14-40PB	N/A
40	Rect.	16	Recept., DRC, 40 way, in-line, B key, E seal	DRC14-40PBE	N/A
40	Rect.	16	Recept., DRC, 40 way, in-line, C key	DRC14-40PC	N/A
40	Rect.	16	Recept., DRC, 40 way, in-line, C key, E seal	DRC14-40PCE	N/A
40	Rect.	16	Plug, DRC, 40 way	DRC16-40S	N/A
40	Rect.	16	Plug, DRC, 40 way, bonded front seal	DRC16-40S-P013	N/A
40	Rect.	16	Plug, DRC, 40 way, E seal	DRC16-40SE	N/A
40	Rect.	16	Plug, DRC, 40 way, A key	DRC18-40SA	N/A
40	Rect.	16	Plug, DRC, 40 way, A key, bonded front seal	DRC18-40SA-P013	N/A
40	Rect.	16	Plug, DRC, 40 way, A key, E seal	DRC18-40SAE	N/A
40	Rect.	16	Plug, DRC, 40 way, A key, E seal, bonded front seal	DRC18-40SAE-P013	N/A
40	Rect.	16	Plug, DRC, 40 way, A key, T seal	DRC18-40SAT	N/A
40	Rect.	16	Plug, DRC, 40 way, B key	DRC18-40SB	N/A
40	Rect.	16	Plug, DRC, 40 way, B key, bonded front seal	DRC18-40SB-P013	N/A
40	Rect.	16	Plug, DRC, 40 way, B key, E seal	DRC18-40SBE	N/A
40	Rect.	16	Plug, DRC, 40 way, B key, E seal, bonded front seal	DRC18-40SBE-P013	N/A
40	Rect.	16	Plug, DRC, 40 way, C key	DRC18-40SC	N/A
40	Rect.	16	Plug, DRC, 40 way, C key, bonded front seal	DRC18-40SC-P013	N/A
40	Rect.	16	Plug, DRC, 40 way, C key, E seal	DRC18-40SCE	N/A
40	Rect.	16	Plug, DRC, 40 way, C key, E seal, bonded front seal	DRC18-40SCE-P013	N/A
40	Rect.	16	Plug, DRC, 40 way, D key	DRC18-40SD	N/A
40	Rect.	20	Recept., DRC, 40 way, 90° molded pins, PCB mount, A key	DRC23-40PA	N/A
40	Rect.	20	Recept., DRC, 40 way, 90° molded pins, PCB mount, A key, gold pins (selective plating)	DRC23-40PA-G004	N/A
40	Rect.	20	Recept., DRC, 40 way, 90° molded pins, PCB mount, A key, one piece design	DRC23-40PA-N012	N/A

Electrical Connectors

Cavity	Shape	Contact Size(s)	Part Description	Part Number	Wedge lock
40	Rect.	20	Recept., DRC, 40 way, 90° molded pins, PCB mount, B key	DRC23-40PB	N/A
40	Rect.	20	Recept., DRC, 40 way, 90° molded pins, PCB mount, C key	DRC23-40PC	N/A
40	Rect.	20	Recept., DRC, 40 way, 90° molded pins, PCB mount, D key	DRC23-40PD	N/A
40	Rect.	20	Plug, DRC, 40 way, A key	DRC26-40SA	N/A
40	Rect.	20	Plug, DRC, 40 way, A key, wire router	DRC26-40SA-L011	N/A
40	Rect.	20	Plug, DRC, 40 way, A key, stainless steel retaining clip	DRC26-40SA-P017	N/A
40	Rect.	20	Plug, DRC, 40 way, A key, zinc chromate retaining clip	DRC26-40SA-P019	N/A
40	Rect.	20	Plug, DRC, 40 way, B key	DRC26-40SB	N/A
40	Rect.	20	Plug, DRC, 40 way, B key, wire router	DRC26-40SB-L011	N/A
40	Rect.	20	Plug, DRC, 40 way, C key	DRC26-40SC	N/A
40	Rect.	20	Plug, DRC, 40 way, D key	DRC26-40SD	N/A

47 CAVITY CONNECTORS

HDP20 Series

47	Circ.	42 sz. 20, 5 sz. 16	Recept., HDP20, 24 shell, 47 way, E seal	HDP24-24-47PE	N/A
47	Circ.	42 sz. 20, 5 sz. 16	Recept., HDP20, 24 shell, 47 way, E seal, threaded adaptor	HDP24-24-47PE-L015	N/A
47	Circ.	42 sz. 20, 5 sz. 16	Recept., HDP20, 24 shell, 47 way, E seal, ring adaptor	HDP24-24-47PE-L017	N/A
47	Circ.	42 sz. 20, 5 sz. 16	Recept., HDP20, 24 shell, 47 way, E seal, reverse	HDP24-24-47SE	N/A
47	Circ.	42 sz. 20, 5 sz. 16	Recept., HDP20, 24 shell, 47 way, E seal, reverse, threaded adaptor	HDP24-24-47SE-L015	N/A
47	Circ.	42 sz. 20, 5 sz. 16	Recept., HDP20, 24 shell, 47 way, E seal, reverse, ring adaptor	HDP24-24-47SE-L017	N/A
47	Circ.	42 sz. 20, 5 sz. 16	Plug, HDP20, 24 shell, 47 way, E seal, reverse	HDP26-24-47PE	N/A
47	Circ.	42 sz. 20, 5 sz. 16	Plug, HDP20, 24 shell, 47 way, E seal, reverse, threaded adaptor	HDP26-24-47PE-L015	N/A
47	Circ.	42 sz. 20, 5 sz. 16	Plug, HDP20, 24 shell, 47 way, E seal, reverse, ring adaptor	HDP26-24-47PE-L017	N/A
47	Circ.	42 sz. 20, 5 sz. 16	Plug, HDP20, 24 shell, 47 way, E seal	HDP26-24-47SE	N/A
47	Circ.	42 sz. 20, 5 sz. 16	Plug, HDP20, 24 shell, 47 way, E seal, threaded adaptor	HDP26-24-47SE-L015	N/A
47	Circ.	42 sz. 20, 5 sz. 16	Plug, HDP20, 24 shell, 47 way, E seal, ring adaptor	HDP26-24-47SE-L017	N/A

HD30 Series

47	Circ.	42 sz. 20, 5 sz. 16	Recept., HD30, 24 shell, 47 way, E seal	HD34-24-47PE	N/A
47	Circ.	42 sz. 20, 5 sz. 16	Recept., HD30, 24 shell, 47 way, E seal, cable clamp	HD34-24-47PE-059	N/A
47	Circ.	42 sz. 20, 5 sz. 16	Recept., HD30, 24 shell, 47 way, E seal, adaptor	HD34-24-47PE-072	N/A
47	Circ.	42 sz. 20, 5 sz. 16	Recept., HD30, 24 shell, 47 way, E seal, reverse	HD34-24-47SE	N/A
47	Circ.	42 sz. 20, 5 sz. 16	Recept., HD30, 24 shell, 47 way, E seal, reverse, cable clamp	HD34-24-47SE-059	N/A
47	Circ.	42 sz. 20, 5 sz. 16	Recept., HD30, 24 shell, 47 way, E seal, reverse, adaptor	HD34-24-47SE-072	N/A
47	Circ.	42 sz. 20, 5 sz. 16	Plug, HD30, 24 shell, 47 way, E seal, reverse	HD36-24-47PE	N/A
47	Circ.	42 sz. 20, 5 sz. 16	Plug, HD30, 24 shell, 47 way, E seal, reverse, cable clamp	HD36-24-47PE-059	N/A
47	Circ.	42 sz. 20, 5 sz. 16	Plug, HD30, 24 shell, 47 way, E seal, reverse, adaptor	HD36-24-47PE-072	N/A
47	Circ.	42 sz. 20, 5 sz. 16	Plug, HD30, 24 shell, 47 way, E seal	HD36-24-47SE	N/A
47	Circ.	42 sz. 20, 5 sz. 16	Plug, HD30, 24 shell, 47 way, E seal, cable clamp	HD36-24-47SE-059	N/A
47	Circ.	42 sz. 20, 5 sz. 16	Plug, HD30, 24 shell, 47 way, E seal, adaptor	HD36-24-47SE-072	N/A

48 CAVITY CONNECTORS

DRB Series

48	Sq.	24 sz. 20, 12 sz. 16 12 sz. 12	Recept., DRB, 48 way, wire router, bulkhead, E seal, A key	DRB12-48PAE-L018	WB-48PA
48	Sq.	24 sz. 20, 12 sz. 16 12 sz. 12	Recept., DRB, 48 way, wire router, bulkhead, E seal, B key	DRB12-48PBE-L018	WB-48PB
48	Sq.	24 sz. 20, 12 sz. 16 12 sz. 12	Plug, DRB, 48 way, wire router, E seal, A key	DRB16-48SAE-L018	WB-48SA
48	Sq.	24 sz. 20, 12 sz. 16 12 sz. 12	Plug, DRB, 48 way, wire router, E seal, B key	DRB16-48SBE-L018	WB-48SB

DTM Series

48	Rect.	20	Recept., DTM, 48 way, sz. 20 straight molded pins, flangeless PCB mount, A, B, C, D key	DTMF15-48P	(4) WM-12P
----	-------	----	---	------------	------------

DT Series

48	Rect.	16	Recept., DT, 48 way, flange, A, B, C, D key	DT04-48P	(4) W12P
48	Rect.	16	Recept., DT, 48 way, flange, enhanced A, B, C, D key	DT04-48P-B016	(4) W12P

50 CAVITY CONNECTORS

Electrical Connectors

Cavity Shape	Contact Size(s)	Part Description	Part Number	Wedge lock	
DRC Series					
50	Rect.	20	Recept., DRC, 50 way, PCB mount, sealed outside flange, 01 key	DRC20-50P01	N/A
50	Rect.	20	Recept., DRC, 50 way, PCB mount, sealed outside flange, 02 key	DRC20-50P02	N/A
50	Rect.	20	Recept., DRC, 50 way, PCB mount, sealed outside flange, 03 key	DRC20-50P03	N/A
50	Rect.	20	Recept., DRC, 50 way, PCB mount, sealed outside flange, 04 key	DRC20-50P04	N/A
50	Rect.	20	Recept., DRC, 50 way, PCB mount, sealed outside flange, 05 key	DRC20-50P05	N/A
50	Rect.	20	Recept., DRC, 50 way, PCB mount, sealed outside flange, 06 key	DRC20-50P06	N/A
50	Rect.	20	Recept., DRC, 50 way, PCB mount, sealed outside flange, 07 key	DRC20-50P07	N/A
50	Rect.	20	Recept., DRC, 50 way, PCB mount, sealed outside flange, 08 key	DRC20-50P08	N/A
50	Rect.	20	Recept., DRC, 50 way, PCB mount, sealed outside flange, 09 key	DRC20-50P09	N/A
50	Rect.	20	Recept., DRC, 50 way, PCB mount, sealed outside flange, 10 key	DRC20-50P10	N/A
50	Rect.	20	Recept., DRC, 50 way, PCB mount, sealed inside flange, 01 key	DRC22-50P01	N/A
50	Rect.	20	Plug, DRC, 50 way, 01 key	DRC26-50S01	N/A
(50)32	Rect.	20	Plug, DRC, 50 way, 01 key, eighteen cavities blocked	DRC26-50S01-C026	N/A
50	Rect.	20	Plug, DRC, 50 way, 02 key	DRC26-50S02	N/A
50	Rect.	20	Plug, DRC, 50 way, 03 key	DRC26-50S03	N/A
50	Rect.	20	Plug, DRC, 50 way, 04 key	DRC26-50S04	N/A
50	Rect.	20	Plug, DRC, 50 way, 05 key	DRC26-50S05	N/A
50	Rect.	20	Plug, DRC, 50 way, 06 key	DRC26-50S06	N/A
50	Rect.	20	Plug, DRC, 50 way, 07 key	DRC26-50S07	N/A
50	Rect.	20	Plug, DRC, 50 way, 08 key	DRC26-50S08	N/A
50	Rect.	20	Plug, DRC, 50 way, 09 key	DRC26-50S09	N/A
50	Rect.	20	Plug, DRC, 50 way, 10 key	DRC26-50S10	N/A

60 CAVITY CONNECTORS

DRB Series					
60	Sq.	48 sz. 20, 12 sz. 16	Recept., DRB, 60 way, wire router, bulkhead, E seal, A key	DRB12-60PAE-L018	WB-60PA
60	Sq.	48 sz. 20, 12 sz. 16	Recept., DRB, 60 way, wire router, bulkhead, E seal, B key	DRB12-60PBE-L018	WB-60PB
60	Sq.	48 sz. 20, 12 sz. 16	Recept., DRB, 60 way, wire router, bulkhead, E seal, C key	DRB12-60PCE-L018	WB-60PC
60	Sq.	48 sz. 20, 12 sz. 16	Plug, DRB, 60 way, wire router, bulkhead, E seal, A key	DRB16-60SAE-L018	WB-60SA
60	Sq.	48 sz. 20, 12 sz. 16	Plug, DRB, 60 way, wire router, bulkhead, E seal, B key	DRB16-60SBE-L018	WB-60SB
60	Sq.	48 sz. 20, 12 sz. 16	Plug, DRB, 60 way, wire router, bulkhead, E seal, C key	DRB16-60SCE-L018	WB-60SC

DRC Series					
60	Rect.	20	Plug, DRC, 60 way, 01 key	DRC26-60S01	N/A
60	Rect.	20	Plug, DRC, 60 way, 02 key	DRC26-60S02	N/A
60	Rect.	20	Plug, DRC, 60 way, 03 key	DRC26-60S03	N/A
60	Rect.	20	Plug, DRC, 60 way, 04 key	DRC26-60S04	N/A
60	Rect.	20	Plug, DRC, 60 way, 05 key	DRC26-60S05	N/A
60	Rect.	20	Plug, DRC, 60 way, 06 key	DRC26-60S06	N/A
60	Rect.	20	Plug, DRC, 60 way, 07 key	DRC26-60S07	N/A
60	Rect.	20	Plug, DRC, 60 way, 08 key	DRC26-60S08	N/A
60	Rect.	20	Plug, DRC, 60 way, 09 key	DRC26-60S09	N/A
60	Rect.	20	Plug, DRC, 60 way, 10 key	DRC26-60S10	N/A

64 CAVITY CONNECTORS

DRC Series					
64	Rect.	20	Recept., DRC, 64 way, 90° molded pins, PCB mount, A key 24 way and A key 40 way	DRC23-64PAA	N/A
64	Rect.	20	Recept., DRC, 64 way, 90° molded pins, PCB mount, A key 24 way and A key 40 way, rect. flange, one piece design	DRC23-64PAA-N010	N/A

Strike Series					
64	Rect.	8 sz. 16, 56 sz. 20	Recept., Strike, Full shell, 64 way, A key, no cable attachment	SRK02 FLA 64A 001	N/A
64	Rect.	8 sz. 16, 56 sz. 20	Plug, Strike, Full shell, 64 way, A key, no cable attachment	SRK06 FLA 64A 001	N/A

70 CAVITY CONNECTORS

DRC Series				
-------------------	--	--	--	--

Electrical Connectors

Cavity	Shape	Contact Size(s)	Part Description	Part Number	Wedge lock
70	Rect.	16	Recept., DRC, 70 way, flange, A key	DRC12-70PA	N/A
70	Rect.	16	Recept., DRC, 70 way, flange, A key, E seal	DRC12-70PAE	N/A
70	Rect.	16	Recept., DRC, 70 way, flange, B key	DRC12-70PB	N/A
70	Rect.	16	Recept., DRC, 70 way, flange, B key, E seal	DRC12-70PBE	N/A
70	Rect.	16	Recept., DRC, 70 way, flange, C key	DRC12-70PC	N/A
70	Rect.	16	Recept., DRC, 70 way, flange, C key, E seal	DRC12-70PCE	N/A
70	Rect.	16	Recept., DRC, 70 way, flange, D key	DRC12-70PD	N/A
70	Rect.	16	Recept., DRC, 70 way, flange, D key, E seal	DRC12-70PDE	N/A
70	Rect.	16	Recept., DRC, 70 way, 90° molded pins, PCB mount, A key, one piece design	DRC13-70PA-N012	N/A
70	Rect.	16	Recept., DRC, 70 way, in-line, A key	DRC14-70PA	N/A
70	Rect.	16	Recept., DRC, 70 way, in-line, A key, E seal	DRC14-70PAE	N/A
70	Rect.	16	Plug, DRC, 70 way, A key	DRC16-70SA	N/A
70	Rect.	16	Plug, DRC, 70 way, A key, bonded front seal	DRC16-70SA-P013	N/A
70	Rect.	16	Plug, DRC, 70 way, A key, E seal	DRC16-70SAE	N/A
70	Rect.	16	Plug, DRC, 70 way, A key, E seal, bonded front seal	DRC16-70SAE-P013	N/A
70	Rect.	16	Plug, DRC, 70 way, A key, T seal	DRC16-70SAT	N/A
70	Rect.	16	Plug, DRC, 70 way, B key	DRC16-70SB	N/A
70	Rect.	16	Plug, DRC, 70 way, B key, bonded front seal	DRC16-70SB-P013	N/A
70	Rect.	16	Plug, DRC, 70 way, B key, E seal, bonded front seal	DRC16-70SBE-P013	N/A
70	Rect.	16	Plug, DRC, 70 way, C key	DRC16-70SC	N/A
70	Rect.	16	Plug, DRC, 70 way, C key, bonded front seal	DRC16-70SC-P013	N/A
70	Rect.	16	Plug, DRC, 70 way, C key, E seal, bonded front seal	DRC16-70SCE-P013	N/A
70	Rect.	16	Plug, DRC, 70 way, D key	DRC16-70SD	N/A
70	Rect.	16	Plug, DRC, 70 way, D key, bonded front seal	DRC16-70SD-P013	N/A
70	Rect.	16	Plug, DRC, 70 way, D key, E seal, bonded front seal	DRC16-70SDE-P013	N/A

80 CAVITY CONNECTORS

DRC Series

80	Rect.	20	Recept., DRC, 80 way, 90° molded pins, A and B key	DRC23-80P	N/A
----	-------	----	--	-----------	-----

102 CAVITY CONNECTORS

DRB Series

102	Rect.	80 sz. 16, 16 sz. 12 4 sz. 8, 2 sz. 4	Recept., DRB, 102 way, A key, reduced diameter seals, wire router	DRB12-102PAE-L018	WB-51PAL WB-51PAR
102	Rect.	80 sz. 16, 16 sz. 12 4 sz. 8, 2 sz. 4	Recept., DRB, 102 way, A key, non-environmentally sealed	DRB12-102PANE	WB-51PAL WB-51PAR
102	Rect.	80 sz. 16, 16 sz. 12 4 sz. 8, 2 sz. 4	Plug, DRB, 102 way, A key, reduced diameter seals, wire router	DRB16-102SAE-L018	WB-51SAL WB-51SAR

Secondary Wedgelocks

<i>Cavity Part Description</i>		<i>Part Number</i>	<i>Color</i>
<i>DT Series Wedgelocks</i>			
2	Lock, DT, 2 way recept.	W2P	Green
2	Lock, DT, 2 way recept., A key	W2PA	Gray
2	Lock, DT, 2 way recept., B key	W2PB	Black
2	Lock, DT, 2 way recept., C key	W2PC	Green
2	Lock, DT, 2 way recept., D key	W2PD	Brown
2	Lock, DT, 2 way plug	W2S	Orange
2	Lock, DT, 2 way plug, enhanced	W2S-P012	Green
2	Lock, DT, 2 way plug, A key	W2SA	Gray
2	Lock, DT, 2 way plug, A key, enhanced	W2SA-P012	Gray
2	Lock, DT, 2 way plug, B key	W2SB	Black
2	Lock, DT, 2 way plug, B key, enhanced	W2SB-P012	Black
2	Lock, DT, 2 way plug, C key	W2SC	Green
2	Lock, DT, 2 way plug, C key, enhanced	W2SC-P012	Green
2	Lock, DT, 2 way plug, D key	W2SD	Brown
2	Lock, DT, 2 way plug, D key, enhanced	W2SD-P012	Brown
3	Lock, DT, 3 way recept.	W3P	Green
3	Lock, DT, 3 way recept., J1939	W3P-1939	Blue
3	Lock, DT, 3 way plug	W3S	Orange
3	Lock, DT, 3 way plug, J1939	W3S-1939	Blue
3	Lock, DT, 3 way plug, J1939, enhanced	W3S-1939-P012	Blue
3	Lock, DT, 3 way plug, enhanced	W3S-P012	Green
4	Lock, DT, 4 way recept.	W4P	Green
4	Lock, DT, 4 way recept., A key	W4PA	Gray
4	Lock, DT, 4 way recept., B key	W4PB	Black
4	Lock, DT, 4 way recept., C key	W4PC	Green
4	Lock, DT, 4 way recept., D key	W4PD	Brown
4	Lock, DT, 4 way plug	W4S	Orange
4	Lock, DT, 4 way plug, enhanced	W4S-P012	Green
4	Lock, DT, 4 way plug, A key	W4SA	Gray
4	Lock, DT, 4 way plug, A key, enhanced	W4SA-P012	Gray
4	Lock, DT, 4 way plug, B key	W4SB	Black
4	Lock, DT, 4 way plug, B key, enhanced	W4SB-P012	Black
4	Lock, DT, 4 way plug, C key	W4SC	Green
4	Lock, DT, 4 way plug, C key, enhanced	W4SC-P012	Green
4	Lock, DT, 4 way plug, D key	W4SD	Brown
4	Lock, DT, 4 way plug, D key, enhanced	W4SD-P012	Brown
6	Lock, DT, 6 way recept.	W6P	Green
6	Lock, DT, 6 way plug	W6S	Orange
6	Lock, DT, 6 way plug, enhanced	W6S-P012	Green
6	Lock, DT, 6 way plug, 2 key, enhanced	W6S2-P012	Blue
8	Lock, DT, 8 way recept.	W8P	Green
8	Lock, DT, 8 way plug	W8S	Orange
8	Lock, DT, 8 way plug, enhanced	W8S-P012	Green
12	Lock, DT, 12 way recept.	W12P	Green
12	Lock, DT, 12 way plug	W12S	Orange
12	Lock, DT, 12 way plug, enhanced	W12S-P012	Green
<i>DTM Series Wedgelocks</i>			
2	Lock, DTM, 2 way recept.	WM-2P	Orange
2	Lock, DTM, 2 way recept., A key	WM-2PA	Gray
2	Lock, DTM, 2 way recept., B key	WM-2PB	Black
2	Lock, DTM, 2 way plug	WM-2S	Orange
2	Lock, DTM, 2 way plug, A key	WM-2SA	Gray

Secondary Wedgelocks

<i>Cavity</i>	<i>Part Description</i>	<i>Part Number</i>	<i>Color</i>
2	Lock, DTM, 2 way plug, B key	WM-2SB	Black
3	Lock, DTM, 3 way recept.	WM-3P	Orange
3	Lock, DTM, 3 way plug	WM-3S	Orange
4	Lock, DTM, 4 way recept.	WM-4P	Orange
4	Lock, DTM, 4 way plug	WM-4S	Orange
6	Lock, DTM, 6 way recept.	WM-6P	Orange
6	Lock, DTM, 6 way plug	WM-6S	Orange
8	Lock, DTM, 8 way recept.	WM-8P	Orange
8	Lock, DTM, 8 way plug	WM-8S	Orange
12	Lock, DTM, 12 way recept.	WM-12P	Orange
12	Lock, DTM, 12 way plug	WM-12S	Orange
12	Lock, DTM, 12 way plug, alternate key	WM-12S-B026	Green

DTP Series Wedgelocks

2	Lock, DTP, 2 way recept.	WP-2P	Orange
2	Lock, DTP, 2 way plug	WP-2S	Orange
4	Lock, DTP, 4 way recept.	WP-4P	Orange
4	Lock, DTP, 4 way plug	WP-4S	Orange

DTV Series Wedgelocks

18	Lock, DTV, 18 way recept.	WV-18P	Green
18	Lock, DTV, 18 way plug	WV-18S	Green

DRB Series Wedgelocks

48	Lock, DRB, 48 way recept., A key	WB-48PA	Gray
48	Lock, DRB, 48 way recept., B key	WB-48PB	Black
48	Lock, DRB, 48 way recept., C key	WB-48PC	Green
48	Lock, DRB, 48 way recept., D key	WB-48PD	Brown
48	Lock, DRB, 48 way plug, A key	WB-48SA	Gray
48	Lock, DRB, 48 way plug, B key	WB-48SB	Black
48	Lock, DRB, 48 way plug, C key	WB-48SC	Green
48	Lock, DRB, 48 way plug, D key	WB-48SD	Brown
60	Lock, DRB, 60 way recept., A key	WB-60PA	Gray
60	Lock, DRB, 60 way recept., B key	WB-60PB	Black
60	Lock, DRB, 60 way recept., C key	WB-60PC	Green
60	Lock, DRB, 60 way recept., D key	WB-60PD	Brown
60	Lock, DRB, 60 way plug, A key	WB-60SA	Gray
60	Lock, DRB, 60 way plug, B key	WB-60SB	Black
60	Lock, DRB, 60 way plug, C key	WB-60SC	Green
60	Lock, DRB, 60 way plug, D key	WB-60SD	Brown
51	Lock, DRB, 102 way recept., A key, left	WB-51PAL	Gray
51	Lock, DRB, 102 way recept., A key, right	WB-51PAR	Gray
51	Lock, DRB, 102 way plug, A key, left	WB-51SAL	Gray
51	Lock, DRB, 102 way plug, A key, right	WB-51SAR	Gray

Connector Accessories

<i>Part Description</i>	<i>Part Number</i>
PCB Enclosures	
Enclosure, EEC, PCB, with vent hole	EEC-325X4A
Enclosure, EEC, PCB, without vent hole	EEC-325X4B
Enclosure, EEC, PCB, without vent hole, clear Ultem material	EEC-325X4B-E016
Backshells	
DRC Series	
Backshell, DRC, 38 way, 90°	0528-004-3805
Backshell, DRC, 38 way, 90°, low profile	0528-005-3805
Backshell, DRC, 50 way, 90°	0528-001-5005
Backshell, DRC, 60 way, 90°	0528-002-6005
DT Series	
Backshell, DT, 180°, fits DT06-2S	1011-227-0205
Backshell, DT, 90°, fits DT06-2S	1011-228-0205
Backshell, DT, 180°, fits DT04-2P	1011-229-0205
Backshell, DT, 90°, fits DT04-2P	1011-230-0205
Backshell, DT, 180°, fits DT06-3S	1011-231-0205
Backshell, DT, 90°, fits DT06-3S	1011-232-0305
Backshell, DT, 180°, fits DT04-3P	1011-233-0305
Backshell, DT, 90°, fits DT04-3P	1011-234-0305
Backshell, DT, 180°, fits DT06-4S	1011-235-0405
Backshell, DT, 90°, fits DT06-4S	1011-236-0405
Backshell, DT, 180°, fits DT04-4P	1011-237-0405
Backshell, DT, 90°, fits DT04-4P	1011-238-0405
Backshell, DT, 180°, fits DT06-6S	1011-239-0605
Backshell, DT, 90°, fits DT06-6S	1011-240-0605
Backshell, DT, 180°, fits DT04-6P	1011-241-0605
Backshell, DT, 90°, fits DT04-6P	1011-242-0605
Backshell, DT, 180°, fits DT06-08S*, A, B, C, and D keys	1011-243-0805
Backshell, DT, 90°, fits DT06-08S*, A, B, C, and D keys	1011-244-0805
Backshell, DT, 180°, fits DT04-08P*, A, B, C, and D keys	1011-245-0805
Backshell, DT, 90°, fits DT04-08P*, A, B, C, and D keys	1011-246-0805
Backshell, DT, 180°, fits DT06-12S*, A, B, C, and D keys	1011-247-1205
Backshell, DT, 90°, fits DT06-12S*, A, B, C, and D keys	1011-248-1205
Backshell, DT, 180°, fits DT04-12P*, A, B, C, and D keys	1011-249-1205
Backshell, DT, 90°, fits DT04-12P*, A, B, C, and D keys	1011-250-1205
Backshell, DT, 180°, strain relief for jacketed cable, fits DT06-2S	1011-255-0205
Backshell, DT, 90°, strain relief for jacketed cable, fits DT06-2S	1011-256-0205
Backshell, DT, 180°, strain relief for jacketed cable, fits DT04-2P	1011-257-0205
Backshell, DT, 90°, strain relief for jacketed cable, fits DT04-2P	1011-258-0205
Backshell, DT, 180°, strain relief for jacketed cable, fits DT06-3S	1011-259-0305
Backshell, DT, 90°, strain relief for jacketed cable, fits DT06-3S	1011-260-0305
Backshell, DT, 180°, strain relief for jacketed cable, fits DT04-3P	1011-261-0305
Backshell, DT, 90°, strain relief for jacketed cable, fits DT04-3P	1011-262-0305
Backshell, DT, 180°, strain relief for jacketed cable, fits DT06-4S	1011-263-0405
Backshell, DT, 90°, strain relief for jacketed cable, fits DT06-4S	1011-264-0405
Backshell, DT, 180°, strain relief for jacketed cable, fits DT04-4P	1011-265-0405
Backshell, DT, 90°, strain relief for jacketed cable, fits DT04-4P	1011-266-0405
Backshell, DT, 180°, strain relief for jacketed cable, fits DT06-6S	1011-267-0605
Backshell, DT, 90°, strain relief for jacketed cable, fits DT06-6S	1011-268-0605
Backshell, DT, 180°, strain relief for jacketed cable, fits DT04-6P	1011-269-0605
Backshell, DT, 90°, strain relief for jacketed cable, fits DT04-6P	1011-270-0605
DTM Series	
Backshell, DTM, 180°, fits DTM06-2S	1011-273-0205

Connector Accessories

<i>Part Description</i>	<i>Part Number</i>
HD10 Series	
Backshell assembly, compression nut, cable diameter .187-.300	M902-2041
Backshell assembly, compression nut, cable diameter .300-.430	M902-2042
Backshell assembly, compression nut, cable diameter .430-.570	M902-2053
Backshell assembly, compression nut, cable diameter .570-.710	M902-2054
Backshell, HD10, 3 way, cable diameter .187-.300	M902-2131
Backshell, HD10, 3 way, cable diameter .300-.430	M902-2132
Backshell, HD10, 6 way, cable diameter .187-.300	M902-2161
Backshell, HD10, 6 way, cable diameter .300-.430	M902-2162
Backshell, HD10, 6 way, cable diameter .430-.570	M902-2163
Backshell, HD10, 6 way, cable diameter .570-.710	M902-2164
Backshell, HD10, 9 way, cable diameter .187-.300	M902-2191
Backshell, HD10, 9 way, cable diameter .300-.430	M902-2192
Backshell, HD10, 9 way, cable diameter .430-.570	M902-2193
Backshell, HD10, 9 way, cable diameter .570-.710	M902-2194
HD30/HDP20 Series	
Backshell assembly, compression nut, cable diameter .430-.570	M902-2053
Backshell assembly, compression nut, cable diameter .570-.710	M902-2054
Backshell, HDP20, used with L015, 24 shell, cable diameter .430-.570	M902-2243
Backshell, HDP20, used with L015, 24 shell, cable diameter .570-.710	M902-2244
Backshell, HD30, used with 072, 24 shell, cable diameter .430-.570	M902-2343
Backshell, HD30, used with 072, 24 shell, cable diameter .570-.710	M902-2344
Backshell assembly, cap nut, HDP20, used with L015, 24 shell	CN21
Backshell assembly, seal ring, HDP20, used with L015, 24 shell	SRN21
Backshell, HDP20, used with L017, 24 shell, 90°	2428-004-2405
Backshell, HDP20, used with L017, 24 shell, straight	2428-008-2405
Backshell, HDP20, used with L017, 18 shell, 90°	2428-015-1805
Backshell, HDP20, used with L017, 18 shell, straight	2428-016-1805
Strike Series	
Backshell, Strike, Full size arrangements, 90°	SRK BS FL 90 001
Backshell, Strike, Full size arrangements, 180°	SRK BS FL 180 001
Backshell, Strike, Medium size arrangements, 90°	SRK BS MD 90 001
Backshell, Strike, Medium size arrangements, 180°	SRK BS MD 180 001
WT Series	
Backshell assembly, coupling nut, WT, 20 shell, 16 MM	0805-201-2001
Backshell assembly, coupling nut, WT, 20 shell, 19 MM	0805-202-2001
Backshell assembly, coupling nut, WT, 24 shell, 19 MM	0805-201-2401
Backshell assembly, coupling nut, WT, 24 shell, 22 MM	0805-202-2401
Backshell assembly, follower, WT, 20 shell, 16 MM	0818-201-2001
Backshell assembly, follower, WT, 20 shell, 19 MM	0818-202-2001
Backshell assembly, follower, WT, 24 shell, 19 MM	0818-201-2401
Backshell assembly, follower, WT, 24 shell, 22 MM	0818-202-2401
Backshell assembly, secondary grommet, WT, 20 shell, 16 way	0810-201-2001
Backshell assembly, secondary grommet, WT, 24 shell, 31 way	0810-201-2401

Boots

DRB Series	
Boot, DRB, 48 and 60 way, plug and recept.	DRB48/60-BT
Boot, DRB, 102 way, plug	DRB102-BT
DRC Series	
Boot, DRC, 24 way, for plug or recept. w/ sz. 20 contacts, black	DRC24-BT
Boot, DRC, 24 way, for plug or recept. w/ sz. 16 contacts, yellow	DRC24-BT-YW
Boot, DRC, 24 way, for plug w/ sz. 20 contacts, black	DRC26-24BT
Boot, DRC, 40 way, for plug or recept. w/ sz. 16 contacts, black	DRC40-BT
Boot, DRC, 40 way, for plug or recept. w/ sz. 16 contacts, gray	DRC40-BT-GRAY

Connector Accessories

Part Description	Part Number
Boot, DRC, 40 way, for plug or recept. w/ sz. 16 contacts, yellow	DRC40-BT-YW
Boot, DRC, 40 way, for plug or recept. w/ sz. 16 contacts, 90° w/ drain hole, black	DRC40-BT-90DEG
Boot, DRC, 40 way, for plug w/ sz. 20 contacts, black	DRC26-40BT
Boot, DRC, 50 way, for plug w/ sz. 20 contacts, black	DRC26-50BT
Boot, DRC, 70 way, for plug or recept. w/ sz. 16 contacts, black	DRC70-BT
Boot, DRC, 70 way, for plug or recept. w/ sz. 16 contacts, 90°, black	DRC70-BT-90DEG

DT Series

Boot, DT, 2 way, recept.	DT2P-BT
Boot, DT, 2 way, recept., black	DT2P-BT-BK
Boot, DT, 2 way, recept., yellow	DT2P-BT-YW
Boot, DT, 2 way, plug	DT2S-BT
Boot, DT, 2 way, plug, black	DT2S-BT-BK
Boot, DT, 2 way, plug, yellow	DT2S-BT-YW
Boot, DT, 3 way, recept.	DT3P-BT
Boot, DT, 3 way, recept., black	DT3P-BT-BK
Boot, DT, 3 way, recept., yellow	DT3P-BT-YW
Boot, DT, 3 way, plug	DT3S-BT
Boot, DT, 3 way, plug, black	DT3S-BT-BK
Boot, DT, 3 way, plug, yellow	DT3S-BT-YW
Boot, DT, 4 way, recept.	DT4P-BT
Boot, DT, 4 way, recept., black	DT4P-BT-BK
Boot, DT, 4 way, recept., yellow	DT4P-BT-YW
Boot, DT, 4 way, plug	DT4S-BT
Boot, DT, 4 way, plug, black	DT4S-BT-BK
Boot, DT, 4 way, plug, yellow	DT4S-BT-YW
Boot, DT, 6 way, recept.	DT6P-BT
Boot, DT, 6 way, recept., black	DT6P-BT-BK
Boot, DT, 6 way, recept., yellow	DT6P-BT-YW
Boot, DT, 6 way, plug	DT6S-BT
Boot, DT, 6 way, plug, black	DT6S-BT-BK
Boot, DT, 6 way, plug, red	DT6S-BT RED
Boot, DT, 6 way, plug, yellow	DT6S-BT-YW
Boot, DT, 8 way, recept.	DT8P-BT
Boot, DT, 8 way, recept., black	DT8P-BT-BK
Boot, DT, 8 way, plug	DT8S-BT
Boot, DT, 8 way, plug, black	DT8S-BT-BK
Boot, DT, 12 way, recept.	DT12P-BT
Boot, DT, 12 way, recept., black	DT12P-BT-BK
Boot, DT, 12 way, recept., enhanced overlap	DT12P-BT-EN
Boot, DT, 12 way, recept., yellow	DT12P-BT-YW
Boot, DT, 12 way, plug	DT12S-BT
Boot, DT, 12 way, plug, black	DT12S-BT-BK
Boot, DT, 12 way, plug, yellow	DT12S-BT-YW
Boot, DT, 12 way, plug, enhanced overlap	DT12S-BT-EN

DTM Series

Boot, DTM, 2 way, recept.	DTM2P-BT
Boot, DTM, 2 way, recept., black	DTM2P-BT-BK
Boot, DTM, 2 way, plug	DTM2S-BT
Boot, DTM, 2 way, plug, black	DTM2S-BT-BK
Boot, DTM, 3 way, recept.	DTM3P-BT
Boot, DTM, 3 way, plug	DTM3S-BT
Boot, DTM, 3 way, plug, black	DTM3S-BT-BK
Boot, DTM, 4 way, recept.	DTM4P-BT
Boot, DTM, 4 way, plug	DTM4S-BT
Boot, DTM, 6 way, recept.	DTM6P-BT

Connector Accessories

Part Description	Part Number
Boot, DTM, 6 way, plug	DTM6S-BT
Boot, DTM, 8 way, recept.	DTM8P-BT
Boot, DTM, 8 way, plug	DTM8S-BT
Boot, DTM, 8 way, plug, black	DTM8S-BT-BK
Boot, DTM, 12 way, recept.	DTM12P-BT
Boot, DTM, 12 way, recept., black	DTM12P-BT-BK
Boot, DTM, 12 way, plug	DTM12S-BT
Boot, DTM, 12 way, plug, black	DTM12S-BT-BK

DTP Series

Boot, DTP, 2 way, recept.	DTP2P-BT
Boot, DTP, 2 way, recept., black	DTP2P-BT-BK
Boot, DTP, 2 way, plug	DTP2S-BT
Boot, DTP, 4 way, recept.	DTP4P-BT
Boot, DTP, 4 way, recept., enhanced overlap	DTP4P-BT-EN
Boot, DTP, 4 way, plug	DTP4S-BT
Boot, DTP, 4 way, plug, enhanced overlap	DTP4S-BT-EN

HD10 Series

Boot, HD10, 3 way, plug and recept.	HD10-3BT
Boot, HD10, 5 way, plug and recept.	HD10-5BT
Boot, HD10, 5 way, plug and recept., black	HD10-5BT-BK
Boot, HD10, 6 way, plug and recept.	HD10-6BT
Boot, HD10, 6 way, plug and recept., black	HD10-6BT-BK
Boot, HD10, 9 way, plug and recept.	HD10-9BT
Boot, HD10, 9 way, plug and recept., black	HD10-9BT-BK

HD30/HDP20 Series

Boot, HD30/HDP20, 18 shell, plug and recept.	HD30-18BT
Boot, HD30/HDP20, 18 shell, plug and recept., black	HD30-18BT-BK
Boot, HD30/HDP20, 18 shell, plug and recept., 90°, black,	HD30-18BT-90-BK
Boot, HD30/HDP20, 24 shell, plug and recept.	HD30-24BT
Boot, HD30/HDP20, 24 shell, plug and recept., black	HD30-24BT-BK
Boot, HD30/HDP20, 24 shell, plug and recept., 90°, black,	HD30-24BT-90-BK
Boot, rubber, HD30 cable clamp (059), 18 shell	MS3420-12
Boot, rubber, HD30 cable clamp (059), 24 shell	MS3420-16

Strain Relief

DRC Series

Wire router, DRC, 40 way (DRC26-40SA)	0515-015-4005
---------------------------------------	---------------

HD10 Series

Strain relief, HD10, 3 shell	HD18-003
Strain relief, HD10, 6 shell	HD18-006
Strain relief, HD10, 9 shell	HD18-009

HD30/HDP20 Series

Strain relief, HD30, 18 shell, straight	WHDS-18-1
Strain relief, HD30, 18 shell, 90°	WHDS-18-2
Strain relief, HD30, 24 shell, straight	WHDS-24-1
Strain relief, HD30, 24 shell, 90°	WHDS-24-2
Strain relief, cable clamp, HD30, 18 shell	0409-201-1800
Strain relief, cable clamp, HD30, 24 shell	0409-201-2400
Wire router, HD30/HDP20, 23 way, recept.	0411-324-2405
Wire router, HD30/HDP20, 23 way, plug	0411-323-2405

Dust Cover

AEC Series

Cap, dust, AEC, 40 way, recept., non-env. sealed	0515-009-4005
Cap, dust, AEC, 40 way, plug, non-env. sealed	0515-010-4005

Connector Accessories

<i>Part Description</i>	<i>Part Number</i>
DRB Series	
Cap, dust, DRB, 48 and 60 way, recept., non-env. sealed	3315-015-0005
Cap, dust, DRB, 102 way, recept., non-env. sealed	3315-016-0005
DRC Series	
Cap, dust, DRC, 40 way, recept., env. sealed	0504-001-4001
Cap, dust, DRC23, 40 way, recept., env. sealed	0504-003-4001
Cap, dust, DRC, 24 way, recept., non-env. sealed	0515-004-2405
Cap, dust, DRC, 24 way, plug, non-env. sealed	0515-005-2405
Cap, dust, DRC, 40 way, recept., non-env. sealed	0515-002-4005
Cap, dust, DRC, 40 way, plug, non-env. sealed	0515-001-4005
Cap, dust, DRC, 70 way, recept., non-env. sealed	0515-007-7005
Cap, dust, DRC, 70 way, plug, non-env. sealed	0515-006-7005
HD10 Series	
Cover, protective, HD10, 3 way, recept.	HDC16-3
Cover, protective, HD10, 3 way, plug	HDC14-3
Cover, protective, HD10, 5 way, recept.	HDC16-5
Cover, protective, HD10, 6 way, recept.	HDC16-6
Cover, protective, HD10, 6 way, recept., black	HDC16-6-E004
Cover, protective, HD10, 6 way, plug	HDC14-6
Cover, protective, HD10, 9 way, recept.	HDC16-9
Cover, protective, HD10, 9 way, recept., black	HDC16-9-E004
Cover, protective, HD10, 9 way, plug	HDC14-9
Cover, protective, HD10, 9 way, recept., rubber lanyard, black	HDC9-JDL082397
Cover, protective, HD10, 9 way, recept., rubber lanyard, gray	HDC16-9-JDL
Lanyard, rubber	JDL082397
Lanyard, steel, 3/64" x 6", nylon coating	L47N-600-1
Lanyard, steel, 3/64" x 16", nylon coating	L47N-1600-1
HD30 Series	
Cover, protective, HD30, 18 shell, recept., chain with eyelet	HDC36-18
Cover, protective, HD30, 18 shell, recept., no chain	HDC36-18-1E
Cover, protective, HD30, 18 shell, recept., chain with eyelet, chromated	HDC36-18-HL01
Cover, protective, HD30, 18 shell, recept., chain without eyelet	HDC36-18-L020
Cover, protective, HD30, 18 shell, plug, chain with eyelet	HDC34-18
Cover, protective, HD30, 18 shell, plug, chain with eyelet, chromated	HDC34-18-HL01
Cover, protective, HD30, 18 shell, plug, chain without eyelet	HDC34-18-L020
Cover, protective, HD30, 24 shell, recept., chain with eyelet	HDC36-24
Cover, protective, HD30, 24 shell, recept., no chain	HDC36-24-1E
Cover, protective, HD30, 24 shell, plug, chain with eyelet	HDC34-24
Cover, protective, HD30, 24 shell, plug, no chain	HDC34-24-1E
Cover, protective, HD30, 24 shell, plug, chain without eyelet	HDC34-24-L020
HD Box Series	
Cover, protective, HDBox	5004-001-2405
Cover, protective, HDBox, screws included	5004-002-2405

Sealing Plugs

Sealing plug, sz. 4	114019
Sealing plug, sz. 8	114018
Sealing plug, sz. 12-16	114017
Sealing plug, locking, sz. 16	0413-217-1605
Sealing plug, sz. 20	0413-204-2005

Keying Pins

Keying pin, sz. 12	0413-214-1205
Keying pin, sz. 16	0413-215-1605
Keying pin, sz. 20	0413-216-2005

<i>Part Description</i>	<i>Part Number</i>
-------------------------	--------------------

Contact Removal Tools

Tool, contact removal, sz. 4	114009
Tool, contact removal, sz. 8	114008
Tool, contact removal, sz. 8, HD Box	0411-353-0805
Tool, contact removal, sz. 12	114010
Tool, contact removal, sz. 12, E seal	0411-337-1205
Tool, contact removal, sz. 14	0411-291-1405
Tool, contact removal, sz. 16	0411-310-1605
Tool, contact removal, sz. 16, E seal	0411-336-1605
Tool, contact removal, sz. 20	0411-240-2005
Tool, contact/wedgelock removal, DT series	DT/RT1

D-hole Punches

Tool, D-hole punch, 18 shell	18-D Punch
Tool, D-hole punch, 24 shell	24-D Punch
Tool, punch, draw stud	PUNCH-DRAW-STUD

Mounting Flanges

DRB Series

Flange, DRB, 102 way, A key	DRBF-1A
Flange, DRB, 48 or 60 way, A key	DRBF-2A
Flange, DRB, 48 or 60 way, B key	DRBF-2B
Flange, DRB, 48 or 60 way, C key	DRBF-2C
Flange, DRB, 48 or 60 way, D key	DRBF-2D
Flange, DRB, 48 or 60 way, A & B key	DRBF-3AB
Flange, DRB, 102 way, A key, (2) 125 amp terminal posts	DRBM-2A

Gaskets

DRC Series

Gasket, DRC, 24 way, recept.	DRC24-GKT
Gasket, DRC, 40 way, recept.	DRC40-GKT
Gasket, DRC, 70 way, recept.	DRC70-GKT

DT/DTP Series

Gasket, DT, 3 way, flanged recept.	DT3P-L012-GKT
Gasket, DT, 4 way, flanged recept.	DT4P-L012-GKT
Gasket, DT, 8 way, flanged recept.	DT8P-L012-GKT
Gasket, DT, 12 way, flanged recept.	DT12P-L012-GKT
Gasket, DTP, 4 way, flanged recept.	DTP4P-L012-GKT

HD10 Series

Gasket, HD10, 3 way	HD10-3-GKT
Gasket, HD10, 5 way	HD10-5-GKT
Gasket, HD10, 6 way	HD10-6-GKT
Gasket, HD10, 9 way	HD10-9-GKT

HD30/HDP20 Series

Gasket, HD30/HDP20, 18 shell	16-04978
Gasket, HD30/HDP20, 24 shell	16-04477

Mounting Hardware

DT Series

Mounting clip, DT, plastic, used with 2, 3, 4, 6, 12 way	1011-026-0205
Mounting clip, DT, plastic, used with 2, 3, 4, 6, 12 way, black	1011-030-0205
Mounting clip, DT, plastic, used with 8 way	1011-027-0805
Mounting clip, DT, plastic, used with 8 way, black	1011-031-0805
Mounting clip, DT, steel, used with 2, 3, 4, 6, 12 way, .512 O.D. hole	1027-004-1200

Connector Accessories

Part Description	Part Number
Mounting clip, DT, steel, used with 8 way, .323 O.D. hole	1027-014-0800
Mounting clip, DT, stainless steel, used with 2, 3, 4, 6, 12 way, .433 O.D. hole	1027-003-1200
Mounting clip, DT, stainless steel, used with 2, 3, 4, 6, 12 way, .512 O.D. hole	1027-005-1200
Mounting clip, DT, stainless steel, used with 8 way, .512 O.D. hole	1027-006-0800
Mounting clip, DT, stainless steel, used with 8 way, .433 O.D. hole	1027-001-0800

HD30/HDP20 Series

Lockwasher, 18 shell, HD30	114021
Lockwasher, 18 shell, HDP20, curved	2414-002-1886
Lockwasher, 24 shell, HD30	112264
Lockwasher, 24 shell, HDP20, curved	2414-001-2486
Panel nut, 18 shell, HD30, metal	114020-90
Panel nut, 18 shell, HDP20, plastic	2411-002-1805
Panel nut, 24 shell, HD30, metal	112263-90
Panel nut, 24 shell, HDP20, plastic	2411-001-2405

HDFB Series

Mounting bracket, HDFB, three hole	0427-201-0390
Mounting bracket, HDFB, two hole	0427-202-0290

WT Series

Lockwasher, 20 shell, WT	0914-212-2086
Lockwasher, 24 shell, WT	0914-212-2486
Panel nut, 20 shell, WT, metal	1026-201-2058
Panel nut, 24 shell, WT, metal	0926-207-2487
Panel nut, 24 shell, WT, composite	0926-208-2401
O-ring, flange, 20 shell, WT, silicone	9013-3-0201
O-ring, flange, 24 shell, WT, silicone	9013-3-0401
O-ring, flange, 24 shell, WT, fluorosilicone	9013-3-0402

Seals

DRC Series

Seal, flange, DRC13, 70 way, recept.	0510-011-7006
Seal, flange, DRC13, 24 way, recept.	0510-014-2406
Seal, flange, DRC, 40 way, recept.	0513-014-4006
Seal, flange, for DRC23-64PAA	0513-029-6406
Seal, front, DRC, 24 way, plug	0513-009-2406
Seal, front, DRC, 40 way, plug, without keys	0513-002-0006
Seal, front, DRC, 40 way, plug, DRC18-40S*	0513-010-4006
Seal, front, DRC, 70 way, plug	0513-011-7006
Seal, casting, DRC, 80 way, recept.	0513-017-8006

DT Series

Seal, flange, DT, 12 way (DT04-12PA-LE03, DT04-12PA-LE09)	1013-003-1206
Seal, flange, DT13/15, 2 way, recept.	1013-008-0206
Seal, flange, DT13/15, 4 way, recept.	1013-007-0406
Seal, flange, DT13/15, 6 way, recept.	1013-004-0606
Seal, flange, DT13/15, 8 way, recept.	1013-005-0806
Seal, flange, DT13/15, 12 way, recept.	1013-006-1206
Seal, front, DT, 2 way, plug	1010-009-0206
Seal, front, DT, 3 way, plug	1010-002-0306
Seal, front, DT, 3 way, plug, fluorosilicone (DT06-3S-EF02)	1010-069-0306
Seal, front, DT, 4 way, plug	1010-016-0406
Seal, front, DT, 6 way, plug	1010-017-0606
Seal, front, DT, 8 way, plug	1010-007-0806
Seal, front, DT, 12 way, plug	1010-020-1206
Seal, front, enhanced, DT, 2 way, plug	1010-064-0206
Seal, front, enhanced, DT, 3 way, plug	1010-062-0306
Seal, front, enhanced, DT, 4 way, plug	1010-066-0406

Connector Accessories

Part Description	Part Number
Seal, front, enhanced, DT, 6 way, plug	1010-070-0606
Seal, front, enhanced, DT, 8 way, plug	1010-063-0806
Seal, front, enhanced, DT, 12 way, plug	1010-058-1206

DTM Series

Seal, internal, DTM, 2 way, recept.	1010-033-0206
Seal, internal, DTM, 3 way, recept.	1010-044-0306
Seal, internal, DTM, 4 way, recept.	1010-036-0406
Seal, internal, DTM, 6 way, recept.	1010-038-0606
Seal, internal, DTM, 8 way, recept.	1010-040-0806
Seal, internal, DTM, 12 way, recept.	1010-042-1206

DTP Series

Seal, internal, DTP, 2 way, recept.	1010-079-0206
Seal, internal, DTP, 4 way, recept.	1010-074-0406

Strike Series Tools

Tool, Strike, Recept., secondary lock closing tool	SRK MT 02
Tool, Strike, Recept., secondary lock removal tool	SRK RT 02
Tool, Strike, Plug, secondary lock removal tool	SRK RT 06

Connector Components

AEC Series

Bolt, retaining, AEC, 40 way	0526-008-0090
Bolt, retaining, AEC17-40P*	0526-009-0090
Washer, for AEC17-40P* jackscrew assembly	0514-009-4001

DRC Series

Retaining bolt, DRC, 24 way	0526-004-0090
Retaining bolt, DRC, 38 way	0526-012-0090
Retaining bolt, DRC, 40 way and 70 way	0526-001-0090
Retaining bolt, DRC, 50 way	0526-012-0090
Retaining ring, DRC	0535-001-0001
Retaining ring, DRC, stainless steel	0535-002-0001

HD10 Series

Coupling ring, HD10, 3 way	0730-008-0305
Coupling ring, HD10, 5 way	0730-009-0505
Coupling ring, HD10, 6 way	0730-004-0605
Coupling ring, HD10, 9 way	0730-001-0905

DTM Series

Retaining sleeve, DTM, 2 way, recept.	1011-040-0205
Retaining sleeve, DTM, 3 way, recept.	1011-056-0305
Retaining sleeve, DTM, 4 way, recept.	1011-046-0405
Retaining sleeve, DTM, 6 way, recept.	1011-047-0605
Retaining sleeve, DTM, 6 way, recept., black	1011-086-0605
Retaining sleeve, DTM, 8 way, recept., A key	1011-048-0805
Retaining sleeve, DTM, 12 way, recept., A key	1011-052-1205
Retaining sleeve, DTM, 12 way, recept., B key	1011-053-1205
Retaining sleeve, DTM, 12 way, recept., C key	1011-054-1205
Retaining sleeve, DTM, 12 way, recept., D key	1011-055-1205

DTP Series

Retaining sleeve, DTP, 2 way, recept.	1011-120-0205
Retaining sleeve, DTP, 4 way, recept.	1011-118-0405

Miscellaneous

Crimp sleeve reducer seal, sz. 4	0410-241-0406
Crimp sleeve reducer, sz. 4	0421-203-04141
O-ring, for AEC17-40P* jackscrew assembly	0513-013-4006
Seal, vibration dampening, DT, 2 way, receptacle	1010-057-0206

Contacts

<i>Current Rating Amps</i>	<i>Part Description</i>	<i>Part Number</i>
Solid Contacts-Pins		
Size 4		
100	Pin, solid, sz. 4, 6 AWG, nickel	0460-204-0490
Size 8		
60	Pin, solid, sz. 8, 8-10 AWG, nickel	0460-204-08141
Size 12		
25	Pin, solid, sz. 12, 12-14 AWG, nickel	0460-204-12141
25	Pin, solid, sz. 12, nickel, extended PCB	0460-208-12141
25	Pin, solid, sz. 12, 12-14 AWG, nickel, special DIM	0460-211-12141
25	Pin, solid, sz. 12, 12-14 AWG, gold	0460-220-1231
25	Pin, solid, sz. 12, gold, extended PCB	0460-245-1231
25	Pin, solid, sz. 12, tin, extended PCB	0460-245-1290
25	Pin, solid, sz. 12, reduced crimp barrel (16-18 AWG), gold	0460-256-12233
Size 16 (14 AWG)		
13	Pin, solid, sz. 16, 14 AWG, nickel	0460-215-16141
13	Pin, solid, sz. 16, 14 AWG, gold	0460-215-1631
Size 16		
13	Pin, solid, sz. 16, 16-20 AWG, nickel	0460-202-16141
13	Pin, solid, sz. 16, 16-20 AWG, gold	0460-202-1631
13	Pin, solid, sz. 16, nickel, extended PCB (see Deutsch drawing 0425-202-0000)	0460-208-16141
13	Pin, solid, sz. 16, gold, extended PCB (see Deutsch drawing 0425-202-0000)	0460-208-1631
13	Pin, solid, sz. 16, nickel, extended PCB (see Deutsch drawing 0425-202-0000)	0460-229-16141
13	Pin, solid, sz. 16, nickel, extended PCB (see Deutsch drawing 0425-202-0000)	0460-241-16141
13	Pin, solid, sz. 16, nickel, extended PCB (see Deutsch drawing 0425-202-0000)	0460-244-16141
13	Pin, solid, sz. 16, gold, extended PCB (see Deutsch drawing 0425-202-0000)	0460-244-1631
13	Pin, solid, sz. 16, tin, extended PCB (see Deutsch drawing 0425-202-0000)	0460-244-1690
13	Pin, solid, sz. 16, 16-20 AWG, nickel, extended crimp, seals against rear grommet	0460-247-16141
13	Pin, solid, sz. 16, 16-20 AWG, gold, extended crimp, seals against rear grommet	0460-247-1631
13	Pin, solid, sz. 16, nickel, extended interface	0460-264-16141
Size 20		
7.5	Pin, solid, sz. 20, 16-18 AWG, gold	0460-010-2031
7.5	Pin, solid, sz. 20, 20 AWG, nickel	0460-202-20141
7.5	Pin, solid, sz. 20, 20 AWG, gold	0460-202-2031
7.5	Pin, solid, sz. 20, gold, extended PCB	0460-208-2031
7.5	Pin, solid, sz. 20, tin, extended PCB	0460-208-2090
Solid Contacts-Sockets		
Size 4		
100	Socket, solid, sz. 4, 6 AWG, nickel	0462-203-04141
Size 8		
60	Socket, solid, sz. 8, 8-10 AWG, nickel	0462-203-08141
Size 12		
25	Socket, solid, sz. 12, 12-14 AWG, nickel	0462-203-12141
25	Socket, solid, sz. 12, 12-14 AWG, gold	0462-210-1231
25	Socket, solid, sz. 12, 12-14 AWG, nickel, special DIM	0462-215-1231
Size 16 (14 AWG)		
13	Socket, solid, sz. 16, 14 AWG, nickel	0462-209-16141
13	Socket, solid, sz. 16, 14 AWG, gold	0462-209-1631
Size 16		
13	Socket, solid, sz. 16, 16-20 AWG, nickel	0462-201-16141
13	Socket, solid, sz. 16, 16-20 AWG, gold	0462-201-1631
13	Socket, solid, sz. 16, 16-20 AWG, gold, extended crimp, seals against rear grommet	0462-221-1631
Size 20		
7.5	Socket, solid, sz. 20, 16-18 AWG, gold	0462-005-2031

Current Rating		
Amps	Part Description	Part Number
7.5	Socket, solid, sz. 20, 20 AWG, nickel	0462-201-20141
7.5	Socket, solid, sz. 20, 20 AWG, gold	0462-201-2031

Stamped and Formed Contacts-Pins

Size 12 (10 AWG)

25	Pin, stamped & formed, sz. 12, 10 AWG, .140-.204 insulation, nickel	1060-12-0222
25	Pin, stamped & formed, sz. 12, 10 AWG, .140-.204 insulation, nickel, partial strip	1060-12-0222-PS

Size 12

25	Pin, stamped & formed, sz. 12, 12-14 AWG, .113-.176 insulation, gold	1060-12-0144
25	Pin, stamped & formed, sz. 12, 12-14 AWG, .113-.176 insulation, gold, partial strip	1060-12-0144-PS
25	Pin, stamped & formed, sz. 12, 12-14 AWG, .113-.176 insulation, nickel	1060-12-0166
25	Pin, stamped & formed, sz. 12, 12-14 AWG, .113-.176 insulation, nickel, partial strip	1060-12-0166-PS

Size 16 (14 AWG)

13	Pin, stamped & formed, sz. 16, 14-18 AWG, .095-.150 insulation, nickel	1060-14-0122
13	Pin, stamped & formed, sz. 16, 14-18 AWG, .095-.150 insulation, nickel, partial strip	1060-14-0122-PS
13	Pin, stamped & formed, sz. 16, 14-18 AWG, .095-.150 insulation, gold	1060-14-0144
13	Pin, stamped & formed, sz. 16, 14-18 AWG, .095-.150 insulation, gold, partial strip	1060-14-0144-PS

Size 16

13	Pin, stamped & formed, sz. 16, 14-18 AWG, .075-.140 insulation, nickel	1060-16-0122
13	Pin, stamped & formed, sz. 16, 14-18 AWG, .075-.140 insulation, nickel, partial strip	1060-16-0122-PS
13	Pin, stamped & formed, sz. 16, 14-18 AWG, .075-.140 insulation, gold	1060-16-0144
13	Pin, stamped & formed, sz. 16, 14-18 AWG, .075-.140 insulation, gold, partial strip	1060-16-0144-PS
13	Pin, stamped & formed, sz. 16, 16-20 AWG, .055-.100 insulation, nickel	1060-16-0622
13	Pin, stamped & formed, sz. 16, 16-20 AWG, .055-.100 insulation, nickel, partial strip	1060-16-0622-PS
13	Pin, stamped & formed, sz. 16, 16-20 AWG, .055-.100 insulation, gold	1060-16-0644
13	Pin, stamped & formed, sz. 16, 16-20 AWG, .055-.100 insulation, gold, partial strip	1060-16-0644-PS
13	Pin, stamped & formed, sz. 16, 14-18 AWG, .075-.140 insulation, nickel	1060-16-0722
13	Pin, stamped & formed, sz. 16, 14-18 AWG, .075-.140 insulation, selective gold	1060-16-0988
13	Pin, stamped & formed, sz. 16, 14-18 AWG, .075-.140 insulation, selective gold, partial strip	1060-16-0988-PS
13	Pin, stamped & formed, sz. 16, 12-16 AWG, .075-.140 insulation, nickel	1060-16-1222
13	Pin, stamped & formed, sz. 16, 12-16 AWG, .075-.140 insulation, nickel, partial strip	1060-16-1222-PS

Size 20

7.5	Pin, stamped & formed, sz. 20, 16-22 AWG, .075-.125 insulation, nickel	1060-20-0122
7.5	Pin, stamped & formed, sz. 20, 16-22 AWG, .075-.125 insulation, nickel, partial strip	1060-20-0122-PS
7.5	Pin, stamped & formed, sz. 20, 16-22 AWG, .075-.125 insulation, gold	1060-20-0144
7.5	Pin, stamped & formed, sz. 20, 16-22 AWG, .075-.125 insulation, gold, partial strip	1060-20-0144-PS
7.5	Pin, stamped & formed, sz. 20, 16-22 AWG, .051-.085 insulation, nickel	1060-20-0222
7.5	Pin, stamped & formed, sz. 20, 16-22 AWG, .051-.085 insulation, nickel, partial strip	1060-20-0222-PS
7.5	Pin, stamped & formed, sz. 20, 16-22 AWG, .051-.085 insulation, gold	1060-20-0244
7.5	Pin, stamped & formed, sz. 20, 16-22 AWG, .051-.085 insulation, gold, partial strip	1060-20-0244-PS

Stamped and Formed Contacts-Sockets

Size 12 (10 AWG)

25	Socket, stamped & formed, sz. 12, 10 AWG, .140-.204 insulation, nickel	1062-12-0222
25	Socket, stamped & formed, sz. 12, 10 AWG, .140-.204 insulation, nickel, partial strip	1062-12-0222-PS

Size 12

25	Socket, stamped & formed, sz. 12, 12-14 AWG, .113-.176 insulation, gold	1062-12-0144
25	Socket, stamped & formed, sz. 12, 12-14 AWG, .113-.176 insulation, gold, partial strip	1062-12-0144-PS
25	Socket, stamped & formed, sz. 12, 12-14 AWG, .113-.176 insulation, nickel	1062-12-0166
25	Socket, stamped & formed, sz. 12, 12-14 AWG, .113-.176 insulation, nickel, partial strip	1062-12-0166-PS

Size 16 (14 AWG)

13	Socket, stamped & formed, sz. 16, 14-18 AWG, .095-.150 insulation, nickel	1062-14-0122
13	Socket, stamped & formed, sz. 16, 14-18 AWG, .095-.150 insulation, nickel, partial strip	1062-14-0122-PS
13	Socket, stamped & formed, sz. 16, 14-18 AWG, .095-.150 insulation, gold	1062-14-0144
13	Socket, stamped & formed, sz. 16, 14-18 AWG, .095-.150 insulation, gold, partial strip	1062-14-0144-PS

Contacts

<i>Current Rating Amps</i>	<i>Part Description</i>	<i>Part Number</i>
Size 16		
13	Socket, stamped & formed, sz. 16, 14-18 AWG, .075-.140 insulation, nickel	1062-16-0122
13	Socket, stamped & formed, sz. 16, 14-18 AWG, .075-.140 insulation, nickel, partial strip	1062-16-0122-PS
13	Socket, stamped & formed, sz. 16, 14-18 AWG, .075-.140 insulation, gold	1062-16-0144
13	Socket, stamped & formed, sz. 16, 14-18 AWG, .075-.140 insulation, gold, partial strip	1062-16-0144-PS
13	Socket, stamped & formed, sz. 16, 16-20 AWG, .055-.100 insulation, nickel	1062-16-0622
13	Socket, stamped & formed, sz. 16, 16-20 AWG, .055-.100 insulation, nickel, partial strip	1062-16-0622-PS
13	Socket, stamped & formed, sz. 16, 16-20 AWG, .055-.100 insulation, gold	1062-16-0644
13	Socket, stamped & formed, sz. 16, 16-20 AWG, .055-.100 insulation, gold, partial strip	1062-16-0644-PS
13	Socket, stamped & formed, sz. 16, 14-18 AWG, .075-.140 insulation, nickel	1062-16-0722
13	Socket, stamped & formed, sz. 16, 14-18 AWG, .075-.140 insulation, nickel, partial strip	1062-16-0722-PS
13	Socket, stamped & formed, sz. 16, 14-18 AWG, .075-.140 insulation, selective gold	1062-16-0988
13	Socket, stamped & formed, sz. 16, 14-18 AWG, .075-.140 insulation, selective gold, partial strip	1062-16-0988-PS
13	Socket, stamped & formed, sz. 16, 12-16 AWG, .075-.140 insulation, nickel	1062-16-1222
13	Socket, stamped & formed, sz. 16, 12-16 AWG, .075-.140 insulation, nickel, partial strip	1062-16-1222-PS
13	Socket, stamped & formed, sz. 16, 12-16 AWG, .075-.140 insulation, nickel, sleeveless	1062-16-1422
13	Socket, stamped & formed, sz. 16, 12-16 AWG, .075-.140 insulation, nickel, sleeveless, partial strip	1062-16-1422-PS
13	Socket, stamped & formed, sz. 16, 12-16 AWG, .075-.140 insulation, gold, sleeveless	1062-16-1444
Size 20		
7.5	Socket, stamped & formed, sz. 20, 16-22 AWG, .075-.125 insulation, nickel	1062-20-0122
7.5	Socket, stamped & formed, sz. 20, 16-22 AWG, .075-.125 insulation, nickel, partial strip	1062-20-0122-PS
7.5	Socket, stamped & formed, sz. 20, 16-22 AWG, .075-.125 insulation, gold	1062-20-0144
7.5	Socket, stamped & formed, sz. 20, 16-22 AWG, .075-.125 insulation, gold, partial strip	1062-20-0144-PS
7.5	Socket, stamped & formed, sz. 20, 16-22 AWG, .051-.085 insulation, nickel	1062-20-0222
7.5	Socket, stamped & formed, sz. 20, 16-22 AWG, .051-.085 insulation, nickel, partial strip	1062-20-0222-PS
7.5	Socket, stamped & formed, sz. 20, 16-22 AWG, .051-.085 insulation, gold	1062-20-0244
7.5	Socket, stamped & formed, sz. 20, 16-22 AWG, .051-.085 insulation, gold, partial strip	1062-20-0244-PS
7.5	Socket, stamped & formed, sz. 20, 16-22 AWG, .075-.125 insulation, nickel, sleeveless	1062-20-0322
7.5	Socket, stamped & formed, sz. 20, 16-22 AWG, .075-.125 insulation, nickel, sleeveless, partial strip	1062-20-0322-PS
7.5	Socket, stamped & formed, sz. 20, 16-22 AWG, .075-.125 insulation, gold, sleeveless	1062-20-0344
7.5	Socket, stamped & formed, sz. 20, 16-22 AWG, .075-.125 insulation, gold, sleeveless, partial strip	1062-20-0344-PS

Crimp Tooling - Solid Contacts

Size	Part Description	Part Number
Production Crimp Tools		
Tooling		
4-20	Tool, crimp, production, solid contacts sz. 4-20	HDP-400
N/A	Tool, crimp, production, HDP-400, foot control	104
Die Assemblies		
N/A	Tool, crimp, HDP-400, spring, die	400-375
4	Tool, crimp, HDP-400, sz. 4, die assembly	414DA-4S
8	Tool, crimp, HDP-400, sz. 8, die assembly	414DA-8SPEC
12	Tool, crimp, HDP-400, sz. 12, die assembly	414DA-12N
16	Tool, crimp, HDP-400, sz. 16, die assembly	414DA-16N
20	Tool, crimp, HDP-400, sz. 20, die assembly	414DA-20N
Locators		
4	Tool, crimp, HDP-400, sz. 4, steel locator	4301-4S
8	Tool, crimp, HDP-400, sz. 8, steel locator	4301-8S
12	Tool, crimp, HDP-400, sz. 12, steel locator	4301-12S
16	Tool, crimp, HDP-400, 0460-247-16**, steel locator	7053-S
16	Tool, crimp, HDP-400, sz. 16, steel locator	4301-16S
20	Tool, crimp, HDP-400, sz. 20, steel locator	4301-20S
Gauges		
4	Tool, gauge, sz. 4, Go-No-Go for HDP-400	450GA-4 SPEC
8	Tool, gauge, sz. 8, Go-No-Go for HDP-400	450GA-8 SPEC
12	Tool, gauge, sz. 12, Go-No-Go for HDP-400	450GA-12N
16	Tool, gauge, sz. 16, Go-No-Go for HDP-400	450GA-16N
Hand Crimp Tools		
Tooling		
4, 8	Tool, crimp, hand, sz. 4 and 8, solid	HDT-04-08
12-20	Tool, crimp, hand, sz. 20, 16, and 12, solid	HDT-48-00
12-20	Tool, crimp, hand, sz. 20, 16, and 12, solid, field service	HDT-1561
Accessories		
N/A	Tool, gauge, Go-No-Go for HDT-48-00	G454
N/A	Nut, locking, HDT-48-00, silver	M2700-395-10
N/A	Tool, HDT-48-00, adjustment screw and locking nut	0426-209-0000
4	Tool, HDT-04-08, sz. 4 die	0434-205-0400
8	Tool, HDT-04-08, sz. 8 die	0434-205-0800

Crimp Tools - Stamped & Formed Contacts

Size	Part Description	Part Number
<i>Production Crimp Tools</i>		
12	Tool, crimp, sz. 12 stamped & formed die	DCT12-02-00
12	Tool, crimp, sz. 12 stamped & formed die, 10 AWG	DCT12-02-01
16	Tool, crimp, sz. 16 stamped & formed die	DCT16-02-00
16 & 20	Tool, crimp, sz. 16 and 20 stamped & formed die	DCT1620-02-00
20	Tool, crimp, sz. 20 stamped & formed die	DCT20-02-00
<i>Hand Crimp Tools</i>		
12	Tool, crimp, hand, stamped & formed sz. 12, 12-14 AWG	DTT-12-00
12 (10 AWG)	Tool, crimp, hand, stamped & formed sz. 12, 10 AWG	DTT-12-01
16	Tool, crimp, hand, stamped & formed sz. 16, 14-16 AWG	DTT-16-00
16	Tool, crimp, hand, stamped & formed sz. 16, 18-20 AWG	DTT-16-01
16	Tool, crimp, hand, stamped & formed sz. 16 (106*-16-12**)	DTT-16-02
20	Tool, crimp, hand, stamped & formed sz. 20, 16-20 AWG	DTT-20-00
20	Tool, crimp, hand, stamped & formed sz. 20 (106*-20-02**)	DTT-20-02
<i>Replacement/Accessory Components</i>		
N/A	Tool, crimp, DCT16-02-00, punch, conductor	1017-002-0200
N/A	Tool, crimp, DCT16-02-00, punch, conductor, (106*-16-06** contacts)	1017-003-0200
N/A	Tool, crimp, DCT20-02-00, punch, conductor	1017-004-0200
N/A	Tool, crimp, DCT12-02-00, punch, conductor	1017-008-0200
N/A	Tool, crimp, DCT1620-02-00, punch, conductor, sz. 20	1017-081-0200
N/A	Tool, crimp, DCT1620-02-00, punch, conductor, sz. 16 (106*-16-06** contacts)	1017-082-0200
N/A	Tool, crimp, DCT1620-02-00, punch, conductor, sz. 16	1017-083-0200
N/A	Tool, crimp, DCT16-02-00, anvil, conductor	1017-101-0200
N/A	Tool, crimp, DCT16-02-00, anvil, conductor, (106*-16-06** contacts)	1017-103-0200
N/A	Tool, crimp, DCT20-02-00, anvil, conductor	1017-104-0200
N/A	Tool, crimp, DCT12-02-00, anvil, conductor	1017-108-0200
N/A	Tool, crimp, DCT1620-02-00, anvil, conductor, sz. 20	1017-181-0200
N/A	Tool, crimp, DCT1620-02-00, anvil, conductor, sz. 16 (106*-16-06** contacts)	1017-182-0200
N/A	Tool, crimp, DCT1620-02-00, anvil, conductor, sz. 16	1017-183-0200
N/A	Tool, crimp, DCT16-02-00, DCT20-02-00, punch, insulation, .120-.150	1017-210-0200
N/A	Tool, crimp, DCT16-02-00, DCT20-02-00, punch, insulation, .105-.125	1017-211-0200
N/A	Tool, crimp, DCT16-02-00, DCT20-02-00, punch, insulation, .085-.111	1017-213-0200
N/A	Tool, crimp, DCT16-02-00, DCT20-02-00, punch, insulation, .075-.105	1017-214-0200
N/A	Tool, crimp, DCT16-02-00, DCT20-02-00, punch, insulation, .050-.075	1017-218-0200
N/A	Tool, crimp, DCT12-02-00, punch, insulation, .151-.176	1017-219-0200
N/A	Tool, crimp, DCT12-02-00, punch, insulation, .130-.154	1017-222-0200
N/A	Tool, crimp, DCT1620-02-00, punch, insulation, .120-.150	1017-225-0200
N/A	Tool, crimp, DCT1620-02-00, punch, insulation, .105-.125	1017-226-0200
N/A	Tool, crimp, DCT1620-02-00, punch, insulation, .085-.111	1017-227-0200
N/A	Tool, crimp, DCT1620-02-00, punch, insulation, .075-.105	1017-228-0200
N/A	Tool, crimp, DCT1620-02-00, punch, insulation, .063-.094	1017-229-0200
N/A	Tool, crimp, DCT1620-02-00, punch, insulation, .050-.075	1017-230-0200
N/A	Tool, crimp, DCT1620-02-00, DCT20-02-00, anvil, insulation, .120-.150	1017-310-0200
N/A	Tool, crimp, DCT1620-02-00, DCT20-02-00, anvil, insulation, .105-.125	1017-311-0200
N/A	Tool, crimp, DCT1620-02-00, DCT20-02-00, anvil, insulation, .085-.111	1017-313-0200
N/A	Tool, crimp, DCT1620-02-00, DCT20-02-00, anvil, insulation, .050-.075	1017-318-0200
N/A	Tool, crimp, DCT12-02-00, anvil, insulation, .151-.176	1017-319-0200
N/A	Tool, crimp, DCT12-02-00, anvil, insulation, .130-.154	1017-322-0200
N/A	Tool, crimp, DCT1620-02-00, anvil, insulation, .120-.150	1017-325-0200
N/A	Tool, crimp, DCT1620-02-00, anvil, insulation, .105-.125	1017-326-0200
N/A	Tool, crimp, DCT1620-02-00, anvil, insulation, .085-.111	1017-327-0200
N/A	Tool, crimp, DCT1620-02-00, anvil, insulation, .075-.105	1017-328-0200

Crimp Tools - Stamped & Formed Contacts

Size	Part Description	Part Number
N/A	Tool, crimp, DCT1620-02-00, anvil, insulation, .063-.094	1017-329-0200
N/A	Tool, crimp, DCT1620-02-00, anvil, insulation, .050-.075	1017-330-0200
N/A	Tool, crimp, DCT12-02-00, DCT12-02-01, DCT16-02-00, DCT20-02-00, cutter holder	1017-460-0200
N/A	Tool, crimp, DCT16-02-00, cutter punch	1017-461-0200
N/A	Tool, crimp, DCT16-02-00, cutter	1017-462-0200
N/A	Tool, crimp, DCT16-02-00, DCT20-02-00, gathering insert	1017-463-0200
N/A	Tool, crimp, DCT16-02-00, DCT20-02-00, conductor depressor	1017-464-0200
N/A	Tool, crimp, DCT12-02-00, DCT16-02-00, DCT20-02-00, conductor depressor holder	1017-465-0200
N/A	Tool, crimp, DCT16-02-00, DCT20-02-00, pressure pad	1017-466-0200
N/A	Tool, crimp, DCT16-02-00, DCT20-02-00, pressure pad holder	1017-467-0200
N/A	Tool, crimp, DCT12-02-00, DCT12-02-01, DCT16-02-00, DCT20-02-00, feed finger (MAC-77L)	1017-468-0200
N/A	Tool, crimp, DCT12-02-00, DCT12-02-01, DCT16-02-00, DCT20-02-00, wire stop	1017-469-0200
N/A	Tool, crimp, DCT12-02-00, DCT16-02-00, DCT20-02-00, gathering insert spring	1017-470-0200
N/A	Tool, crimp, DCT12-02-00, DCT12-02-01, DCT16-02-00, DCT20-02-00, pressure pad spring	1017-471-0200
N/A	Tool, crimp, DCT16-02-00, DCT20-02-00, cutter spring	1017-473-0200
N/A	Tool, crimp, DCT12-02-00, DCT12-02-01, DCT16-02-00, DCT20-02-00, terminal guide plate, curved	1017-474-0200
N/A	Tool, crimp, DCT16-02-00, guide plate	1017-476-0200
N/A	Tool, crimp, DCT16-02-00, rear anvil holder	1017-479-0200
N/A	Tool, crimp, DCT12-02-00, DCT12-02-01, DCT16-02-00, DCT20-02-00, feed spring	1017-480-0200
N/A	Tool, crimp, DCT12-02-00, DCT12-02-01, DCT16-02-00, DCT20-02-00, shank	1017-481-0200
N/A	Tool, crimp, DCT12-02-00, DCT12-02-01, DCT16-02-00, DCT20-02-00, cutter	1017-482-0200
N/A	Tool, crimp, DCT20-02-00, cutter punch	1017-483-0200
N/A	Tool, crimp, DCT12-02-00, DCT12-02-01, DCT16-02-00, DCT20-02-00, cam roller	1017-484-0200
N/A	Tool, crimp, DCT12-02-00, DCT12-02-01, DCT16-02-00, DCT20-02-00, conductor depressor	1017-487-0200
N/A	Tool, crimp, DCT12-02-00, DCT12-02-01, DCT16-02-00, DCT20-02-00, conductor depressor spring	1017-488-0200
N/A	Tool, crimp, DCT12-02-00, cutter spring	1017-489-0200
N/A	Tool, crimp, DCT12-02-00, DCT12-02-01, DCT16-02-00, DCT20-02-00, insulator cap	1017-490-0200
N/A	Tool, crimp, DCT12-02-00, DCT12-02-01, DCT16-02-00, DCT20-02-00, conductor cap	1017-491-0200
N/A	Tool, crimp, DCT12-02-00, DCT12-02-01, DCT16-02-00, DCT20-02-00, ball plunger	1017-492-0200
N/A	Tool, crimp, DCT12-02-00, DCT12-02-01, DCT16-02-00, DCT20-02-00, adjustment pivot	1017-496-0200
N/A	Tool, crimp, DCT12-02-00, DCT12-02-01, DCT16-02-00, DCT20-02-00, bushing	1017-497-0200
N/A	Tool, crimp, DCT12-02-00, cutter punch	1017-503-0200
N/A	Tool, crimp, DCT12-02-00, pressure pad	1017-504-0200
N/A	Tool, crimp, DCT12-02-00, conductor depressor	1017-505-0200
N/A	Tool, crimp, DCT12-02-00, gathering insert	1017-506-0200
N/A	Tool, crimp, DCT12-02-00, pressure pad holder	1017-509-0200
N/A	Tool, Crimp, DCT16-02-00, DCT20-02-00, pressure pad	1017-510-0200
N/A	Tool, crimp, DCT12-02-00, DCT12-02-01, DCT16-02-00, DCT20-02-00, base plate	1017-519-0200
N/A	Tool, crimp, DCT16-02-00, slide feed pivot	1017-528-0200
N/A	Tool, crimp, DCT12-02-00, DCT12-02-01, DCT16-02-00, DCT20-02-00, washer	1017-530-0200
N/A	Tool, crimp, DCT12-02-01, punch, conductor	1017-531-0200
N/A	Tool, crimp, DCT12-02-01, anvil, conductor	1017-532-0200
N/A	Tool, crimp, DCT12-02-00, punch, insulation, 10 AWG	1017-533-0200
N/A	Tool, crimp, DCT12-02-01, anvil, insulation, .185-.204	1017-534-0200
N/A	Tool, crimp, DCT16-02-00, brake insert	1017-537-0200
N/A	Tool, crimp, DCT16-02-00, brake holder	1017-538-0200
N/A	Tool, crimp, DCT Applicators, slide pin	1017-547-0200
N/A	Tool, crimp, DCT12-02-00, anvil, insulation, .155-.190	1017-554-0200
N/A	Tool, crimp, DCT12-02-00, punch, insulation, .155-.190	1017-562-0200
N/A	Tool, crimp, DCT1620-02-00, cutter punch	1017-576-0200
N/A	Tool, crimp, DCT16-02-01, gathering spring	1017-578-0200
N/A	Tool, crimp, DCT1620-02-00, conductor depressor	1017-579-0200
N/A	Tool, crimp, DCT1620-02-00, depressor spring	1017-580-0200
N/A	Tool, crimp, DCT12-02-01, gathering insert	1017-558-0200
N/A	Tool, crimp, DCT1620-02-00, shear	1017-585-0200

Crimp Tools - Stamped & Formed Contacts

Size	Part Description	Part Number
N/A	Tool, crimp, DCT16-02-01, ram slide	1017-595-0200
N/A	Tool, crimp, DCT1620-02-00, wire stop	1017-610-0200
N/A	Tool, crimp, DCT16-02-00, brake assembly	1038-008-1600
<i>Bolster Plate</i>		
N/A	Bolster plate, DCT12-02-00, DCT12-02-01, DCT16-02-00, DCT20-02-00	BOLSTER PLATE
N/A	Bar, bolster plate, DCT12-02-00, DCT12-02-01, DCT16-02-00, DCT20-02-00	BOLSTER PLATE BAR
N/A	Clamp, bolster plate, DCT12-02-00, DCT12-02-01, DCT16-02-00, DCT20-02-00	BOLSTER PLT CLAMP

Deutsch Modification List

Mod #	Series	Description
A		
A004	DRC	Receptacle with molded-in PCB pins, 24 and 40 way
A006	DRC	Receptacle with molded-in PCB pins, 40 way, #40 pin deleted
B		
B009	HD10	Receptacle with raised key removed from front of flange
B010	HD10	Plug with coupling ring added
B016	DT, DT13/15	Receptacle has extended shell and additional keys, plug has enhanced seal retention (P012), 12 way
B019	HD30	Custom snap ring mount
B025	HD10	Receptacle with D-hole panel mount, no rear threads, black, HD10-9-96P only
BE		
BE02	DT	Receptacle with extended shell and additional keys (B016), end cap
BE03	DT	Receptacle with extended shell and additional keys (B016), end cap, black
BE04	DT	Receptacle with extended shell and additional keys (B016), end cap, reduced diameter seals (E seal), black
BE05	DT	Receptacle with extended shell and additional keys (B016), end cap, sealed flange, reduced diameter seals (E seal), threaded stainless steel flange inserts
BL		
BL04	DT	Receptacle with extended shell and additional keys (B016), welded flange
BL08	DT	Receptacle with extended shell and additional keys (B016), welded flange, black
BL10	DT	Receptacle with extended shell and enhanced keys (B016), sealed flange, reduced diameter seals (E seal), shrink boot adaptor, threaded stainless steel flange inserts
BL11	DT	Receptacle with extended shell and enhanced keys (B016), sealed flange, reduced diameter seals (E seal), end cap, threaded stainless steel flange inserts
C		
C002	HD50	Retention cap with lanyard and short cavities
C003	HDN	Standard cavity marking identification
C008	DT	Cavity blocked (C)
C012	HD30	Cavities blocked (J, P)
C015	DT	Reduced diameter seals (E seal)
C016	HD10	Cavities blocked (H, J) - HD10 series 9 way
C017	DT	Solid rear grommet
C018	HD30	Cavities blocked (11, 18, 19), N/E seal options
C019	HD30	Cavities blocked (1, 2, 8, 9), N/E seal options
C020	HD30	Cavities blocked (A, D), N/E seal options
C021	HD30	Cavities blocked (A, B, C, D)
C022	HD30	Cavities blocked (A, D, J, M), with reduced diameter seals (E seal)
C024	HD10	Cavities blocked (B, C, D)
C026	DRC	Cavity blocked, 50 way
C030	HD30, HDP20	Four size 16 cavities blocked (1, 2, 5, 6)
CE		
CE01	DT	Reduced diameter seals (E seal), end cap
CE02	DT, DTP	Reduced diameter seals (E seal), black
CE03	DT	Reduced diameter seals (E seal), end cap, black
CE04	DT	Reduced diameter seals (E seal), shrink boot adaptor
CE05	DT	Plug with reduced diameter seals (E seal), enhanced seal retention (P012), end cap
CE06	DT	Plug with reduced diameter seals (E seal), enhanced seal retention (P012)
CE07	DT	Receptacle with extended shell and additional keys (B016), reduced diameter seals (E seal), end cap
CE08	DT	Receptacle with extended shell and additional keys (B016), reduced diameter seals (E seal)
CE09	DT	Reduced diameter seals (E seal), shrink boot adaptor, black
CE10	DT	Plug with reduced diameter seals (E seal), enhanced seal retention (P012), black

Deutsch Modification List

<i>Mod #</i>	<i>Series</i>	<i>Description</i>
CE11	DT	Plug with reduced diameter seals (E seal), enhanced seal retention (P012), end cap, black
CE12	DT	Plug with reduced diameter seals (E seal), enhanced seal retention (P012), shrink boot adaptor, black
CE13	DT	Plug with reduced diameter seals (E seal), enhanced seal retention (P012), shrink boot adaptor
CL		
CL01	HD30	Cavities blocked (J, Q, R, S, X), adaptor for cable clamp (072)
CL03	DT	Reduced diameter seals (E seal), welded flange
CL07	DT	Reduced diameter seals (E seal), sealed flange, shrink boot adaptor
CL08	DT	Reduced diameter seals (E seal), welded flange, end cap, disabled latch
CL09	DT	Reduced diameter seals (E seal), sealed flange, end cap, black
CG		
CG01	DRC	5mm threaded insert with silver plating, molded-in contacts, outside rows gold
CP		
CP01	DT	All cavities plugged, enhanced seal retention (P012), end cap
E		
E003	DT, DTHD, DTM, DTP	End cap
E004	DT, DTM, DTP, HD10	Black
E005	DT, DTM	Black, end cap
E007	DTM	Shrink boot adaptor
E008	DT	Shrink boot adaptor
E009	DRC	24 way and 40 way receptacle, B keys, housing is gray, flange is black
E016	EEC	Standard EEC box, molded in transparent Ultem material
EE		
EE01	DT	Shrink boot adaptor, black
EE03	DTM	Shrink boot adaptor, black
EF		
EF01	DT	Fluorosilicone front seals, end cap
EF02	DT	Fluorosilicone front seals, latch guard end cap
EP		
EP04	DT	End cap (same as E003 mod)
EP05	DT	Latch guard end cap
EP06	DT	Plug with enhanced seal retention (P012), end cap
EP07	DT	Plug with enhanced seal retention (P012), black
EP08	DT	Plug with enhanced seal retention (P012), end cap, black
EP09	DT	Plug with enhanced seal retention (P012), latch guard end cap, black
EP10	DT, DTM	120 ohm terminating resistor (J1939), black
EP11	DT	Plug with enhanced seal retention (P012), shrink boot adaptor, black
EP12	DT	Bussed receptacle, 4 and 6 way only, 1 buss, black, gold plated pins
EP13	DT	Bussed receptacle, 4 and 6 way only, 1 buss, black, nickel plated pins
EP14	DT	Bussed receptacle, 6 way, 2 busses, black, nickel plated pins
EP20	DT	Plug with enhanced seal retention (P012), shrink boot adaptor
F		
F001	HDN	Inserts within connector made of Ultem
G		
G001	DRC	Gold plating over nickel contacts

Deutsch Modification List



Mod #	Series	Description
G002	DRC	Outside rows of pins are gold plated and rest are tin plated
G003	DT13/15	Gold plated pins
G004	DRC	Interface side pins are nickel plated, PCB side pins are tin plated
GR		
GR01	DTM13 (EEC headers)	Snap in PCB mounted header for EEC enclosure, gold plated pins
H		
H001	HD30	Plated with yellow chromate conversion
HL		
HL01	HD30	Dust cap plated with yellow chromate conversion, sash chain with eyelet for #10 screw
HL02	HD30	Adaptor for cable clamp (-072) plated with yellow chromate conversion
J		
J001	HD30	Reverse cavity marking identification on grommet
J059	HD30	Reverse cavity marking identification on grommet, cable clamp (-059)
K		
K001	AEC	Molded in shell marking, remove blue stripe, end cap
K003	DT16	Plug, 15 cavity DT with 2 #12 contacts and 13 #16 contacts, enhanced seal retention (P012), end cap, black
K004	DT16	Plug, 18 cavity DT with 18 #16 contacts, enhanced seal retention (P012), end cap, black
KP		
KP01	DT16	Plug, six cavity DT with 6 #16 contacts, enhanced seal retention (P012), end cap, green
L		
L001	HD30	Same as -059 (cable clamp)
L003	HD30	Cable clamp adaptor (-072)
L005	HD30	Cable clamp adaptor (-072) without drain holes
L006	HD30	-059 modification using adaptor without drain holes
L009	DTHD	Sealed flange, inside mount
L011	DRC	Wire router
L012	DT, DTP, DTM	Welded flange
L013	DTHD	Sealed flange, outside mount
L015	HDP20	Threaded adaptor for backshell strain relief
L017	HDP20	Ring adaptor for backshell strain relief
L018	DRB	Wire router
L020	HD30, HD50	No #10 eyelet on the dust cap chain
L072	HD30	Inserts within connector made of Ultem, LADD adaptor ring
L72L	HD30	Cable clamp adaptor with locktite ring, (LADD only)
LE		
LE01	DT	Sealed flange, inside mount, gasket, end cap,
LE02	DT	Special adaptor with Viton seal, round housing, end cap, 2 and 4 way receptacle only
LE03	DT	Sealed flange, outside mount, o-ring sold separately, end cap, NOTE: DT04-08PA-LE03 comes with shrink boot adaptor and o-ring on flange
LE04	DT	Special adaptor, round housing, end cap, silicone grommet
LE05	DT	Sealed flange, inside mount, gasket, end cap
LE06	DT	Sealed flange, inside mount, reduced diameter seals (E seal), end cap
LE07	DT, DTP	Welded flange, end cap
LE08	DT	Welded flange, shrink boot adaptor (J1939), gray
LE09	DT	Sealed flange, o-ring, end cap, black
LE10	DT	Sealed flange, inside mount, gasket, end cap, black

Deutsch Modification List

<i>Mod #</i>	<i>Series</i>	<i>Description</i>
LE11	DT	Welded flange, end cap, black
LE12	DT	Welded flange, shrink boot end cap (J1939), black
LE13	DT	Special adaptor, round housing, end cap
LE14	DT	Welded flange, black
LE17	DT	Sealed flange, gasket sold separately, end cap, black
N		
N005	HD10	Receptacle with molded in PCB pins, modified shell
N006	DT	Receptacle with 90° molded in contacts
N010	DRC	Sealed rectangular flange, one piece connector design
N012	DRC	One piece connector design
P		
P005	AEC	Special oversized seal on AEC series plugs and dust caps
P006	DT, DTM	120 ohm terminating resistor (J1939)
P007	DT, DTM	Receptacle "Y" connector (J1939)
P010	DT15	Potting for 5 psi requirement
P012	DT	Plug with enhanced seal retention, 2-6 way are black, 8 and 12 way "A" key is gray, "B" key is black, "C" key is green, "D" key is brown
P013	DRC	Plug with bonded front seal, silicone adhesive
P016	DT	Bussed receptacle, 12 way, gold plated contacts
P017	DRC	Stainless steel retention clip for jackscrew
P018	DTP	Receptacle with 12 AWG wires attached
P019	DRC	Zinc chromate retention clip for jackscrew
P021	DT	Bussed receptacle, 6, 8, and 12 way, one buss nickel plated pins
P026	DT	Bussed receptacle, 8 and 12 way, two busses, nickel plated pins
P027	DT	Bussed receptacle, 12 way, two busses, gold plated pins
P028	DT	Bussed receptacle, 8 way, two busses, nickel plated pins
P030	DT	Bussed receptacle, 12 way, four busses, nickel plated pins
P031	DT	Bussed receptacle, 12 way, four busses, gold plated pins
P032	DT	Integrated shrink boot adaptor (J1939), black
PP		
PP01	DT	Plug with enhanced seal retention (P012), 120 ohm terminating resistor (J1939), end cap, black
R		
R004	DTM13/15	Custom enclosure header, 90° pins
R005	DTM13	Custom flange, 90° pins
R008	DTM13/15	Snap in PCB mounted header for EEC enclosure
RT		
RT01	DT	Receptacle with MUR 460 diode
RT02	DT	Receptacle with Toshiba diode 3GZ41
RT03	DT	Receptacle with MUR 460 diode, 4 way available
RT06	DT	Receptacle with Phillips T.V.S diode 1.5KE130CA, green
RT25	DT	Receptacle with 27k ohm resistor, black
#'s		
059	HD30	Addition of adaptor and cable clamp assembly
072	HD30	Addition of cable clamp assembly
1E	HD30	Delete rivet and chain from protective dust cap

Glossary of Terms

Term	Definition
A	
Adaptor (HD30)	Adaptor is swaged onto connector and threaded to allow for rear hardware; cable clamps or backshells. Designated by the "072" modification.
Applicator	Tooling used in automatic machines to crimp stamped and formed contacts.
AWG	American wire gauge. The smaller the AWG number, the larger the diameter of the wire. The higher the AWG number, the thinner the wire gauge.
B	
Backshell	An enclosed plastic piece that attaches to the rear of a connector providing aesthetics, protection, and strain relief.
Blocked Cavities	A modification to the grommet that includes all or selected cavities permanently sealed for unused cavities.
Breakaway (HDB)	HDB series plugs designed to provide an emergency disconnect. HDB series plugs mate with HD30 series receptacles.
Boot	Protective covering designed to fit on the rear of a connector providing aesthetics, protection, and strain relief.
Bulkhead	Defines a mounting style of connectors, designed to be inserted into a panel cutout.
Buss	A conductive, solid metal shape that is used for distributing electrical current to branches of a circuit.
C	
Cable Clamp	An enclosed metal device used to provide support to a variety of wire bundles or cable sizes. Threads onto HD30 series where "072" adaptor has been added. Designated by the "059" modification.
Cavity	A defined hole in the connector grommet and housing into which the contact must fit.
Compression Nut	Part of a backshell assembly. Threads onto backshell to secure the wire bundle extending from backshell.
Contact	The conductive element in a termination assembly which is crimped onto a wire and mates with a corresponding contact for the purpose of transferring electricity.
Contact Rating	The maximum specified amperage to be passed through a contact.
Coupling Ring	A device used with cylindrical connectors to lock plug and receptacle together by turning.
Crimp	The physical compression of a contact barrel around a conductor to make an electrical connection.
Crimping Die	Portion of the crimping tool that shapes the crimp.
D	
Diode	An electrical component used to keep current flowing in one direction.
Dust Cover	Cap or cover used to protect the connector interface when either plug or receptacle are unmated.



Glossary of Terms

<i>Term</i>	<i>Definition</i>
E	
End Cap	A protective cap sonically welded to the rear of the connector. Holes in end cap allow contacts to be inserted.
Enhanced Keying	Additional keying or polarization to prevent mis-mating. Designated by the "B016" modification.
Enhanced Seal Retention	Enhancements to plug, front seal, and wedgelock to prevent seal separation during unmating. Designated by the "P012" modification.
"E" Seal	Extra thin or European seal. Refers to cavity diameter of the rear wire seal. Contact LADD for recommended wire insulation range.
F	
Flange	A projection extending from a connector, and having holes for mounting a connector to a panel. Usually used with receptacles.
Flange Seal	Environmental seal between connector flange and panel.
Front Seal	Environmental seal between the entire interface of mating connectors. The seal itself is usually found on plugs. Also referred to as interfacial seal.
G	
Grommet	An integral rubber seal used on the cable side (rear) of a connector to provide an environmental seal.
I	
In-line	Defines connectors that do not have the capability for use in mounting or P.C.B. applications.
Interface	The two surfaces of a mating pair of connectors that face each other when connected.
Internal Seal	An internal environmental seal. Provides sealing when plug and receptacle are fully mated.
K	
Key	A projection which engages with a keyway to guide a connector during mating to prevent mis-mating.
Keying Pin	Solid plastic rod designed to be inserted into an empty socket cavity to prevent mis-mating.
L	
Locator	A device used in contact crimping tools to assure proper contact position during crimping.
Lockwasher	A metal washer used to mount HD30 and HDP20 series connectors.
M	
Mounting Bracket	A metal bracket used to mount HDFB series connectors.
Mounting Clip	A plastic or metal piece that attaches to DT, DTM, DTP, DTHD series receptacles to allow for surface mounting.
N	
"N" Seal	Normal seal. Refers to cavity diameter or rear wire seal. Contact LADD for recommended wire insulation range.
O	
O-Ring	A cylindrical plastic ring, found inside a receptacle, that provides a secondary environmental seal.
P	
Panel Nut	A threaded plastic or metal nut used to mount HD30 and HDP20 series connectors.
Partial Strip	A quantity, less than a standard reel, of stamped and formed contacts, usually 100 pieces.
P.C.B. Mount	Defines connectors specifically for printed circuit board applications.
Pin	The male contact. Pins are usually housed by receptacles.
Plug	One half of a mated pair of connectors. Plugs always have the locking mechanism and usually house sockets (female).
R	
Receptacle	One half of a mated pair of connectors. Receptacles usually house pins (male).
Reduced Diameter Seal	Rear wire seals have reduced diameter cavities to allow for smaller wire insulation. Designated by the "C015" modification.
Removal Tool	A tool designed to remove contacts from connectors. Sizes and colors vary to match AWG.
Retaining Bolt	A mechanical fastening device used to draw mating connectors together and to separate them.

Glossary of Terms

Term	Definition
Retaining Sleeve	Fits into receptacle to maintain internal seal and provide keying. Integral component of DTP, DTM receptacles.
Reverse Arrangement	Defines a reversal of standard cavity arrangements. Often used in side by side mounting applications to prevent mis-mating.
Ring Adaptor (HDP20)	A cylindrical device welded to connector that allows for rear hardware; backshells or strain relief. Designated by the "L017" modification.
S	
Sealed Flange	A flange that is an integral part of the connector; one piece design.
Sealing Plug	A solid plastic rod designed to be inserted into an unused cavity to maintain an environmental seal.
Secondary Wedgelock	A small plastic piece inserted into a connector interface to keep contacts in place, used with DT, DTM, DTP, DTV, and DRB series.
Selective Plating	A process of plating only a selected portion of a contact, usually the mating surface.
Shrink Boot Adaptor	Thermoplastic adaptor sonically welded to rear of connector to allow heat shrink to be attached to the connector.
Socket	The female contact. Sockets are usually housed by plugs.
Solid Contact	Contacts manufactured using a cold heading process. Designed for heavy duty applications. Solid contacts have a closed crimp barrel. Sold in bulk.
Stamped & Formed Contact	Contacts manufactured using a precision stamping machine. Stamped and formed contacts have an open crimp barrel. Provide a low cost and reliable termination. Sold on reels or as partial strips.
Strain Relief	A hard plastic or metal piece that attaches to the rear of a connector providing wire support.
T	
"T" Seal	Thin wall seal. Refers to the cavity diameter to the rear wire seal. Contact LADD for recommended wire insulation range.
Terminating Resistor	Electrical component which offers resistance to the flow of electrical current.
Threaded Adaptor (HDP20)	A threaded, cylindrical device welded to connector that allows for rear hardware; backshells or strain relief. Designated by the "L015" modification.
Threaded Rear	Connector is threaded to accept rear hardware; backshells or strain relief.
W	
Wire Router	Protective piece attached to the rear of connector used for wire bundle strain relief.

Kits

LADD offers assembly, field service, and custom kits for your convenience

Assembly Kits

- For ease of assembly or repair, LADD offers pre-packaged connector kits. Call LADD Customer Service to request information about assembly kits.

Field Service Kits

- LADD offers frequently used parts in organized, easy to use service kits. Perfect for taking on the road or for use in the parts department, so you have “just what you need” at your fingertips.

Custom Kits


- Custom kits are available to meet your specific needs or requirements. Consult LADD Customer Service for details. Kit minimums apply.



Online Support

Online catalog and technical documents are available on the LADD website

- Visit LADD's website, www.laddinc.com
- Easily search for Deutsch environmentally sealed connectors and accessories using LADD Industries' online catalog
- Need a digital version of the Connector Selector? It's available to download from the LADD website
- The following product information is available on the website or upon request:
 - Product data sheets
 - “How to” instructions
 - Reference guides



Corporate Headquarters

LADD Industries

4849 Hempstead Station Drive

Kettering, OH 45429

Phone: 800.223.1236

Fax: 937.438.9755

Email: connection@laddinc.com

New Mexico Facility

LADD Industries

2750 Airport Road, Suite 200

Santa Teresa, NM 88008

www.laddinc.com

